Yellow
1/16 x 6 1/2
Inside
8 13/16 x 6 1/4

QK1
.H762
1919
INDEX
1-30

HOOKER'S

ICONES PLANTARUM;

OR,

FIGURES, WITH DESCRIPTIVE CHARACTERS AND REMARKS,

OF NEW AND RARE PLANTS,

SELECTED FROM THE

KEW HERBARIUM.

INDEX TO PLATES AND NAMES IN VOLUMES
I—XXX.

EDITED FOR THE BENTHAM TRUSTEES BY

SIR DAVID PRAIN, C.M.G., C.I.E., LL.D., F.R.S.

DIRECTOR, ROYAL BOTANIC GARDENS, KEW.

DULAU & CO., LTD.
37 SOHO SQUARE, LONDON.
1919.

MISSOURI BOTANICAL
GARDEN LIBRARY

D. 2.50

HOOKER'S

ICONES PLANTARUM;

OR,

FIGURES, WITH DESCRIPTIVE CHARACTERS AND REMARKS,

OF NEW AND RARE PLANTS,

SELECTED FROM THE

KEW HERBARIUM.

INDEX TO PLATES AND NAMES IN VOLUMES I—XXX.

EDITED FOR THE BENTHAM TRUSTEES BY

SIR DAVID PRAIN, C.M.G., C.I.E., LL.D., F.R.S.

DIRECTOR, ROYAL BOTANIC GARDENS, KEW.

DULAU & CO., LTD.

37 SOHO SQUARE, LONDON.

1919.

SPOTTISWOODE, BALLANTYNE AND CO. LTD., PRINTERS, LONDON, COLCHESTER AND ETON.

Price Ten Shillings.

INDEX

TO THE PLATES AND NAMES CONTAINED IN VOLUMES I–XXX

Alphabetically Arranged

The names given in **clarendon** type are those of plants described in the work; an * is prefixed to the names of those not figured. Synonyms are printed in *italics*; names in roman characters are those of plants mentioned in the text. Special articles are indicated by SMALL CAPITALS.

	VOL.	PLATE
Abacopteris simplicifolia, Fée	x.	919
Abelia	xxx.	2937
Abies religiosa, Hook. & Arn.	iv.	379
Abrodictyum Cumingii, Presl	viii.	704
Abrophyllum ornans, *Hook.f.*	xiv.	1323
Abutilon sinense, *Oliv.*	xviii.	1750
Acacia acuifera, *Benth.*	xix.	1803
—— **anceps**, *Hook.*	ii.	167
—— **buxifolia**, *A. Cunn.*	ii.	164
—— Catechu	xxiii.	2202
—— **choriophylla**, *Benth.*	xix.	1804
—— **crassifolia**, *A. Gray*	xii.	1166
—— **cultriformis**, *A. Cunn.*	ii.	170
—— **Cunninghamii**, *Hook.*	ii.	165
—— decipiens, *R. Br.*	iv.	370
—— **diptera**, *Lindl.*	iv.	369
—— **dolabriformis**, *A. Cunn.*	ii.	169
—— Farnesiana, *Willd.*	xix.	1803
—— **Fraseri**, *Hook.*	ii.	171
—— **hispidula**, *A. Cunn.*	ii.	161
—— **Hunteri**, *Oliv.*	xiv.	1350
—— **incrassata**, *Hook.*	iv.	370
—— **lycopodiifolia**, *A. Cunn.*	ii.	172
—— **neurocarpa**, *A. Cunn.*	ii.	168
—— **reniformis**, *Benth.*	xii.	1165
—— **setiformis**, *A. Cunn.*	ii.	159
—— **setigera**, *A. Cunn.*	ii.	166
—— **setigera**, *Hook.*	iv.	316
—— **squamata**, *Lindl.*	iv.	367
—— **translucens**, *A. Cunn.*	ii.	160
Acalypha	xiii.	1281
Acalypha capillipes, *F. Muell.*	xiii.	1291
—— eremorum, *Muell.-Arg.*	xiii.	1291
—— **spinescens**, *Benth.*	xiii.	1291
Acer argutum, *Maxim.*	xix.	1897
—— Campbellii, *Hook. f. & Thoms.*	xix.	1897
—— caudatum, *Wall.*	xix.	1897
—— cissifolium, *C. Koch*	xix.	1896
——*cordatum, *Pax*	xix.	1897
——*Davidi, *Franch.*	xix.	1897
—— **Davidi**, var. *glabrescens, *Pax*	xix.	1897
——*erosum, *Pax*	xix.	1897
——*Francheti, *Pax*	xix.	1897
—— **Henryi**, *Pax*	xix.	1896
—— Hookeri, *Miq.*	xix.	1897
——*laevigatum, *Wall.*	xix.	1897
—— Lobelii, *Ten.*	xix.	1897
—— **Lobelii**, subsp. *laetum, *Pax*, var. indicum	xix.	1897
——*Maximowiczii, *Pax*	xix.	1897
—— micranthum, *Sieb. & Zucc.*	xix.	1897
——*oblongum, *Wall.*	xix.	1897
—— **oblongum**, var. concolor, *Pax*	xix.	1897
——*Oliverianum, *Pax*	xix.	1897
—— rufinerve, *Sieb. & Zucc.*	xix.	1897
——*sinense, *Pax*	xix.	1897
—— tenellum, *Pax*	xix.	1897
——*tetramerum, *Pax*	xix.	1897

	VOL.	PLATE
Acer Tschonoskii, *Maxim.*	xix.	1897
—— villosum, *Wall.* .	xix.	1897
ACERA HENRYANA .	xix.	1897
Aceras . . .	xxiv.	2321
Acharia, *Thunb.* . .	xii.	1161
Achilus siamensis, *Hemsl.*	xxiv.	2370
Achimenes hirsuta, *DC.*	v.	468
—— **multiflora,** *Gardn.*	v.	468
—— **rupestris,** *Gardn.*	v.	480
—— **capillaris,** *Stapf* .	xxvii.	2604
Achneria aurea . .	xxvii.	2604
—— **capillaris,** *Stapf* .	xxvii.	2604
Achras bahamensis, *Baker*	xviii.	1795
—— Sapota . .	xviii.	1795
—— vitellina . .	xxv.	2498
Achyranthes . .	xiii.	1286
Achyrospermum fruticosum, *Benth.* . .	xiii.	1249
Aciachne pulvinata, *Benth.*	xiv.	1362
Acicarpha *crassifolia,* Miers	xviii.	1752
—— **rosulata,** *N. E. Br.*	xxvii.	2636
Aciphylla Hectori, *Buchan.*	xxvi.	2556
—— **Lyallii,** *Hook. f.* .	xxvi.	2556
—— **squarrosa,** *Forst.* .	vii.	607–8
Acranthera Griffithii, *Hook. f.* . .	xviii.	1718
—— Maingayi, *Hook. f.*	xviii.	1718
—— *mutabilis,* Hemsl. .	xviii.	1718
Acridocarpus Cavanillesii, *Juss.* .	viii.	774
—— **corymbosus,** *Hook.f.*	viii.	774
—— **orientalis,** *Juss.* .	xxv.	2432
—— orientalis, *Juss.* .	xxv.	2433
—— Smeathmanni, *Guill. & Perr.* .	viii.	774
—— **socotranus,** *Oliv.* .	xxv.	2433
Acrocephalus capitatus, *Benth.* . . .	v.	456
Acrodiclidium *anacardiodes,* Spruce .	xiii.	1259
—— jamaicense . .	xiii.	1259
Acrophorus Hookeri, Moore	xvii.	1625
Acropteris australis, Fée	x.	976
—— *radiata,* Fée . .	x.	975
Acrostichum, *Bl.* . .	x.	905, 907
Acrostichum aureonitens, *Hook.* .	x.	933
—— aureonitens, *Hook.*	xvii.	1693
—— *australe,* Linn. .	x.	976
—— *australe,* Vahl. .	x.	975
—— **cardiophyllum,** *Hook.*	viii.	715
—— **caudatum,** *Hook.*	iii.	215
—— *dichotomum,* Forsk.	x.	975
——***flabellatum,** *Willd.*	i.	96
—— **flabellatum,** var. β, *Humb. & Kunth*	i.	96
—— flagelliferum .	vii.	681–2
Acrostichum Gilleanum, *Baker* . .	xvii.	1693
—— heterophyllum, *Raddi*	vii.	627–8
—— **juglandifolium,** *Baker* . .	xvii.	1691
—— **lloense,** *Hook.* .	vii.	657
—— **neglectum,** *Bailey*	xvii.	1689
—— ovatum, *Hook. & Grev.* . .	ii., viii.	197, 715
—— **polybotryoides,** *Baker* . .	xvii.	1690
—— **proliferum,** *Hook.*	vii.	681–2
—— *quercifolium,* Retz.	x.	905
—— *radiatum,* Koenig .	x.	975
—— scolopendrifolium	xvii.	1688
—— **Sodiroi,** *Baker* .	xvii.	1688
—— **squamipes,** *Hook.* .	ii.	197
—— squamipes, *Hook.* .	viii.	715
—— subcrenatum, *Hook. & Grev.* .	vii.	681–2
—— **suberectum,** *Baker*	xvii.	1692
—— **tambillense,** *Hook.*	vii.	656
—— **Thomsoni,** *Baker* .	xvii.	1694
—— virens, *Wall.* .	vii., xvii.	681–2, 1689
Acrotome . . .	xix.	1872
Acrotome inflata, *Benth.*	xv.	1467
Acrotrema costatum, *Jacq.*	ii.	157
——***lanceolatum,** *Hook.*	ii.	157
—— **uniflorum,** *Hook.* .	ii.	157
—— Wightianum, *Wall.*	ii.	157
Acrymia ajugiflora, *Prain*	xxx.	2946
Actinidia . . .	xxix.	2808
Actinidia chinensis, *Planch.*	xvi.	1593
Actiniopteris *australis,* Link	x.	976
—— **radiata,** *Link* .	x.	975
—— **radiata,** var. β, *Hook.*	x.	975–6
Actinocarya tibetica, *Clarke*	xxiii.	2256
Actinolepis multicaulis, *DC.* . .	iv.	352
Actinomorphe, *Miq.* .	xxix.	2821
Actinophyllum, *Ruiz & Pav.* . . .	xxix.	2821
Actinoschoenus chinensis, *Benth.* .	xiv.	1346
—— **filiformis,** *Benth.* .	xiv.	1346
—— Thouarsii, *Benth.* .	xiv.	1346
Actinostemma biglandulosum, *Hemsl.* .	xxvii.	2622, 2645
Actinostrobus pyramidalis, *Miq.* . .	xiii.	1272
Actinotinus sinensis, *Oliv.*	xviii.	1740
Actinotus leucocephalus, *Benth.,* var. β . .	ix.	847
Adelostemma gracillimum, *Hook. f.* . .	xv.	1427
Adelostigma senegalensis, *Benth.* . .	xii.	1144

	VOL.	PLATE
Adenaria floribunda, *Humb. & Kunth*	ii.	116
—— grisleoides, *Humb. & Kunth* . .	ii.	116
—— **parvifolia,** *Hook.* .	ii.	116
Adenogonum decumbens, *Welw.* . .	xxiii.	2205
Adenophora . .	xx.	1966
Adenostemma brasilianum, *Cass.* .	iii.	238
—— brasilianum . .	iii.	239
—— triangulare, *DC.* .	iii.	238
—— **triangulare,** *DC.* .	iii.	239
Adesmia . . .	vii.	655
Adiantum . . .	ix.	858
Adiantum affine . .	xvii.	1633
—— **Balfourii,** *Baker* .	xvii.	1630
—— **calcareum,** *Gardn.*	v.	467
—— caudatum, *Linn.* .	v.	467
—— caudatum, *var.* Edgeworthii .	vii.	1627
—— cuneatum, *Langsd. & Fisch.* . .	x.	961, 965
—— *cuneatum,* Kunze .	x.	965
—— *cuneatum,* var. *angustifolium,* Mart. & Galeot..	x.	961
—— **dolabriforme,** *Hook.*	ii.	191
—— **filiforme,** *Gardn.* .	vi.	503
—— **fragile,** *Sw.* . .	x.	965
—— **glaucophyllum,** *Hook.* . .	x.	961
—— **Gravesii,** *Hance* .	xvii.	1632
—— **grossum,** *Mett.* .	xvii.	1631
—— lunulatum, *Sw.* .	ii.	191
—— lunulatum . .	xvii.	1630, 1632
—— *Mariesii,* Baker .	xvii.	1632
—— monochlamys .	xvii.	1632
—— **monosorum,** *Baker*	xvii.	1633
—— peruvianum .	xvii.	1631
—— **sericeum,** *Eaton* .	xvii.	1634
—— **sinuosum,** *Gardn.*.	vi.	504
—— venustum, *Don* .	x.	961, 965
Adina Galpini, *Oliv.* .	xxiv.	2386
Adinandra Mannii, *Oliv.*	xi.	1039
—— **verrucosa,** *Stapf* .	xxiii.	2266
Aechmea Skinneri, *Baker*	xix.	1851
Aegle Barteri, *Hook. f.*.	xxiii.	2285
—— Marmelos, *Corr.* .	xxiii.	2285
Aeluropus laevis, *Trin.*	xiv.	1368
—— repens, *Steud.* .	xiv.	1368
Aeollanthus . .	v.	460
Aerides *appendiculatum,* Wall. . .	xxii.	2136
—— cylindricum, *Lindl.*	xxii.	2127
—— **longicornu,** *Hook.f.*	xxii.	2127
Aerides *radiatum,* Roxb.	xxi.	2057
—— vandarum . .	xxii.	2127
Aerua Curtisii, *Oliv.* .	xxiii.	2201
Aeschynanthus . .	ix.	897
Aesculus, *Linn.* . .	xviii.	1740
—— Hippocastanum .	viii., xxviii.	780, 2774
Aetheria abbreviata, Lindl.	xxii.	2178
—— *fusca,* Lindl. .	xxii.	2181
—— *mollis,* Lindl. .	xxii.	2177
Aethionema . .	xvi.	1599
Aethionema spicatum, *Post*	xv.	1478
Aextoxicum punctatum, *Ruiz & Pav.* . .	i.	12
Afromendoncia Lindaviana, *Gilg* . .	xxv.	2426
—— Lindaviana, *Gilg* .	xxv.	2427
—— **phytocrenoides,** *Gilg*	xxv.	2427
Afzelia africana . .	viii.	790–1
—— **bracteata,** *Vogel* .	viii.	790–1
Agalma, *Miq.* . .	xxix.	2821
Agalmyla asperifolia .	viii.	733–4
—— asperifolia, *Bl.* .	ix.	897
—— **staminea,** *Bl.* .	viii.	733–4
—— staminea, *Bl.* .	ix.	897
—— **tuberculata,** *Hook.f.*	ix.	897
Aganippea bellidiflora, *DC.*	xii.	1117
Aganosma concanensis, *Hook.* . . .	ix.	841
Agaricus Broomeianus, *Berk.* . .	ix.	869
—— pelianthinus .	ix.	869
—— radicatus . .	ix.	870–1
—— **triplicatus,** *Hook. f.*	ix.	870–1
—— **verrucarius,** *Berk.*	ix.	869
Agastachys odorata, *R. Br.*	xiii.	1266
Agropyrum orientale .	xxiii.	2262
—— **Thoroldianum,** *Oliv.*	xxiii.	2262
Agrostis alba . .	xv.	1455
—— purpurascens, *Roxb.*	xv.	1455
—— **simulans,** *Hemsl.* .	xv.	1455
Agrostophyllum glumaceum, *Hook. f.*.	xxi.	2095
—— longifolium, *Bl.* .	xxi.	2096
—— **majus,** *Hook. f.* .	xxi.	2096
—— **pauciflorum,** *Hook.f.*	xxi.	2097
Ailanthus glandulosa .	xxviii.	2786
Ainsliaea elegans, *Hemsl.*	xxviii.	2747
—— ramosa, *Hemsl.* .	xxviii.	2747
Aira	xxvii.	2604
Aira antarctica, *Hook.* .	ii.	150
—— caryophyllea .	ii.	150
—— praecox . .	xxviii.	2786
Ajuga	xxx.	2946
Alafia Barteri, *Oliv.* .	xx.	1992
—— landolphioides .	xxiv.	2350
Alangium Faberi, *Oliv.*	xviii.	1774
Albizzia procera . .	xxx.	2912

	VOL.	PLATE
Alchemilla argyrophylla, *Oliv.* . .	xvi.	1505
—— **Johnstoni,** *Oliv.* .	xvi.	1504
—— polylepis, *Wedd.* .	xvi.	1505
Alchornea caloneura, Pax	xxx.	2988
Alcyonidium . .	vi.	517–8
Aldama dentata, *Less.* .	ii.	145
Alectryon excelsum, *DC.*	vi.	570
Alepidea . . .	xxvi.	2579
Alepidea amatymbica, *Eckl. & Zeyh.* .	xv.	1452
—— **Woodii,** *Oliv.* .	xv.	1452
Aleurites *cordata,* Muell.-Arg. . .	xxix.	2801–2
—— cordata, *Steud.* .	xxix.	2801–2
—— **Fordii,** *Hemsl.* .	xxix.	2801–2
—— Saponaria, *Blanco*	xxix.	2801–2
—— triloba. . .	xxix.	2801–2
—— trisperma, *Blanco.*	xxix.	2801–2
Alexa imperatricis, *Baker*	xviii.	1794
Alexandra Imperatricis, Schomb. . . .	xviii.	1794
Allanblackia floribunda, *Oliv.* . . .	xi.	1004
Allantodia *australis,* R. Br.	x.	978
—— brunonis, *Wall.* .	x.	937
Allomorphia sertulifera, Cogn. . . .	xxv.	2420
	xxv.	2420
Allosorus . . .	x.	901
Allosorus *cuspidatus,* Jaub. & Spach .	x.	902
—— **Karwinskii,** *Kunze*	iv.	387–8
—— *nitidulus,* Presl .	x.	912
—— *ochraceus,* Hook. .	x.	904
Allospondias lakonensis, *Stapf* . . .	xxvii.	2667
Alniphyllum *macranthum,* Perkins .	xxviii.	2791
—— **pterospermum,** *Mats.* . .	xxviii.	2791
Alocasia . . .	xxviii.	2750
Aloe Cooperi, *Baker* .	xxv.	2423
	xxvi.	2513
—— **kniphofioides,** *Baker*	xx.	1939
—— Kraussii, *Baker* .	xxv.	2423
—— **minima,** *Baker* .	xxv.	2423
—— **Nuttii,** *Baker* .	xxvi.	2513
Alpinia . . .	xv.	1419
		1430
Alpinia Fraseriana, *Oliv.*	xvi.	1567
—— modesta, *F. Muell.*	xvi.	1567
—— **Rafflesiana,** *Wall.*	xx.	1963
Alpinia vittata . .	xx.	1963
Alsine . . .	xxx.	2944
Alsodeia . . .	i.	68
Alsodeiopsis Mannii, *Oliv.*	xi.	1008
Alsomitra . . .	xix.	1822
Alsophila, *R. Br.* . .	vii.	643
Alsophila crinita, *Hook.*	vii.	671
—— podophylla . .	xi.	1015
—— **Rebeccae,** *F. Muell.*	xi.	1015
—— *stipulacea,* Beyrich	vii.	623
Altingia gracilipes, *Hemsl.*	xxix.	2837
Alyssum . . .	iv.	339
Alyssum *cochlearioides,* Roth	ix.	805
—— *dentatum,* Nutt. .	i.	31
—— **samariferum,** *Boiss. & Hausskn.* .	xv.	1477
Amanoa bracteosa, *Planch.*	viii.	797
Amblyocalyx Beccarii, *Benth.* . . .	xii.	1179
Amblystigma hypoleucum, *Benth.* .	xii.	1188
——*pedunculare, *Benth.*	xii.	1188
Ameletia floribunda, *Wight* . .	ix.	826
—— indica . . .	ix.	826
—— rotundifolia . .	ix.	826
—— tenuis . . .	ix.	826
Amellus diffusus, Forst. .	v.	485
—— *rosmarinifolius,* Poepp. . .	v.	485
Amirola mollis, *Humb. & Kunth* .	ii.	132
——*nitida, *Pers.* . .	ii.	132
—— **nitida,** var. β, *Hook.*	ii.	132
—— pinnifolia, *Humb. & Kunth* . .	ii.	132
Ammophila arenaria .	xxvii.	2605
Amomum arundinaceum, *Oliv. & Hanb.*	xxv.	2476
—— **cereum,** *Hook. f.* .	xxv.	2477
—— **citratum,** *Pereira* .	xxv.	2478
—— **giganteum,** *Oliv. & Hanb.* .	xxv.	2479
—— **limbatum,** *Oliv. & Hanb.* . .	xxv.	2480
—— **longiscapum,** *Hook. f.*	xxv.	2481
—— **Mannii,** *Oliv. & Hanb.* . .	xxv.	2482
—— **pilosum,** *Oliv. & Hanb.* . .	xxv.	2483
—— *pulchellum,* Thw.	xiv.	1380
—— **subsericeum,** *Oliv. & Hanb.* . .	xxv.	2484
Amoora Championii, Hook. f. . . .	xv.	1458
Amphidoxa gnaphalodes, *DC.* . . .	xiv.	1339
Amygdalus eburnea .	xiv.	1329
—— **glandulosa,** *Hook.*	iii.	288
——microphylla, *Humb. & Kunth* . .	iii.	288
Amyris balsamifera .	xvi.	1571
Anacardium occidentalis	xiii.	1259
AnadeniaManglesii, *Grah.*	iv.	337

	VOL.	PLATE
Anaectochilus . .	xxii.	2168
Anaectochilus elatior, *Lindl.* . .	xxii.	2158
—— **Griffithii,** *Hook. f.*	xxii.	2159
—— Roxburghii, *Lindl.*	xxii.	2158
—— **tetrapterus,** *Hook.f.*	xxii.	2160
Anagallis alternifolia, *Cav.*	vi.	536
Anaglypha acicularis, *Benth.*	xii.	1109
Anagosperma . .	xiii.	1283
Ana-Parna, Rheed. .	ii.	175
Anastatica hierochuntica	ii.	162
Anastrophea abyssinica, Wedd. . . .	xxiv.	2356
Anchusa . . .	xxvi.	2562
—— *sikkimensis,* Clarke	xxiii.	2255
Ancistrocladus pentagynus, Warb. . .	xxix.	2822
Ancrumia cuspidata, *Harv.*	xiii.	1227
Ancylanthus Monteiroi, *Oliv.* . . .	xiii.	1208
Ancylobothrys Petersiana, Pierre .	xxviii.	2756
—— *rotundifolia,* Pierre	xxviii.	2756
Ancylocladus Beccarianus, Kuntze . .	xxviii.	2711
Andrachne *apetala,* Roxb.	ix.	844
—— australis, *Zoll.* .	xviii.	1704
—— Clarkei, *Hook. f.* .	xviii.	1704
—— *Decaisnei,* Benth. .	xviii.	1704
—— **fruticosa,** *Dcne* .	xviii.	1704
—— telephioides . .	xviii.	1704
—— *trifoliata,* Roxb. .	ix.	844
Andraea nivalis . .	iii.	201
—— Rothii . . .	iii.	201
—— **subulata,** *Harv.* .	iii.	201
Androcymbium . .	xxx.	2931
Androlepis Skinneri, Brongn. . . .	xix.	1851
Andromachia . .	v.	451–2
Andromeda . . .	vi.	516
Andromeda katagherensis, *Hook.* .	iii.	246
—— **phyllyreifolia,** *Hook.*	ii.	122
—— tetragona, *Linn.* .	vi.	580
Andropogon *ambiguus,* Steud. . .	xix.	1869
—— *binatus,* Retz. .	xviii.	1773
—— (?) *capillaris,* Kunth	xxvii.	2604
—— **ceresiaeformis,** *Nees*	xix.	1870
—— *ceriferus,* Hack. .	xxix.	2826
—— *circinnatus,* Hochst. & Steud. . .	xix.	1871
—— *citratus,* DC. .	xxix.	2826
—— *citriodorum,* Desf.	xxix.	2826
—— *eriophorus,* Willd.	xix.	1871
—— exaltatus, *R. Br.* .	xix.	1869
—— **exaltatus,** *R.Br.* var. **ambiguus,** *Hack.*	xix.	1869
Andropogon *involutus,* Steud.	xviii.	1773
—— Iwarancusa, *Blane*	xix.	1871
—— **laniger,** *Desf.* .	xix.	1871
—— *Nardus,* var. *ceriferus,* Hack. .	xxix.	2826
—— *Notopogon,* Nees .	xviii.	1773
—— *obvallatus,* Steud. .	xviii.	1773
—— *Olivieri,* Boiss. .	xix.	1871
—— *Roxburghii,* Nees	xxix.	2826
—— *Schoenanthus,* Linn.	xxix.	2826
—— spathiflorus, *Kunth*	xix.	1870
Androsace geraniifolia, *Watt*	xx.	1973
—— **Henryi,** *Oliv.* .	xx.	1973
Androtium astylum, *Stapf*	xxviii.	2763
Anemia aurita, *Sw.* .	x.	903
—— *dichotoma,* Gardn.	v.	477
—— **Dregeana,** *Kunze*	iii.	236
—— **Dregeana,** *vars. α, β	iii.	236
—— fraxinifolia, *Raddi*	x.	906
—— **Gardneri,** *Hook.* .	ii.	190
—— **mexicana,** *Klotzsch*	x.	988
—— *millefolium,* Gardn.	v.	478
—— Phyllitidis, *J. Sm.*	x.	906
—— Phyllitidis, *Sw.* .	v. x.	477 906
—— Phyllitidis . .	x.	988
—— *speciosum,* Presl .	x.	988
—— **trichorhiza,** *Hook.*	ix.	876
—— **Tweedieana,** *Hook.*	x.	906
—— Tweedieana, *Hook.*	x.	988
Anemidictyon, J. Sm. .	x.	906
Anemone albana, *Stev.* .	xxix.	2830
—— capensis . .	xv.	1491
—— **crassifolia,** *Hook.* .	iii.	257
—— *dubia,* Wall. .	ii.	176
—— **Falconeri,** *Thoms.*	ix.	899
—— **Henryi,** *Oliv.* .	xvi.	1570
—— **hepaticifolia,** *Hook.*	i.	1
—— **Jamesoni,** *Hook.* .	vii.	670
—— **Millefolium,** *Hemsl. & Wils.* . .	xxix.	2830
—— patens . . .	vi.	589
—— **Thomsoni,** *Oliv.* .	xv.	1470
—— triternata . .	vii.	691
—— **Wightiana,** *Wall.* .	ii.	170
—— **Wightiana,** var. *major, *Hook.* .	ii.	176
Anerincleistus, *Korth.* .	xxv.	2420
Anerincleistus cordata, *Stapf* . .	xxiv.	2310
—— Griffithii, *Hook. f.*	xxv.	2455
Angelica *bracteata,* Roxb.	xi.	1032
—— mongolica, *Franch.*	xx.	1999
—— **polymorpha,** var. **sinensis,** *Oliv.* .	xx.	1999
—— (?) **rosaefolia,** *Hook.*	vi.	581
—— **rosaefolia,** *var. β.	vi.	581
Angolaea fluitans, *Wedd.*	xxiv.	2357

	VOL.	PLATE
Angraecum citratum, *Thouars* . .	xviii.	1728
—— **Saundersiae,** *Bolus*	xviii.	1728
—— sesquipedale, *Thouars* . .	xxvi.	2554
Ania angustifolia, *Lindl.*	xix.	1883
—— latifolia, *Wight* .	xxi.	2090
—— *maculata*, Thw. .	xxi.	2064
Aniba megacarpa, *Hemsl.*	xxviii.	2751–2
—— **perutilis,** *Hemsl.* .	xxv.	2485
Anisadenia pubescens, *Griff.* . . .	xxvi.	2593
Anisandra	xxviii.	2783
Aniseia	viii.	796
Aniserica gracilis, *N. E. Br.*	xxx.	2942
—— **gracilis,** var. **hispida,* *N. E. Br.* .	xxx.	2942
Anisochilus . .	v.	460
Anisogonium elegans, Presl	x.	939–40
—— *grossum*, Presl .	x.	939–40
—— *integrifolium*, Presl	x.	936
Anisopappus africanus, *Oliv. & Hiern* . .	xv. 1451; xvi.	1506
Anisophyllea . .	xiii.	1247
Anisophyllea Gaudichaudiana, *Baill.* .	xvi.	1551
—— *grandifolia*, Hensl.	xvi.	1551
AnisopusMannii, *N. E. Br.*	xxv.	2453
Anisotes parvi folius, *Oliv.*	xvi.	1527
Anodendron oblongifolium, *Hemsl.* .	xxiii.	2207
—— paniculatum, *A. DC.*	xxiii.	2207
Anodiscus peruvianus, *Benth.* . . .	xii.	1199
Anogeissus Bentii, *Baker*	xxiv.	2354
Anogramme, *Link* .	x.	916
—— *Biardii*, Fée . .	xvii.	1684
—— *Schomburgkiana*, Fée	x.	992
Anona (?)bibracteata, *Hook.*	iv.	328
—— involucrata, *Baill.*	xxvi.	2519–20
—— **Mannii,** *Oliv.* .	xi.	1010
—— **Prestoei,** *Hemsl.* .	xxvi.	2519–20
Anthericum mesembryanthemoides, Baker	xxvi.	2528
—— *serotinum*, Linn. .	ix.	834
—— *spirale*, Linn. .	xxiii.	2260
Anthobolus foveolatus, *F. Muell.* . .	xii.	1173
Anthocerastes, *A. Gray*	ix.	854
Anthochloa lepida, *Nees*	xiv.	1363
Anthocleista Vogelii, *Planch.*	viii.	793–4
Anthodiscus . .	xxviii.	2790
Anthopterus mucronatus, *Benth.* .	xv.	1465
—— **racemosus,** *Hook.*	iii.	243
—— racemosus, *Hook.*	xv.	1465
—— **Wardii,** *Ball* .	xv.	1465
Anthoxanthum odoratum	i.	88

	VOL.	PLATE
Antidesma . . .	xiii.	1278; 1296
Antidesma alnifolium, *Hook.*	v.	481
——alni folium, *Hook.* .	v.	482
—— lunatum, *Miq.* .	xvi.	1583
Antigramma, *Presl* .	v.	488
Antigramma repanda, *Presl*	ii.	183
Antirrhinum aphyllum, Linn. f. . . .	xxviii.	2793
Antonia ovata, *Pohl* .	i.	64
—— **pilosa,** *Hook.* .	i.	64
Antrophyum ensiforme, *Hook.* . . .	iv.	394
Aperula citriodora, Bl. .	xxviii.	2784
Aphananthe aspera, *Planch.* . .	xii.	1174
—— cuspidata, *Planch.*	xii.	1174
—— **philippinensis,** *Planch.*	xii.	1174
—— *rectinervis*, Planch.	xii.	1174
Aphanocalyx cynometroides, *Oliv.* . .	xi.	1066
Aphanostephus ramosissimus . . .	iii.	240
Aphelandra acanthifolia, *Hook.* .	ii.	113
—— acanthifolia, *Hook.*	viii.	718
—— **carduifolia (?),** *Hook.*	viii.	718
Aphyllorchis montana .	xxii.	2192
—— **Prainii,** *Hook. f.* .	xxii.	2192
——***vaginata,** *Hook. f.*	xxii.	2193
Apios Fortunei, *Maxim.*	xx.	1946
—— **macrantha,** *Oliv.* .	xx.	1946
Apium *filiforme, *A. Rich.*	ix.	819
—— **filiforme,** var. **trifidum,** *Hook.* .	ix.	819
—— graveolens . .	ix.	819
—— *prostratum*, Labill.	iv.	305
—— *prostratum*, Vent.	iv.	305
—— prostratum . .	ix.	819
Aplotaxis auriculata, *DC.*	xx.	1975
Apodanthes Berterii, *Poit.*	vii.	655
—— **Blanchetii,** *Poit.* .	vii.	655
—— **calliandrae,** *Gardn.*	vii.	644
——***calliandrae,** *Gardn.*	vii.	655
——***Caseariae,** *Poit.* .	vii.	655
Apodolirion Buchanani, *Baker* . . .	xiv.	1388
Apodytes . . .	xxx.	2977
Apodytes acutifolia .	viii.	778
—— **beninensis,** *Hook. f.*	viii.	778
—— dimidiata . .	viii.	778
Apogon, *Nutt.* . .	iii.	237
Aponogeton Holubii, *Oliv.*	xv.	1470
—— **natalense,** *Oliv.* .	xv.	1471
—— **Rehmanni,** *Oliv.* .	xv.	1471
Aporosa Benthamiana, *Hook. f.* . .	xvi.	1583
—— **Bourdillonii,** *Stapf*	xxiii.	2204

	VOL.	PLATE
Appendicula cordata, *Hook. f.*	xxii.	2148
—— cristata, *Bl.*	xxii.	2150
—— **echinocarpa,** *Hook.f.*	xxii.	2152
—— graminifolia, *Teysm. & Binn.*	xxii.	2151
—— **Koenigii,** *Hook. f.*	xxii.	2149
—— **lancifolia,** *Hook. f.*	xxii.	2150
—— **Maingayi,** *Hook. f.*	xxii.	2151
Apteria lilacina, *Miers*	vii.	660
—— **orobanchoides,** *Hook.*	iii.	254
—— *setacea*, Benth.	vii.	660
——*setacea, *Nutt.*	iii.	254
—— **setacea,** *Nutt.*	vii.	660
—— **setacea,** var. ***major,** *Hook.*	vii.	660
Aquilaria	i.	5
Aquilaria Agallocha, *Roxb.*	i.	6
—— Agallocha	xxviii.	2701
Arabis	ix.	882
Arabis gigantea, *Hook.*	iii.	259
—— heliophila (?)	ix.	808
—— incanescens, *Munro*	ix.	808
—— **Macloviana,** *Hook.*	v.	498
—— **puberula,** *Nutt.*	iv.	359
Arachis marginata, *Gardn.*	v.	500
—— pusilla, *Benth.*	v.	500
—— tuberosa, *Bong.*	v.	500
—— villosa, *Benth.*	v.	500
Aragoa abietina	xiv.	1325
—— cupressina	xiv.	1325
—— **lycopodioides,** *Benth.*	xiv.	1325
Aralia cordata, *Thunb.*	xx.	1999
—— **crassifolia,** *Soland.*	vi.	583–4
—— *heterophylla*, A. Cunn.	vi.	583–4
—— **polaris,** *Hombr. & Jacq.*	viii.	747
Aralidium pinnatifidum, *Miq.*	xvi.	1549
Araucaria Bidwillii	xv.	1461
—— imbricata	xv.	1461
Arbutus discolor, *Hook.*	i.	29
—— *pumila*, Linn.	i.	9
—— **xalapensis,** *Humb. & Kunth*	i.	27
Arceuthobium cryptopodum, *Engelm.*	xi.	1037
—— **cupressoides,** *Griseb.*	xxiii.	2221
Archidendron incurvatum, *Laut. & K. Schum.*	xxviii.	2735
—— **solomonense,** *Hemsl.*	xxviii.	2735
Archytaea	xxviii.	2790
Arctostaphylos (*sphalm.* Arctystaphylos)	i.	27, 29
Arctostaphylos (?), Andr.	i.	29
Ardisia grandis, *Seem.*	xxiv.	2316
—— **megaphylla,** *Hemsl.*	xxiv.	2316
—— scrobiculata, *Seem.*	xxiv.	2316
Arenaria Littledalei, Hemsl.	xxx.	2944
Arenga Listeri, *Becc.*	xx.	1985
Argomuellera, *Pax*	xxx.	2987
Argostemma, *Wall.*	ii.	174
Argostemma concinnum, *Hemsl.*	xxiv.	2380
—— **involucratum,** *Hemsl.*	xvi.	1556
—— montanum, *Bl.*	xxiv.	2380
Arguzia	vii.	651
Argyrolobium	xii.	1162, 1163
Argyrolobium filiforme, *var.* uniflorum	xvi.	1525
—— Harveianum, *Oliv.*	xvi.	1525
—— **stenorrhizon,** *Oliv.*	xvi.	1525
—— uniflorum	xvi.	1525
Argyrophyton Douglasii, Hook.	i.	75
Argyroxiphium sandwicense, *DC.*	i.	75
Arisaema	xxviii.	2750
—— heterophyllum, *Bl.*	xx.	1996
Aristogeitonia limoniifolia, *Prain*	xxx.	2926
Aristolochia somaliensis, *Oliv.*	xiii.	1273
—— **Soyauxiana,** *Oliv.*	xv.	1410
—— triactina, *Hook. f.*	xv.	1410
Arnica montana	xii.	1141
Arrabidaea crassa, *Sprague*	xxx.	2933
—— *dichasia*, Donn.Sm.	xxviii.	2771–2
—— trichoclada, *Bur. & K. Schum.*	xxx.	2933
Arracacia (?) filiformis, *Coult. & Rose*	xxv.	2429
—— mariana, *S. Wats.*	xxv.	2429
Artabotrys Monteiroae, *Oliv.*	xviii.	1796
—— suaveolens, *Bl.*	xviii.	1796
Artemisia judaica, *Linn.*	xxvi.	2597
—— **pallens,** *Wall.*	xxvi.	2597
—— *paniculata*, Roxb.	xxvi.	2597
—— vulgaris	xxvi.	2597
Arthraxon microphyllus	xxv.	2466
Arthrostyles aphylla, *R. Br.*	xiv.	1345
—— *chinensis*, Benth.	xiv.	1346
—— *filiformis*, Thw.	xiv.	1346
—— *Thouarsii*, Kunth	xiv.	1346
Arthrotaxis cupressoides, *Don*	vi.	559
—— cupressoides, *Don*	vi.	573–4
—— **laxifolia,** *Hook.*	vi.	573
—— selaginoides, *Don*	vi.	573
—— **selaginoides,** *Don*	vi.	574
—— **tetragona,** *Hook.*	vi.	560
Arum	xxviii.	2750
Arundina	xxi.	2082

	VOL.	PLATE
Arundina Cantleyi, *Hook. f.*	xxii.	2112
—— Wallichii . .	xxii.	2112
Arundinaria auricoma, *Mitford* . .	xxvii.	2613
—— Fortunei, *Riv.* .	xxvii.	2613
—— **kurilensis,** *Rupr.*, var. **paniculata,** *F. Schmidt* .	xx.	1969
—— kurilensis, *var.* speciosa . .	xx.	1969
—— macrosperma, *Michx*	xxvii.	2613
—— macrosperma, *var.* suffruticosa, *Munro*	xxvii.	2613
—— picta, *Sieb. & Zucc.*	xxvii.	2613
—— spathiflora, *Munro*	xxx.	2930
—— *tecta,* Muehl. .	xxvii.	2613
—— **tessellata,** *Munro*	xxx.	2930
—— *Veitchii,* N. E. Br.	xx.	1969
Arundinella . .	xiv.	1379
—— *elegantula,* Hook. f.	xxiv.	2394
Asaemia axillaris, *Harv.*	xxiii.	2231
Asarum canadense .	xix.	1895
—— europaeum .	iv.	399
Asclepias acida, Roxb.	ix.	861
—— *aphylla,* Roxb. .	ix.	861
—— *orbicularis,* Schlecht.	xxviii.	2744
Asemnanthe pubescens, *Hook. f.* . . .	xii.	1145
Asimina insularis, *Hemsl.*	xvi.	1514
Aspalathus indicus, Linn.	ii.	188
Asperella Duthiei, *Stapf*	xxvi.	2525
—— Hystrix . .	xxvi.	2525
—— sibirica . .	xxvi.	2525
Aspidium, *Presl* . .	vii.	675–6
Aspidium angulare, *Sw.*	xvii.	1656–7
—— **Bakerianum,** *Atkinson* .	xvii.	1656
—— **Boutonianum,** *Hook.*	x.	931
—— **craspedosorum,** *Maxim.* . .	xvii.	1655
—— **davalloides,** *Sw.* .	iv.	395–6
—— *Dickinsii,* Franch. & Sav. . .	xvii.	1659
—— falcinellum . .	xvii.	1654
—— **heterophyllum,** *Hook.*	x.	920
—— **Hookeri,** *Wall.* .	x.	922
—— **Klotzschii,** *Hook.*	x.	923
—— **Macleaii,** *Baker* .	xvii.	1654
—— **multifidum,** *Mett.*	xvii.	1657
—— munitum . .	xvii.	1654
—— Prescottianum, *Hook.*	xvii.	1656
—— *Prescottianum,* var. *Bakeriana,* Clarke	xvii.	1656
—— reductum, *Baker* .	xvii.	1667
—— **simplicifolium,** *J. Sm.*	x.	919
—— Skinneri, *Hook.* .	x.	920
—— **Skinneri,** *Hook.* .	x.	924
—— **Vogelii,** *Hook.* .	x.	921
Aspidopterys obcordata, *Hemsl.* . . .	xxvii.	2673
Aspilotum laevigatum, Banks & Soland. .	v.	430
Asplenidictyon, J. Sm. .	x.	937
Asplenium adiantoides, *Raoul*	x.	977
—— adiantoides, *Raoul*	x.	984
—— adiantoides, *var.* Colensoi, *Hook. f.*	x.	977
—— **adiantoides,** var. **Colensoi,** *Hook. f.*	x.	984
—— **adiantoides,** var. **minus,** *Hook. f.*	x.	983
—— adiantoides, *var.* minus, *Hook. f.*	x.	984
—— **adiantoides,** var. **Richardi,** *Hook. f.*	x.	977
—— adiantoides, *var.* Richardi, *Hook. f.*	x.	984
—— **attenuatum,** *R. Br.*	x.	914
—— *australe,* Sw. .	x.	976
—— **Brownii,** *Hook.* .	x.	978
—— **bulbiferum,** *Forst.*	v.	423
—— bulbiferum .	x.	977
—— Carruthersii, *Baker*	xvii.	1645
—— *Colensoi,* Colenso	x.	984
—— **Dalhousiae,** *Hook.*	ii.	105
—— **delicatulum,** *Presl*	x.	918
—— **Finlaysonianum,** *Wall.*	x.	937
—— Finlaysonianum, *Wall.*	x.	938
—— flaccidum, *Forst.* .	x.	977, 983
—— foeniculaceum, *H. B. K.*	x.	918
—— fontanum, *Bernh.*	xvii.	1647–8
—— **fragile,** *Presl* .	x.	932
—— **fragrans,** *Hook.*	i.	88
—— **fragrans,** *var. β *Hook.*	i.	88
—— **Glenniei,** *Baker* .	xvii.	1648
—— *gracile,* Hemsl. .	xvii.	1648
—— **grammitoides,** *Hook.*	x.	913
—— **Griffithianum,** *Hook.*	x.	928
—— Griffithianum, *Hook.*	x.	926, 930
—— Hemionitis, *Linn.*	iii.	213
—— *Hookerianum,* Colenso . .	x.	983
—— *integerrimum,* Wall.	x.	937
—— laxum, *R. Br.* .	v.	423
—— *laxum,* Raddi	x.	917
—— **loriforme,** *Hook.* .	x.	926
—— loriforme, *Hook.* .	x.	930
—— lunulatum, *Sw.* .	xvii.	1646
—— **macrophlebium,** *Baker* . .	xvii.	1646
—— magellanicum .	x.	983
—— marginatum .	x.	937
—— **micropteron,** *Baker*	xvii.	1647
—— **mucronatum,** *Presl*	x.	917

	VOL.	PLATE
Asplenium novae-caledoniae, *Hook.* .	x.	911
—— **obtusilobum,** *Hook.*	x.	1000
—— *ovatum,* Wall. .	x.	936
—— **parvulum,** *Hook.* .	iii.	222
—— **pinnatifidum,** *Nutt.*	x.	927
—— **Poolii,** *Baker* .	xvii.	1645
—— **porphyrorachis,** *Baker*	xvii.	1650
—— *procerum,* Sw. .	v.	427–8
—— **pteridoides,** *Baker*	xvii.	1649
—— *pteropus,* Kaulf. .	x.	917
—— **Purdieanum,** *Hook.*	x.	938
—— *radiatum,* Sw. .	x.	975
—— *retortum,* Kaulf. .	x.	917
—— rhizophyllum .	x.	927
—— salignum, *Bl.* .	xvii.	1645
—— **scolopendrioides,** *J. Sm.*	x.	930
—— septentrionale .	x.	976
—— serratum . .	x.	926
—— **Simonsianum,** *Hook.*	x.	925
—— Simonsianum, *Hook.*	x.	928
—— *stoloniferum,* Presl	x.	932
—— **subhastatum,** *Hook.*	x.	929
—— tenerum, *Forst.* .	xvii.	1646
—— triste . . .	x.	984
—— virens, *Presl* .	i.	88
—— viride . .	x.	932
—— Wightianum, *Wall.*	xvii.	1645
—— *zeylanicum,* Cesati	xvii.	1650
Astephania africana, *Oliv.*	xvi.	1506
Astephanus arenarius, Dene	xxx.	2994
—— *cernuus,* Dene .	xxx.	2994
—— *ovatus,* Dene .	xxx.	2994
—— *recurvatus,* Klotzsch	xxx.	2994
Aster	xi.	1045; 1054
Aster alpinus . .	v.	486
—— *angustus,* Torr. & Gr.	xii.	1106
—— **Bowerii,** *Hemsl.* .	xxv.	2495
—— ***Burchellii,** *Hook. f.*	xi.	1056
—— Burchellii, *Hook. f.*	xi.	1057
—— flaccidus, *Bunge* .	xxv.	2495
—— glutinosus, *Roxb.* .	xi.	1056
—— **glutinosus,** *Roxb.* .	xi.	1057
—— **gummiferus,** *Hook. f.*	xi.	1056
—— **gummiferus,** *Hook. f.,* *var. β . .	xi.	1056
—— gummiferus, *Roxb.*	xi.	1057
—— *magellanicus,* Spr.	v.	485
—— **perfoliatus,** *Oliv.*	xviii.	1717
—— *retortus,* Harv. .	xii.	1114
—— Roxburghii, *Hook. f.*	xi.	1057
—— **Vahlii,** *Hook. & Arn.*	v.	486
Asteriscus *aquaticus,* var. *pygmaeus,* DC.	xxvi.	2583
—— aquaticus, *Moench.,* *forma* pygmaea, *Sch.* . . .	xxvi.	2583
Astericus *pygmaeus,* J. Coss. & Dur. .	xxvi.	2583
Asterochaete glomerata, *Nees* . .	xv.	1435
—— nitens, *Kunth* .	xv.	1434
Asterophorum eburneum, *Sprague* . . .	xxx.	2976
Asterostemma . .	xii.	1191
Astorganthus Hugelii, Endl.	vi.	585
Astragalus adsurgens .	xx.	1959
—— **Henryi,** *Oliv.* .	xx.	1959
—— Hoantchy, *Franch.*	xx.	1959
—— mongholicus, *Bunge*	xx.	1959
—— moupinensis, *Franch.*	xx.	1959
—— reflexistipulus, *Miq.*	xx.	1959
Astrebla triticoides, *F. Muell.* . . .	xxx.	2949
Astropanax, *Seem.* .	xxix.	2821
Astrostemma spartioides, *Benth.* . . .	xiv.	1311
Atalantia monophylla .	xxv.	2408
Atelandra . . .	xxviii.	2783
Athamanta . . .	xxviii.	2739
Athanasia . . .	xxiii.; xxiv.	2293; 2324
Athanasia leucoclada, *Harv.*	xxiii.	2233
—— leucoclada, *var.* glabrescens .	xxiii.	2233
—— **tridens,** *Oliv.* .	xxiii.	2232
—— tridens, *Oliv.* .	xxiii.	2233
Atherandra Wallichii, Benth. . . .	xv.	1433
Atherolepis Wallichii, *Hook. f.* . .	xv.	1433
Athesiandra anceps, Miers	xxiv.	2329
Athyrium *australe,* Presl	x.	978
—— *gracile,* Fourn. .	xvii.	1648
—— Hohenackerianum, *Kunze* . .	x.	913
Atkinsonia ligustrina, F. Muell. . .	xiv.	1319
Atriplex . . .	iii.; xx.	271; 1990
Atropa . . .	viii.	796
Atropa dependens, *Math.*	ii.	107
—— **glandulosa,** *Hook.*	ii.	106
—— glandulosa, *Hook.*	ii.	107
Augustea . . .	v.	476
Aulacocalyx jasminiflora, *Hook. f.* . . .	xii.	1126
Aulaya capensis, *Harv.*	iv.	400
—— **squamosa,** *Harv.*	v.	401
Avena oligostachya, Munro	xxv.	2474
Averrhoa . . .	xx.	1997
Axinandra zeylanica .	xxiv.	2351
Axiniphyllum corymbosum, *Benth.* .	xii.	1118
—— ***tomentosum,** *Benth.*	xii.	1118

	VOL.	PLATE
Axyris amaranthoides .	xx.	1990
Azalea bullata, Forst. .	i.	30
Azorella *caespitosa*, Vahl	v.	492
—— *Chamitis*, Pers. .	vi.	541
—— **filamentosa**, *Lamk*	vi.	541
—— *tricuspidata*, Lamk	vi.	539
—— **trifurcata**, *Gardn.*	vi.	539
Babbagia dipterocarpa, *F. Muell.* . .	xi.	1078
Babiana disticha, *Gawl.*	xxviii.	2710
—— Gawleri, *N. E. Br.*	xxviii.	2710
—— mucronata, *Gawl.*	xxviii.	2710
—— mucronata, *var.* longicollis, *Baker*	xxviii.	2710
—— **spathacea**, *Gawl.*	xxviii.	2710
Baccaurea . . .	xviii.	1707
—— *macrophylla*, Pax	xxx.	2929
Baccharis *cataphracta*, Spr.	viii.	750
—— **ferruginea**, *Pers.*	viii.	750
—— ferruginea, *var.* thyoides, *DC.* .	viii.	750
—— ***monilifera**, *Hook.*	viii.	750
—— **platypoda**, *DC.* .	iii.	241–2
—— **Scolopendra**, *Hook.*	i.	68
—— Scolopendra . .	viii.	750
—— thyoides, *Pers.* .	i. / viii.	68 / 750
Baeckea affinis, *Hook. f.*, vars. α, β . .	iii.	284
—— Cummingiana .	ix.	898
—— diffusa, *Sieb.* .	iii.	298
—— frutescens . .	iii.	298
—— **leptocaulis**, *Hook. f.*	iii.	298
—— *micrantha*, DC. .	iv.	309
—— **micrantha**, *Hook. f.*	iv.	309
—— **micrantha**, *var. β, *Hook. f.* . .	iv.	309
—— **prostrata**, *Hook. f.*	iii.	284
—— **thymifolia**, *Hook. f.*	iii.	284
—— trichophylla, *Sieb.*	iii.	298
Baissea brachyantha, *Stapf* . .	xxiv.	2343
—— **laxiflora**, *Stapf* .	xxiv.	2342
—— laxiflora, *Stapf* .	xxiv.	2343
Balanophora elongata, Bl.	iii.	205–6
—— *indica*, Wall. .	iii.	205–6
Balaustion pulcherrimum, *Hook.* . .	ix.	852
Balbisia . . .	xi.	1002
Balfourodendron eburneum, *Mello* . .	xiii.	1203–4
Balsamodendron *Myrrha*, Bentl. & Trim. .	xxvi.	2524
—— **Playfairii**, *Hook. f.*	xxvi.	2524
—— *Playfairii*, Schweinf.	xxvi.	2524
—— Schimperi . .	xxvi.	2524
Bambusa *Fortunei*, var. *aurea*, Hort. .	xxvii.	2613
—— Griffithiana, *Munro*	xxiii.	2253
—— *Henonis*, Hort. .	xxvii.	2614
—— Kingiana, *Gamble*	xxviii.	2773
—— **Oldhami**, *Munro*	xxviii.	2773
—— *palmata*, Hort. .	xx.	1969
—— senanensis, *Franch. & Sav.*	xx.	1969
—— *variegata*, Stand. .	xxvii.	2613
—— *Veitchii*, Carr. .	xx.	1969
—— **Wrayii**, *Stapf* .	xxiii.	2253
Bancroftia diffusa, Macfad.	vii.	664
Baphia borneensis, *Oliv.*	xxv.	2456
—— nitida, *Afz.* . .	xxiv.	2369
Barclaya longifolia, *Wall.*	ix.	809–10
Barleria *diandra*, Hochst. & Steud. . .	ix.	803
—— **Hochstetteri**, *Nees*	ix.	803
Bartonia . . .	iii.	252
Bartramia ithyphylla .	ii.	135
—— stricta . .	ii.	135
Basananthe . . .	xv.	1446
Bassia microphylla, *Hook.*	i.	74
—— **Thurstonii**, *Hemsl.*	xxvi.	2569
Batesanthus purpureus, *N. E. Br.* . .	xxv.	2500
Bauhinia . . .	vii.	655
Bauhinia Bongardi, *Steud.*	xxix.	2838–9
—— **Faberi**, *Oliv.* .	xviii.	1790
—— **Galpini**, *N. E. Br.*	xx.	1994
—— *parviflora*, Vahl .	ii.	141
—— **racemosa**, *Lamk* .	ii.	141
—— *spicata*, Koen. .	ii.	141
Beatsonia portulacaefolia, Roxb. . .	xi.	1058
Beaumontia brevituba, *Oliv.*	xvi.	1582
—— grandiflora, *Wall.*	xvi.	1582
Begonia borneensis, *A. DC.*	xxiv.	2309
—— **Bretschneideriana**, *Hemsl.* . .	xxvii.	2635
—— Henryi . .	xxvii.	2635
—— **inostegia**, *Stapf* .	xxiv.	2309
—— nana, *L'Hér.* .	xxvii.	2656
—— **verticillata**, *Hook.*	ix.	811
—— **Warpuri**, *Hemsl.* .	xxvii.	2656
Begoniella angustifolia, *Oliv.* . .	xv.	1487
—— **Kalbreyeri**, *Oliv.* .	xiv.	1352
—— Whitei, *Oliv.* .	xiv.	1352
Beilschmiedia ugandensis, Rendle . .	xxx.	2948
Bellidiastrum Michelii	xxiv.	2376
Bellis integrifolia, *Mich.*	iii.	240
—— perennis . .	xxiv.	2376
—— rotundifolia . .	xxiv.	2376
Belonophora coffeoides, *Hook. f.* . .	xii.	1127

	VOL.	PLATE
Bembicia axillaris, *Oliv.*	xv.	1404
Bennettia Horsfieldii, *Miq.*	xvi.	1596
—— **longipes,** *Oliv.* .	xvi.	1596
Benthamiella Norden-skioldii, *Dusén* .	xxvii.	2636
—— patagonica, *Speg.*	xxvii.	2636
Bentia fruticulosa, *Rolfe*	xxv.	2431
Benzoin citriodorum, Sieb. & Zucc. . .	xxviii.	2784
Berardia phylicoides, Brongn. . . .	xvi.	1524
Berberis Darwinii, *Hook.*	vii.	672
—— **fraxinifolia,** *Hook.*	iv.	329–30
—— **gracilipes,** *Oliv.* .	xviii.	1754
Bergia (?) texana, *Hook.*	iii.	278
Bernoullia flammea, *Oliv.*	xii.	1169–70
Berrebera, *Hochst.* .	viii.	788–9
Bersama . . .	viii.	780
Bersama abyssinica, *Fres.*	xxiii.	2267
—— **maxima,** *Baker* .	xxiii.	2268
—— **Tysoniana,** *Oliv.* .	xxiii.	2267
Berzelia callunoides, *Oliv.*	xi.	1014
Betula . . .	xxx.	2947
Betuloides fusca, Banks & Soland. . .	vii.	630
Bevania ilicifolia, Bridges	i.	33
Bidens arborea, Roxb.	xi.	1053
Bignonia *ehretioides,* Cham. . .	xxviii.	2771–2
—— elliptica, *Auct.* .	xxviii.	2771–2
—— *laurifolia,* Vahl .	xxviii.	2771–2
—— *lenta,* Mart. . .	xxviii.	2771–2
—— *Martiusiana,* DC.	xxviii.	2771–2
—— *myriantha,* Cham.	xxviii.	2770
—— *pratensis,* Poepp.	xxviii.	2770
—— *pyramidata,* Rich.	xxviii	2771–2
—— *rupestris,* Gardn. .	xxviii.	2771–2
—— *Sinclairii,* Benth. .	xxviii.	2771–2
Bilbergia Skinneri, Linden	xix.	1851
Billardiera	i.	82
Biota	xviii.	1788
Bischoffia *Cumingiana,* Dcne	ix.	844
—— *javanica,* Bl. .	ix.	844
—— *oblongifolia,* Dcne	ix.	844
—— *Roeperiana,* Dcne	ix.	844
—— *Toui,* Dcne (sphalm. *Toni*) .	ix.	844
—— **trifoliata,** *Hook.* .	ix.	844
Biscutella peruviana, Lamk	i.	48
Blaeria depressa, Drège	xxx.	2942
—— *ericioides,* Drège .	xxx.	2942
—— *gracilis,* Bartl. .	xxx.	2942
—— *muscosa,* Ait. .	ii.	118
Blastus cochinchinensis	xxiv.	2311
—— **Cogniauxii,** *Stapf* .	xxiv.	2311
Blechnum ciliatum, *Presl*	i.	97
—— *flabellatum,* Presl .	x.	976
—— hastatum, *Kaulf.* .	i.	97
Blechnum lanceola, *Sw.* .	x.	970
—— *lanceolatum,* Raddi	x.	970
—— **pectinatum,** *Hook.*	i.	95
—— polypodioides, *Raddi* . .	i.	95
—— *procerum,* Sw. .	v.	427
—— **pubescens,** *Hook.*	i.	97
—— *radiatum,* Presl .	x.	975
—— *trifoliatum,* Kaulf.	x.	970
Bleekrodia tonkinensis, Dub. & Eber. . .	xxx.	2947
Blepharispermum hirtum, *Oliv.* . .	xxv.	2435
Blumea balsamifera, *DC.*	xx.	1957
Bobaea	xi.	1070
Boea	xxviii.	2788
Boerhaavia Schomburgkiana, *Oliv.* . .	xiii.	1225
Bolax *complicatus,* Spr.	v.	492
—— *filamentosa,* Spr. .	vi.	541
—— **Glebaria,** *Comm.* .	v.	492
—— Glebaria . .	vi.	539
—— *gummifer,* Spr. .	v.	492
Boletus emodensis, *Berk.*	ix.	870–1
—— strobilaceus .	ix.	872
Bolivaria, Cham. & Schlecht.	vi.	586
Bolusia capensis, *Benth.*	xii.	1163
Bomarea	xiv.	1389
Bombax Jenmani, *Oliv.*	xviii.	1720
Boopis	xxvii.	2636
Boopis crassifolia, *A. Gray*	xviii.	1752
Borago	vi.	597
Boronia crenulata .	viii.	722
—— **nana,** *Hook.* . .	iii.	270
—— **rhomboidea,** *Hook.*	viii.	722
Borreria tetracocca, Thw.	xii.	1124
Bosca stupacea, *Vell.* .	xxv.	2409
Bosquiea, *Thouars* .	xiv.	1327
Boswellia	xi.	1036
Boswellia Dalzielii, *Hutchins.* . .	xxx.	2997
—— **odorata,** *Hutchins.*	xxx.	2997
—— papyrifera, *Hochst.*	xxx.	2997
Bothriocline Schimperi, *Oliv. & Hiern* . .	xii.	1133
Bothriospora corymbosa, *Hook. f.* . . .	xi.	1069
Botryopleuron *axillare, *Hemsl.* . .	xxvii.	2670
——*latifolium, *Hemsl.*	xxvii.	2670
—— **stenostachyum,** *Hemsl.* . .	xxvii.	2670
—— **venosum,** *Hemsl.* .	xxvii.	2670
Boucerosia, *Wight & Arn.*	xx.	Suppl.
Boucerosia mammillaris, N. E. Br. . .	xx.	1902
Bouchea Hanningtonii, *Oliv.*	xv.	1446
Bournea sinensis, *Oliv.*	xxiii.	2254

	VOL.	PLATE
Bouvardia . . .	xii.	1134
Bowmania verbascifolia, *Gardn.* . . .	vi.	519–20
Bracea paniculata, King	xxvii.	2690
Brachyactis *ciliata, *Ledeb.*	xii.	1106
—— **ciliata,** *var. **carnosula,** *Benth.* .	xii.	1106
—— **menthodora,** *Benth.*	xii.	1106
——***obovata,** *Benth.* .	xii.	1106
——***robusta,** *Benth.* .	xii.	1106
——***umbrosa,** *Benth.* .	xii.	1106
Brachybotrys paridiformis, *Maxim.* . .	xiii.	1254
Brachyclados lycioides, *Gillies & Don* . .	xviii.	1751
Brachycome xanthocomoides, Less. . .	iii.	240
Brachylaena huillensis, *O. Hoffm.* .	xxx.	2928
—— **Hutchinsii,** *Hutch.*	xxx.	2928
—— Merana, *O. Hoffm.*	xxx.	2928
—— rhodesiana, *S. Moore*	xxx.	2928
Brachyloma ericoides, *Sond.*	xi.	1038
Brachylophon Curtisii, *Oliv.*	xvi.	1566
Brachymenium . .	viii.	748
Brachymenium acuminatum, *Harv.* .	i.	19/3
—— **microstomum,** *Harv.*	i.	19/4
—— **splachnoides,** *Harv.*	i.	19/2
—— **Weissia,** *Hook.* .	i.	19/1
Brachynema ornans, F. Muell. . . .	xiv.	1323
Brachyris microcephala, *DC.*	ii.	147
—— *parviflora*, Hook. .	ii.	147
—— **ramosissima,** *Hook.*	ii.	142
Brachystegia *floribunda, *Benth.* . .	xiv.	1359
——***globiflora,** *Benth.* .	xiv.	1359
—— **longifolia,** *Benth.* .	xiv.	1359
Brachystelma . .	xx. Suppl. / xxv.	2452
Brachystelma Johnstoni, *N. E. Br.* . . .	xxviii.	2754
Brachytome Wallichii, *Hook. f.* . . .	xi.	1088
Brackenridgea nitida, *A. Gray* . .	xi.	1096
—— **zanguebarica,** *Oliv.*	xi.	1096
Brandisia racemosa, *Hemsl.* . . .	xxiv.	2383
Brasenia . . .	vii.	641
Brassica Macloviana, Gaud.	v.	498
Bravaisia tubiflora, *Hemsl.*	xvi.	1516
Braya uniflora, *Hook. f. & Thoms.* . .	xxiii.	2251
Bredia . . .	xxv.	2455
Bredia Oldhami, *Hook. f.*	xi.	1085
Bretschneidera sinensis, *Hemsl.* . . .	xxviii.	2708
Breweria Codonanthus, *Baker* . .	xxiii.	2276
—— **Heudelotii,** *Baker*	xxiii.	2276
—— mirabilis, *Baker* .	xxiii.	2276
Brexia . . .	vi.	577–8
Briedelia . . .	viii.	779
Brizopyrum ciliare, *Stapf*	xxvii.	2602
—— **glomeratum,** *Stapf*	xxvii.	2603
—— *mucronatum*, Nees	xxv.	2448
—— obliteratum, *Stapf*	xvii.	2603
Bromelia argentina, *Baker*	xxiii.	2258
—— Regnellii, *Mez* .	xxiii.	2258
Brongniartia . .	xi.	1024
Brookea dasyantha, *Benth.*	xii.	1197
—— tomentosa, *Benth.*	xii.	1197
Brotera Leprieurii, Guillem. & Perr. .	viii.	753
Brownea erecta, Linden	xviii.	1769
—— *princeps*, Linden .	xviii.	1769
Bruchia brevipes, *Hook.*	iii.	231
—— vogesiaca . .	iii.	231
Bruguieria caryophylloides, *Bl.* . .	iv.	398
—— *gymnorrhiza*, Lamk	iv.	397
—— **malabarica,** *Arn.* .	iv.	398
—— **Rheedei,** *Arn.* .	iv.	397
—— *Rheedei, Bl.* (?) .	iv.	397
Brunia passerinoides, Schl.	xvi.	1524
Brunnichia . . .	xiv.	1320
Brunnichia africana, *Welw.*	xiv.	1328
—— cirrhosa . .	xiv.	1328
Bryonia, Linn. . .	ii.	138
—— *grandis*, Linn. .	ii.	138
—— *palmata*, Linn. (?)	ii.	138
Bryum . . .	ii.	136
Bryum caespititium .	ii.	135
—— elongatum .	iii.	202
—— gracile, *Wilson* .	i.	34
—— **nitens,** *Hook.* .	i.	19/6
—— **pellucens,** *Hook.* .	i.	34
—— **teretiusculum,** *Hook.*	i.	20/1
Buchanania . .	xxviii.	2763
Buchnera . . .	xiv.	1318
Buddleia . . .	v.	424
Buddleia officinalis, *Maxim.*	xx.	1972
Buettneria Curtisii, *Oliv.*	xviii.	1761
—— lancifolia, *Hook. f.*	xviii.	1761
Buffonia tenuifolia, *Linn.*	xxx.	2944
Bulbine mesembryanthemoides, *Haw.* .	xxvi.	2528
Bulbophyllum . .	xxi.	2061
Bulbophyllum apodum, *Hook.* f. . .	xxi.	2043
—— bicolor . .	xxi.	2050
—— **candidum,** *Hook. f.*	xxi.	2050
—— Careyanum . .	xxi.	2053
—— **cauliflorum,** *Hook. f.*	xxi.	2036
—— **cirrhatum,** *Hook. f.*	xxi.	2049
—— **concinnum,** *Hook. f.*	xxi.	2038

	VOL.	PLATE
Bulbophyllum confertum, *Hook. f.* .	xxi.	2035
—— confertum, *Hook. f.*	xxi.	2039
—— cupreum . .	xxi.	2053
—— **Gamblei,** *Hook. f.*	xxi.	2039
—— Gamblei . .	xxi.	2059
—— gamosepalum, *Griff.*	xxi.	2057
—— **Globulus,** *Hook. f.*	xxi.	2047
—— *Griffithianum*, Par. & Reichb. f. .	xxi.	2057
—— **gymnopus,** *Hook. f.*	xxi.	2040
—— **hymenanthum,** *Hook. f.* . .	xxi.	2046
—— **Kingii,** *Hook. f.* .	xxi.	2053
—— **leptanthum,** *Hook. f.*	xxi.	2039
—— *leptanthum,* var. *Gamblei*, Hook. f.	xxi.	2039
—— **leptosepalum,** *Hook. f.*	xxi.	2045
—— *longipes*, Reichb. f.	xxi.	2051
—— macranthum .	xxi.	2054
—— **membranifolium,** *Hook. f.* . .	xxi.	2034
—— **micranthum,** *Hook. f.*	xxi.	2048
—— **modestum,** *Hook. f.*	xxi.	2038
—— odoratissimum .	xxi.	2036, 2039
—— paleaceum . .	xxi.	2049
—— **patens,** *King* .	xxi.	2054
—— protractum . .	xxi.	2036
—— **protractum,** *Hook. f.*	xxi.	2037
—— **Roxburghii,** *Reichb. f.*	xxi.	2057
—— **secundum,** *Hook. f.*	xxi.	2042
—— (?)*striatellum*, Ridl.	xxi.	2038
—— **Thomsoni,** *Hook. f.*	xxi.	2041
—— triste, *Reichb. f.* .	xxi.	2048
—— Wrayii, *Hook. f.* .	xxi.	2040
—— **Wrayii,** *Hook. f.* .	xxi.	2044
Bulliarda magellanica, DC.	vi.	535
—— *moschata*, D'Urv.	vi.	535
Bumelia (?) argentea, Roem. & Sch. . . .	vi.	595
Bunburia, *Meissn.* .	xi.	1091
Bunium flexuosum .	i.	54
Buraeavia . . .	xiii.	1280
Burkea . . .	xxviii.	2721
Burkea africana, *Hook.*	vi.	593–4
Burmannia . .	iii., xiv.	254, 1384
Burmannia Kalbreyeri, *Oliv.*	xiv.	1357
—— longifolia, *Becc.* .	xiv.	1357
Buttonia natalensis, *McKen*	xi.	1080
Buxus	xiv.	1400
Buxus bahamensis, *Baker*	xix.	1806
—— gonoclada, *Muell.-Arg.* . .	xix.	1806
—— Hildebrandtii, *Baill.*	xvi.	1518
—— **Macowani,** *Oliv.* .	xvi.	1518
—— madagascaria, *Baill.* . .	xvi.	1518
Buxus retusa . .	xix.	1806
—— sempervirens .	xix.	1806
—— Vahlii . .	xix.	1806
Cabomba aquatica, *Aubl.*	vii.	642
—— *Aubletii*, Mich. .	vii.	642
—— **caroliniana,** *A. Gray*	vii.	642
—— **piauhyensis,** *Gardn.*	vii.	641
—— piauhyensis, *Gardn.*	vii.	642
Caccinia . . .	xx.	1942
Cacoucia *bracteata*, Laws.	xxvi.	2548–50
—— *exannulata*, Hoffm.	xxvi.	2550
—— **paniculata,** *Laws.*	xxiii.	2203
—— platyptera, *Welw.*	xxiii.	2203
—— **platyptera,** *Welw.*	xxvi.	2549
—— platyptera, *Welw.*	xxvi.	2550
—— **splendens,** *Hemsl.*	xxvi.	2548
—— splendens, *Hemsl.*	xxvi.	2549–50
—— velutina . .	xxvi.	2548
Cactus . . .	vii.	605–6
Cadaba farinosa, *Forsk.*	xxvi.	2527
—— glandulosa, *Forsk.*	ix.	839
—— **heterotricha,** *Stocks*	ix.	839
—— natalensis, *Sond.*	xxvi.	2527
—— rotundifolia .	ix.	839
—— **termitaria,** *N. E. Br.*	xxvi.	2527
Caesalpinia paucijuga, *Benth.* . .	xx.	1977
—— **rostrata,** *N. E. Br.*	xxviii.	2702
Cakile . . .	xi.	1084
Caladium . . .	xx.	1996
Calandrinia calyptrata, *Hook. f.* . .	iii.	296
—— **granulifera,** *Benth.*	xxviii.	2776
Calanthe alismaefolia .	xxii.	2111
—— **diploxiphion,** *Hook. f.*	xxii.	2111
—— **Mannii,** *Hook. f.* .	xxii.	2113
—— **phajoides,** *Reichb. f.*	xix.	1864
—— veratrifolia . .	xxii.	2111
—— viridi-fusca .	xix.	1883
—— **Wrayi,** *Hook. f.* .	xxii.	2114
Calathodes palmata, *Hook. f. & Thoms.* .	xx.	1935
Calceolaria Sinclairii, *Hook.* . .	vi.	561
Caldasia argentea, *Hook. f.*	iii.	300
——***brachycarpa**, *Hook. f.*	iii.	300
—— eriopoda, *DC.* .	iii.	300
Caldesia . . .	xxvii.	2652
Calliandra . . .	vii.	655
Calliandra colletioides, *Griseb.* . . .	xii.	1167
—— cylindocarpa, *Benth.* . .	vii.	644
—— (?) *geminata*, Benth.	xvi.	1510
—— *Hystrix*, Griseb. .	xii.	1168
Callichilia . . .	xxviii.	2764

	VOL.	PLATE
Callilepis leptophylla, *Harv.*	xv.	1482
—— **salicifolia**, *Oliv.*	xv.	1482
Callipteris *elegans*, J. Sm.	x.	939–40
—— *ovata*, J. Sm.	x.	936
—— prolifera, *Bory*	x.	936, 939–40
Callithamnion	vii.	613, 662
Callitris actinostrobus, F. Muell.	xiii.	1272
Callixene marginata, *Lamk*	vii.	674
—— **parviflora**, *Hook. f.*	vii.	632
—— parviflora, *Hook. f.*	vii.	674
—— **polyphylla**, *Hook.*	vii.	674
Calophaca depressa, *Oliv.*	xxiv.	2304
—— parviflora, *Jaub. & Spach.*	xxiv.	2304
Calorhabdos	xxvii.	2668
Calorhabdos *axillaris*, Benth. & Hook. f.	xxvii.	2670
—— **Brunoniana**, *Benth.*	xxvii.	2669
—— **cauloptera**, *Hance*	xxvii.	2669
—— Fargesii, *Franch.*	xxvii.	2668–70
—— *latifolia*, Hemsl.	xxvii.	2670
—— *stenostachya*, Hemsl.	xxvii.	2670
—— sutchuenensis, *Franch.*	xxvii.	2668–70
—— *venosa*, Hemsl.	xxvii.	2670
Calostemma album, *R. Br.*	xxiv.	2371
Calostephane divaricata, *Benth.*	xii.	1111
Calota, Harv.	xix.	1840
Caltha	vii.	641
Calvaria hexangularis, *Gaertn. f.*	xxvi.	2512
—— **major**, *Gaertn. f.*	xxvi.	2512
Calycanthus	xvi.	1600
Calycera	xviii.	1752
Calycophyllum	xxiv.	2388
Calyptridium, *Nutt.*	iii.	296
Camelina Caisir, Wall.	ix.	805
Campanula ceilanica, *Seba*	iv.	358
—— **Jacobaea**, *C. Sm.*	viii.	762
—— **Vidalii**, *H.C. Watson*	vii.	684
Campanumoea axillaris, *Oliv.*	xviii.	1775
—— pilosula, *Franch.*	xx.	1966
Campium, *Presl*	vii.	681–2
Camptoloma	xxviii.	2769
Camptosorus, *Link.*	x.	927
Camptostemon Schultzii, *Mast.*	xii.	1119
Camptotheca, *Dcne*	xx.	1961
Campylanthera Fraseri, *Hook.*	i.	82
Campylanthus Benthami, *Webb*	viii.	776
Campylanthus Benthami, var. ***glaber**, *Webb*	viii.	776
—— **Benthami**, var. ***hirsutus**, *Webb.*	viii.	776
—— *glaber*, Benth.	viii.	776
—— *salsoloides*, Webb	viii.	776
Campylogyne exannulata, *Hemsl.*	xxvi.	2550
Campyloneurum, *Presl*	iii.	203
Campylosiphon purpurascens, *Benth.*	xiv.	1384
Canarium *edule*, Hook. f.	xxvi.	2566–7
—— **hirtellum**, *Benn.*	xvi.	1575
—— *Mubafo*, Ficalho	xxvi.	2566–7
—— Pimela	xxvii.	2641
—— *Saphu*, Engl.	xxvi.	2566–7
—— Schweinfurthii, *Engl.*	xxvi.	2566–7
Canthium	xxvii.	2630
Canthium lanciflorum, *Hiern*	xxiii.	2252
Capirona	xii.	1150
Capparis *acuminata*, Roxb.	ii.	126
—— *apetala*, Roth	ii.	124
—— *brevispina*, DC.	ii.	126
—— **brevispina**, *Wight & Arn.*	ii.	126
—— **brevispina**, * vars. *α, β, γ, Wight.*	ii.	126
—— **diversifolia**, *Wight & Arn.*	ii.	181
—— **hainanensis**, *Oliv.*	xvi.	1588
—— *heteroclita*, Roxb.	ii.	127
—— Heyneana, *Wall.*	xvi.	1588
—— **incanescens**, *DC.*	ii.	123
—— *linearis*, DC.	ii.	124
—— *linifolia*, Roxb.	ii.	124
—— **pedunculosa**, *Wall.*	ii.	128
—— *Rheedii*, DC.	ii	126
—— *rotundifolia*, Rottl. & Willd.	ii.	126
—— *corymbosa*, Roxb.	ii.	123
—— Roxburghii, *DC.*	ii.	123
—— *stylosa*, var. *velutina*, DC.	ii.	123
—— *trifolia*, Roxb.	ii.	178
—— *Wightiana*, Wall.	ii.	126
Capsella, *Medik.*	ix.	847
—— elliptica, *C. A. Mey.*	iii.	287
—— obovata	ix.	900
Caragana ambigua, *Stocks*	xviii.	1725
—— *ambigua*, Aitch.	xviii.	1725
—— **decorticans**, *Hemsl.*	xviii.	1725
—— ulicina	xviii.	1725
Carallia borneensis, *Oliv.*	xxv.	2459
—— celebica, *Bl.*	xxv.	2459
—— multiflora, *Bl.*	xxv.	2459
Caralluma	xx.	1910

	VOL.	PLATE
Caralluma aperta, *N. E. Br.*	xx.	1905 Suppl.
—— **armata,** *N. E. Br.*	xx.	1902 Suppl.
—— armata, *N. E. Br.*	xx.	1905
—— **dependens,** *N. E. Br.*	xx.	1903 Suppl.
——*hottentotorum, *N. E. Br.*	xx.	1903 Suppl.
—— **linearis,** *N. E. Br.*	xx.	1903 Suppl.
—— **lutea,** *N. E. Br.*	xx.	1901 Suppl.
——*mammillaris, *N. E. Br.*	xx.	1902 Suppl.
—— mammillaris, *N. E. Br.*	xx.	1905
—— **ramosa,** *N. E. Br.*	xx.	1904 Suppl.
Carapa	xv.	1458
Cardamine corymbosa, *Hook. f.*	vii.	686
—— **heterophylla,** *Hook.*	i.	58
—— heterophylla, *Hook.*	iii.	258
—— **intermedia,** *Hook.*	iii.	258
—— lilacina, *Hook.*	iii.	258
—— **paradoxa,** *Hance*	xiii. xix.	1285 1818
—— **radicata,** *Hook. f.*	ix.	882
Cardiochlamys madagascariensis, *Oliv.*	xv.	1403
Cardiogyne	xxv.	2473
Cardiogyne africana, *Bur.*	xxv.	2473
Cardwellia sublimis, *F. Muell.*	xiii.	1275
Carex dioica	v.	448
—— **filifolia,** *Nutt.*	v.	448
—— pulicaris	vi.	534
Carlemannia	xi. xii.	1048 1134
Carlesia sinensis, *Dunn*	xxviii.	2739
Carmichaelia Kirkii, *Hook. f.*	xiv.	1332
Carolinella cordifolia, *Hemsl.*	xxviii.	2775
—— **Henryi,** *Hemsl.*	xxviii.	2726
——*obovata, *Hemsl.*	xxviii.	2775
Carpha alpina, *R. Br.*	xiii.	1216
—— *clandestina,* R. Br.	xiv	1343
—— *Schweinfurthiana,* Boeck.	xiv.	1342
Carpinus laxiflora	xx.	1989
—— **laxiflora,** *Bl.,* var. **macrostachya,** *Oliv.*	xx.	1989
Carpodetus serratus, *Forst.*	vi.	564
Carpodinus acida	xxvi.	2568
—— calabaricus, *Stapf*	xxvi.	2568
—— **dulcis,** *Sabine*	xxvi.	2568
—— parviflora, *Stapf*	xxiv. xxvi.	2340 2568
Carpodinus *umbellata,* K. Schum.	xxviii.	2762
—— **uniflorus,** *Stapf*	xxiv.	2340
Carpolyza spiralis	xxiii.	2260
Carrierea, *Franch.*	xxvii.	2688
Carum	xxviii.	2737
Caruncularia, Haw.	xx.	Suppl.
—— *aperta,* Sweet	xx.	1905
—— *Jacquini,* Sweet	xx.	1909
—— *Massoni,* Sweet	xx.	1909
—— *pendunculata,* Haw.	xx.	1909
—— *penduliflora,* Sweet	xx.	1909
—— *Simsii,* Sweet	xx.	1909
Caryota	xx.	1985
Casearia macrophylla	vii.	644 655
Cassebeera gleichenioides, *Gardn.*	vi.	507
Cassia aphylla, *Cav.*	xi.	1063
—— *astroites,* Cham. & Schlecht.	xi.	1060
—— **crassiramea,** *Benth.*	xi.	1063
—— *geniculata,* Ruiz & Pav.	xi.	1060
—— **goniodes,** *A. Cunn.*	xi.	1061
—— oligoclada, *F. Muell.*	xi.	1061
—— **villosa,** *Mill.*	xi.	1060
Cassine Maurocenia, *Linn.*	vi.	552
Cassipourea, *Aubl.*	xxix.	2841
Cassipourea elliptica, *Poir.*	iii.	280
—— macrophylla, *DC.*	iii.	280
Castanea	iv.	380
Castilloa australis, *Hemsl.*	xxvii.	2651
—— **australis,** *Hemsl.*	xxvii.	2676
—— costaricana, *Liebm.*	xxvii.	2651
—— elastica, *Cerv.*	xxvii.	2651 2676
—— *Markhamiana,* Collins	xxvii.	2651
—— *Markhamiana,* Markham	xxvii.	2651
—— *sp.,* Hook. f.	xxvii.	2657
—— **Tunu,** *Hemsl.*	xxvii.	2651
Casuarina	x.	968
Catasetum cristatum, var. **monstrosum,** *Hook.*	ii.	177
—— globiflorum, *Hook.*	xxvii.	2617
—— Hookeri, *Lindl.*	xxvii.	2617
—— **labiatum,** *Rodr.*	xxvii.	2617
—— luridum, *Lindl.*	xxvii.	2617
Catesbaea phyllacantha, Griseb.	xi.	1095
Cathanthes, Rich.	vi.	534
Cathastrum capense, Turcz.	xxiii.	2297
Catopheria chiapensis, *A. Gray*	xiii.	1215
—— **spicata,** *Benth.*	xiii.	1215

	VOL.	PLATE
Catospermum Muelleri, *Benth.*	xi.	1028
Catostemma fragrans, *Benth.*	xviii.	1793
	xx.	1986
Ceanothus *Chloroxylon,* Nees	xix.	1862
—— **papillosus,** *Torr. & Gray*	iii.	272
Celastrus	iv.	356
Celastrus latifolius, *Hemsl.*	xxiii.	2206
—— **(?) magellanicus,** *DC.*	vi.	537
—— **subspicatus,** *Hook.*	v.	482
Celosia procumbens, *Jacq.*	iii.	256
Centaurea	xii.	1112
		1136
Centratherum	xii.	1133
Centrolobium robustum, *Mart.*	xxix.	2838–9
Centrosolenia glabra, *Hook.*	ix.	873
Cephalandra	xiv.	1322
Cephalanthus africanus, *Reichb.*	viii.	787
—— **natalensis,** *Oliv.*	xiv.	1331
—— spathelliferus, *Baker*	xxiv.	2386
Cephalotaxus Griffithii, *Hook. f.*	xx.	1933
—— **Mannii,** *Hook. f.*	xvi.	1523
Ceramium	x.	997
Ceranthera, *Beauv.*	i.	63
Ceratandra bicolor, *Sond.*	xix.	1840
—— **Harveyana,** *Lindl.*	xix.	1840
Ceratiola ericoides, Herb. Lamb.	vi.	531
Ceratodactylis osmundi-oides, J. Sm.	iv.	387–8
Ceratogonum	xiv.	1321
Ceratopyxis verbenacea, *Hook. f.*	xii.	1125
Ceratosepalum digitatum, *Oliv.*	xxiv.	2307
Ceratostemma	ii.	108–10
Ceratostylis	xxvii.	2616
Ceratostylis clathrata, *Hook. f.*	xxi.	2099
—— **eriaeoides,** *Hook. f.*	xxi.	2074
—— **himalaica,** *Hook. f.*	xxii.	2101
—— **lancifolia,** *Hook. f.*	xxii.	2102
—— **malaccensis,** *Hook. f.*	xxi.	2098
—— **pendula,** *Hook. f.*	xxi.	2100
—— **robusta,** *Hook. f.*	xxii.	2103
—— teres, *Reichb. f.*	xxi.	2098
Cercidiphyllum, *Maxim.*	xix.	1892
	xxiv.	2361
Cercis racemosa, *Oliv.*	xix.	1894
Cercocarpus betulaefolius, *Nutt.*	iv.	322
—— **ledifolius,** *Nutt.*	iv.	324
—— **parvifolius,** *Nutt.*	iv.	323
Cerdia	xxx.	2944
Cereus	vii.	605–6
Ceropegia	xxv.	2452
Ceropegia angustifolia, *Dalz.*	ix.	867
—— **attenuata,** *Hook.*	ix.	867
Cestrum	xxiv.	2339
Cestrum *venenatum,* Hort.	vi.	595
—— **vestitum,** *Hook.*	iv.	381
Cevallia sinuata, *Lag.*	iii.	252
Chabraea	vi.	519–20
Chabraea suaveolens, *DC.*	v.	496
Chaenostoma	xi.	1079
Chaetanthera recurvata, Spr.	v.	491
Chaetolepis loricarella, *Triana*	xi.	1087
Chaetospora	xiii.	1216
Chailletia cymosa, *Hook.*	vi.	591
—— **floribunda,** *Planch.*	viii.	792
Chalepoa magellanica, *Hook. f.*	xi.	1082
Chalepophyllum guyanense, *Hook. f.*	xii.	1148
Chamaefistula astroites, G. Don	xi.	1060
Chamitis tricuspidata, Gaertn.	vi.	539
—— *trifurcata,* Gaertn.	vi.	539
Chara latifolia, *Willd.*	vi.	532
Chasmanthera	viii.	759
Chaunochiton loranthoides, *Benth.*	xi.	1005
Cheilanthes	x.	980
Cheilanthes aurantiaca, *Moore*	xvii.	1637
—— **aurea,** *Baker*	xvii.	1637
—— **Bolusii,** *Baker*	xvii.	1636
—— bullosa	xvii.	1636
—— **chrysophylla,** *Hook.*	x.	901
—— chrysophylla, *Hook.*	x.	904
	xvii.	1637
—— farinosa, *Kaulf.*	x.	901
—— *leptophylla,* R. Br.	x.	902
—— **Lidgatii,** *Baker*	xvii.	1635
—— micropteris, *Sw.*	v.	487
—— **monticola,** *Gardn.*	v.	487
—— **nitidula,** *Hook.*	x.	912
—— **ochracea,** *Hook.*	x.	904
—— Sieberi	xvii.	1636
Cheilolepton, *Fée*	x.	933
Cheilosa	xxx.	2985
Cheilotheca khasiana, *Hook. f.*	xvi.	1564
—— **malayana,** *Scort.*	xvi.	1564
Cheiranthera	i.	82
Cheiranthera linearis, *A. Cunn.*	i.	47
Cheiranthus Farsetia, *Herb. Ham.*	ix.	808
Cheirostylis	xxii.	2168
—— *pusilla,* Lindl.	xxii.	2163

	VOL.	PLATE
Chelidonium lasiocarpum, *Oliv.* .	xviii.	1739
Chelonespermum unguiculatum, *Hemsl.* .	xxvi.	2569
Chenopodium (?) *sinosum,* Hook. . .	iii.	271
Chiliocephalum Schimperi, *Benth.* . .	xii.	1137
Chiliotrichum *amelloides, *Cass.* . .	v.	485
—— **amelloides,** var. lanceolatum, *DC.*	v.	485
—— **amelloides,** var. *(?)**rosmarinifolium,** *Nees* .	v.	485
—— *rosmarinifolium,* Less.	v.	485
Chilocarpus . . .	xxviii.	2711
Chilocarpus anguineus, *Stapf* . . .	xxx.	2993
Chimonanthus fragrans	xvi.	1600
—— **nitens,** *Oliv.* .	xvi.	1600
Chiococca . . .	xii.	1150
Chionachne barbata, Benn.	xxiv.	2333
Chionothrix somalensis, *Hook. f.* . . .	xxiii.	2226
Chirita	xxiv.	2379
	xxv.	2454
—— eburnea, *Hance* .	xxiii.	2254
—— monophylla, *Clarke*	xviii.	1797
Chironia exigua, *Oliv.* .	xiii.	1229
Chisocheton . . .	xviii.	1708
Chisocheton princeps, *Hemsl.*	xix.	1844
Chloidia flava, *Reichb. f.*	xxx.	2989
Chloranthus angustifolius, *Oliv.* . .	xvi.	1580
Chloridion Cameroni, *Stapf*	xxvii.	2640
Chloris	xiv.	1376
—— Pycnothrix, *Trin.*	xxvii.	2640
Chlorocodon . .	xxv.	2500
Chlorocyathus Monteiroae, *Oliv.* . .	xvi.	1557
Choisya	xiv.	1385
Chomelia (?) *sandvicensis,* A. Gray . .	xl.	1071
Chondria . . .	iii.	261–2
Choriophyllum malayanum, *Benth.* . .	xiii.	1280
Choritaenia capensis, *Benth.*	xiii.	1231
Christiana . . .	xxx.	2976
Christisonia Stocksii, *Hook.*	ix.	836
—— subacaulis, *Gardn.*	ix.	836
Chrysanthemum *inca-num,* Thunb. .	xxvi.	2529
—— Parthenium .	xxiii.	2230
Chryseis	iv.	360
Chrysobactron Hookeri, *Colenso* . .	ix.	817
——***Rossii,** *Hook. f.* .	ix.	817
Chrysobalanus Icaco, *Linn.*	xxiv.	2338
Chrysodiscus, *Steetz* .	ix.	856
Chrysoglossum . .	xxi.	2083
Chrysoglossum assamicum, *Hook. f.* .	xxi.	2063
—— assamicum, *Hook. f.*	xxi.	2064
—— **erraticum,** *Hook. f.*	xxi.	2062
—— erraticum, *Hook. f.*	xxi.	2063–4
—— **maculatum,** *Hook. f.*	xxi.	2064
Chrysophyllum . .	xv.	1473
Chrysosplenium adoxoides, *Hook. f. & Thoms.* . .	xviii.	1744
—— **macrophyllum,** *Oliv.*	xviii.	1744
Chymococca empetroides, *Meissn.* .	xiii.	1264
Cibotium Chamissoi, Kaulf.	xvii.	1603
Cimicifuga calthaefolia, *Maxim.* . . .	xviii.	1746
Cinchona . . .	xi.	1089
Circaeaster agrestis, *Maxim.* . . .	xxiv.	2366
Cirrhopetalum acutiflorum, *A. Rich.*	xxi.	2059
—— **Andersoni,** *Hook. f.*	xxi.	2055
—— **aureum,** *Hook. f.*	xxi.	2057
—— **brevipes,** *Hook. f.*	xxi.	2056
—— **concinnum,** *Hook. f.*	xxi.	2060
—— **elatum,** *Hook. f.* .	xxi.	2052
—— **Gamblei,** *Hook. f.*	xxi.	2058
—— nilgherrense, *Wight.*	xxi.	2059
—— **parvulum,** *Hook. f.*	xxi.	2060
—— picturatum .	xxi.	2052
—— refractum . .	xxi.	2061
—— retrofractum (*sphalm.*)	xxi.	2061
—— **Roxburghii,** *Lindl.*	xxi.	2057
—— Roxburghii, *Lindl.*	xxi.	2060
—— **Thomsoni,** *Hook. f.*	xxi.	2059
—— **viridiflorum,** *Hook. f.*	xxi.	2061
Cistanche rosea, *Baker*	xxiv.	2363
—— tubulosa . . .	xxiv.	2363
Claderia viridiflora, *Hook. f.*	xxi.	2083
Cladium scleroides, F. Muell. . .	xiii.	1206
Cladocaulon brasiliense, *Gardn.* . . .	vi.	528
Cladonia perfilata, *Hook.*	ii.	192
—— perfoliata, *Mart.* .	ii.	192
Clandestina . .	ix.	836
Clappia aurantiaca, *Benth.*	xii.	1104
—— **suaedaefolia,** *A. Gray*	xii.	1105
Clathrospermum (*sphalm.* Clethrospermum), *Planch.*	viii.	767
Claudea	vii.	613
Claviga	xxiv.	2316
Clavija spathulata, *Ruiz & Pav.* . . .	ii.	140

	VOL.	PLATE
Claytonia . . .	iii.	296
Claytonia australasica, *Hook. f.* . .	iii.	293
Cleisostoma . . .	xxii.	2131
Cleisostoma andamanicum, *Hook. f.* .	xxii.	2140
—— andamanicum, *Hook. f.* . .	xxii.	2143
—— **bicuspidatum,** *Hook. f.*	xxii.	2144
—— **bipunctatum,** *Hook. f.* . .	xxii.	2141
—— **brevipes,** *Hook. f.*	xxii.	2142
—— **Kunstleri,** *Hook. f.*	xxiv.	2335
—— latifolium . .	xxii.	2140
—— **Mannii,** *Reichb. f.*	xxii.	2143
—— ramosum, *Hook. f.*	xxiv.	2335
—— spicatum, *Lindl.* .	xxii.	2139
—— undulatum, *Reichb. f.*	xxii.	2143
—— Wendlandorum, *Reichb. f.* .	xxii.	2143
Cleistachne sorghoides, *Benth.* . .	xiv.	1379
Cleistanthus polystachyus, *Hook. f.* .	viii.	779
Cleistes * Miersii, *Gardn.*	v.	473–4
——*montana, *Gardn.*	v.	473–4
—— rosea, *Lindl.* .	v.	473–4
—— **speciosa,** *Gardn.* .	v.	473–4
Clematis anethifolia, *Hook.*	i.	78
—— **Bojeri,** *Hook.* .	i.	10
—— Bojeri, *Hook.* .	i.	77
—— **formosana,** *Kuntze*	xx.	1945
—— **Henryi,** *Oliv.* .	xix.	1819
—— **leiocarpa,** *Oliv.* .	xvi.	1533
—— **oligophylla,** *Hook.*	i.	80
—— **pimpinellifolia,** *Hook.*	i.	77
—— pimpinellifolia, *Hook.*	i.	80
—— **pterantha,** *Dunn* .	xxviii.	2713
—— **Stanleyi,** *Hook.* .	vi.	589
—— **trifida,** *Hook.* .	i.	79
—— uncinata, *Champ.*	xvi.	1533
—— yunnanensis, *Franch.* . .	xxviii.	2713
Clematoclethra *disticha, *Hemsl.* . .	xxix.	2808
—— Faberi, *Franch.* .	xxix.	2808
—— ***grandis,** *Hemsl.* .	xxix.	2808
—— **Hemsleyi,** *Baill.* .	xxix.	2808
—— scandens, *Franch.*	xxix.	2808
—— *tomentella*, Franch.	xxix.	2808
—— ***Wilsoni,** *Hemsl.* .	xxix.	2808
Clematopsis anethifolia, Boj. . .	i.	78
—— *pimpinellifolia*, Boj.	i.	77
—— *suaveolens*, Boj. .	i.	10
Cleomella mexicana, *DC.*	i.	28
Clerodendron Baronianum, *Oliv.* . . .	xxiii.	2241
Clerodendron capitatum, *Sch. & Thonn.* .	xvi.	1559
—— **cephalanthum,** *Oliv.*	xvi.	1559
—— **eucalycinum,** *Oliv.*	xxiii.	2242
—— macrocalycinum, *Baker* . .	xxiii.	2241–2
—— magnoliaefolium, *Baker* . .	xxiii.	2242
—— petunioides, *Baker*	xxiii.	2241–2
—— rubellum, *Baker* .	xxiii.	2242
—— **subscaposum,** *Hemsl.*	xxvii.	2675
Cliffortioides oblongata, Banks & Soland.	vii.	673
—— *oblongata*, Dryand.	vii.	639
Clitandra Barteri . .	xxviii.	2742
—— cymulosa, *Benth.* .	xxviii.	2742
—— Mannii . .	xxviii.	2742
—— **orientalis,** *K. Schum.* . .	xxviii.	2742
Clitoria viridiflora, *Bout.*	ii.	152
Cluytia . . .	xiii.	1279
Cnesmone, *Bl.* . .	xvi.	1592
Coccinia indica, *Wight & Arn.*, var. *α*, *Wight*	ii.	138
—— **indica,** *var. *β*, *Wight*	ii.	138
Coccosperma . .	xxx.	2940
Cocculus affinis, *Oliv.* .	xviii.	1760
—— *flavicans*, Wall. .	xvi.	1551
—— **(?) macranthus,** *Hook. f.*	viii.	759
—— macrocarpus, *Wight & Arn.* .	xviii.	1760
—— palmatus . .	viii.	759
Cochlearia *alyssoides*, DC.	ix.	805
—— **flava,** *Buch.* . .	ix.	805
—— himalaica, *Hook. f. & Thoms.* .	xxvii.	2643
—— **Hobsoni,** *Pearson* .	xxvii.	2643
Codiaeum (?) lutescens, Kurz . . .	xviii.	1702
Codonanthus alternifolia, *Planch.* . .	viii.	796
—— africana, *Don* .	viii.	796
—— (?) alternifolia, *Planch.* . .	xxiii.	2276
Codonopsis convolvulacea, *Kurz* .	xxiv.	2385
—— **Henryi,** *Oliv.* .	xx.	1967
—— lanceolata, *Benth. & Hook. f.* .	xx.	1966
—— pedunculosa, *Franch.*	xxiv.	2385
—— **Tangshen,** *Oliv.* .	xx.	1966
Coelachne . . .	xxx.	2927
Coelachyrum brevifolium, Nees . .	xiv.	1368
Coelarthron Brandisii, *Hook. f.* . . .	xxvi.	2517
Coelodepas bantamensis, *Hassk.* . .	xiii.	1288

	VOL.	PLATE
Coelodepas calycinum, *Bedd.*	xiii.	1288
—— **Wallichianum,** *Benth.*	xiii.	1288
Coelogyne anceps, *Hook.f.*	xxii.	2109
—— *calceata,* Reichb. f.	xix.	1876
—— **carnea,** *Hook. f.* .	xxii.	2107
—— *Convallariae,* Reichb. f.	xix.	1880
—— **Griffithii,** *Hook. f.* .	xxii.	2108
—— **occultata,** *Hook. f.*	xxii.	2104
—— **(?) purpurascens,** *Hook. f.* . .	xxii.	2110
—— *recurva,* Lindl. .	xix.	1878
—— *rubra,* Reichb. f. .	xix.	1879
—— **stenochila,** *Hook. f.*	xxii.	2106
—— **Treutleri,** *Hook. f.*	xxii.	2105
—— *undulata,* Reichb. f.	xix.	1879
Coffea	xii.	1127, 1129
—— *laurina,* Sm. .	xiii.	1235
Coix Lachryma, *Linn.,* var. **stenocarpa,** *Oliv.* .	xviii.	1764
Cola acuminata . .	xiv.	1390
—— **natalensis,** *Oliv.* .	xiv.	1390
Colensoa . . .	xvi.	1532
Coleocoma centaurea, *F. Muell.* . . .	xii.	1136
Coleus . . .	v.	460
Coleus leucophyllus, *Baker* . . .	xxv.	2475
Collabium Wrayi, *Hook.f.*	xxi.	2065
—— Wrayi, *Hook. f.* .	xxii.	2118
Colletia discolor, *Hook.* .	vi.	538
Colobandra . . .	xxviii.	2783
Columnea acuminata, *Benth.* . .	xxv.	2428
—— **filipes,** *Oliv.* .	xxv.	2428
Combretum salicifolium, *E. Mey.* . . .	vi.	592
Commidendron *gummiferum,* DC. .	xi.	1056
—— robustum, *DC.* .	xi.	1057
—— rotundifolium .	xi.	1057
—— *rugosum,* DC. .	xi.	1057
—— *spurium,* DC. .	xi.	1056
—— spurium, *DC.* .	xi.	1057
Commiphora caryaefolia, *Oliv.* . .	xxiii.	2287
—— erythraea, *Engl.* .	xxiii.	2287
—— Harveyi, *Engl.* .	xxiii.	2287
—— *Myrrha,* Engl. .	xxvi.	2524
—— Myrrha, *var.* Molmol, *Engl.* .	xxvi.	2524
Comoroa pisocarpa, *Oliv.*	xxv.	2408
Conceveiba africana, Muell -Arg. . .	xiii.	1298–9
Condalia microphylla, *Cav.*	vi.	538
—— **obovata,** *Hook.* .	iii.	287
CONIFERAE NOVAE-ZELANDICAE . .	vi.	547
Connaropsis . . .	xx.	1997
Connarus erianthus, *Benth.* . . .	xxvii.	2663
Conohoria castanaefolia, *A. St.-Hil.* .	i.	63
—— Rinorea, *A. St.-Hil.*	i.	63
Conostomum . .	ii.	135
Conostylis juncea, *Endl.*	ix.	853
—— **vaginata,** *Endl.* .	ix.	853
Conradia calycosa, *Hook.*	vii.	689–90
—— **neglecta,** *Hook.* .	ix.	874
Convolvulus . . .	xxv.	2437
—— Batatas . .	i.	11
Conyza *altaica,* DC. .	xii.	1106
—— arborescens, *Willd.*	xi.	1056
—— *rugosa,* Ait. . .	xi.	1057
—— *umbrosa,* Kar. & Kir. . . .	xii.	1106
Copaifera . . .	xi.	1017–8
Coprosma . . .	xii.	1121
Coptophyllum, Gardn. .	x.	903
Coptophyllum buniifolium, *Gardn.* .	v.	477
—— **millefolium,** *Gardn.*	v	478
Coptosapelta flavescens, *Korth.* . .	xi.	1089
—— **Griffithii,** *Hook. f.*	xi	1089
Corallophyllum, *Humb. & Kunth* . . .	vii.	626
Corchoropsis . .	xxviii.	2743
Corchorus . . .	xxviii.	2743
Cordeauxia edulis, *Hemsl.*	xxix.	2838–9
Coriaria japonica, *A. Gray*	xxiii.	2220
—— nepalensis, *Wall.* .	xxiii.	2220
—— nepalensis, *var.* sikkimensis .	xxiii.	2220
—— **terminalis,** *Hemsl.*	xxiii.	2220
Cornus . . .	vii.	621
Corokia buddleoides, *A. Cunn.*	v.	424
Correa Backhousiana, *Hook.*	i.	2
—— **Bauerlenii,** *F. Muell.*	xxiii.	2245
—— **ferruginea,** *Backh.*	i.	3
—— rufa, *Labill.* .	i.	2
—— speciosa . .	xxiii.	2245
Corybas, *Salisb.* . .	xii.	1120
Corydalis Boweri, *Hemsl.*	xxv.	2468
—— mucronifera, *Maxim.*	xxv.	2468
Corylopsis . . .	xxix.	2817
Corylopsis glandulifera, *Hemsl.* . .	xxix.	2818
—— grata . . .	xxix.	2820
—— **Griffithii,** *Hemsl.* .	xxix.	2820
—— **Henryi,** *Hemsl.* .	xxix.	2819–20
—— **himalayana,** *Griff.*	xxix.	2820
—— *himalayana,* Griff. var. α, β . .	xxix.	2820
—— *himalayana,* var. *manipurensis,* Watt	xxix.	2819

	VOL.	PLATE
Corylopsis manipurensis, *Hemsl.*	xxix.	2819–20
—— multiflora, *Hance.*	xxix.	2819
—— **multiflora,** *Hance.*	xxix.	2820
—— sinensis, *Hemsl.*	xxix.	2818
—— **sinensis,** *Hemsl.*	xxix.	2820
—— spicata, *Sieb. & Zucc.*	xxix.	2818
—— *spicata,* Hemsl.	xxix.	2818
—— **Wilsoni,** *Hemsl.*	xxix.	2819
Corylus Avellana	viii.	798
Corynula pilosa, *Hook. f.*	xii.	1123
Corysanthes bicalcarata, *R.Br.*	xii.	1120
—— **Cheesemani,** *Hook. f.*	xii.	1120
——*Cheesemani,** *Hook.f.*	xiii.	1201
—— fimbriata, *R. Br.*	xiii.	1201
——*macrantha, *Hook. f.*	xiii.	1201
Cossigyna	xi.	1097
Cottonia Championi, Lindl.	xxii.	2120
Cotula myriophylloides, *Harv.*	iv.	335
Cotyledon viscida, *S. Wats.*	xvi.	1554
Couepia dodecandra, *Hemsl.*	xxvii.	2620–1
—— Uiti, *Benth.*	xxvii.	2620–1
Coursetia * eriantha, *Benth.*	xi.	1065
—— **orbicularis,** *Benth.*	xi.	1065
Courtoisia cyperoides, *Nees*	xiv.	1341
Crabbea	xxx.	2983
Craniotome	xix.	1872
Craspedaria, *Link*	x.	954
Craspedium tectorum, *Lour.*	vii.	602
Craspedorhachis africana, *Benth.*	xiv.	1377
Crassula acinaciformis, *Schinz*	xxvi.	2530
—— *aloides,* N. E. Br.	xxvi.	2530
—— *moschata,* Forst.	vi.	535
Crataegus obtusifolia, Pers.	ix.	846
Crataeva *apetala,* Spr.	ii.	124
—— *oblongifolia,* Spr.	ii.	127
—— *odorata,* Ham.	ii.	178
—— *religiosa,* Ham.	ii.	178
—— **Roxburghii,** *R. Br.*	ii.	178
—— *Tapia,* Vahl	ii.	178
Craterispermum laurinum, *Benth.*	xiii.	1235
Craterostigma nanum, *Benth.,* var. (?) **elatior,** *Oliv.*	xv.	1479
Creaghia fagraeaopsis, Scort.	xxiv.	2388
Creaghiella purpurea, *Stapf*	xxv.	2455
Cremanthodium humile, *Maxim.*	xxvi.	2587
—— **palmatum,** *Benth.*	xii.	1142
—— **pinnatifidum,** *Benth.*	xii.	1142
—— **reniforme,** *Benth.*	xii.	1141

	VOL.	PLATE
Cremanthodium reniforme, *Benth.*	xii.	1142
—— reniforme, *var.* phoeopappum, *Hook.*	xii.	1141
Cremaspora	xii.	1126
Cremastus *crassus,* Miers	xxx.	2933
—— glutinosus	xxx.	2933
Cremolobus peruvianus, *DC.*	i.	48
—— **pinnatifidus,** *Hook.*	i.	100
—— **pubescens,** *Hook.*	i.	81
—— **rhomboideus,** *Hook.*	i.	32
—— rhomboideus, *Hook.*	i.	99
—— **sinuatus,** *Hook.*	i.	99
Cressa	v.	410
Crinitaria humilis, Hook.	xii.	1106
Crinum	xxv.	2493
Croomia, *Torr. & Gray*	xviii.	1776
Crossolepis (?) pusilla, *Huegel*	v.	413
Crossostemma, *Planch.*	xxvi.	2518
Crossotropis arenaria, *Stapf*	xxvii.	2609
—— **glandiglumis,** *Rendle*	xxvii.	2609
—— mollis, *Stapf*	xxvii.	2609
Crotalaria	xii.	1163
	xvi.	1576
Crotalaria bupleurifolia, *Schlecht.*	iv.	372
—— **bupleurifolia,** * vars. *β, γ, Hook. & Arn.*	iv.	372
—— **crassipes,** *Hook.*	ix.	830
—— **Cunninghami,** *R. Br.*	ix.	829
—— **Jamesii,** *Oliv.*	xvi.	1530
—— ***oblongifolia,** *Hook.*	ix.	830
—— ovata	iv.	372
—— sagittalis	iv.	372
—— Sturtii, *R. Br.*	ix.	829
—— **Thomsoni,** *Oliv.*	xv.	1494
—— unifoliolata, *Benth.*	ix.	830
Cruckshanksia, Hook.	i.	14
Cruddasia	xxx.	2979
Crudia Parivoa, *DC.*	xxiv.	2378
—— **senegalensis,** *Planch.*	xxiv.	2378
Crypteronia	xxv.	2407
Cryptochloris spathacea, *Benth.*	xiv.	1376
Cryptogramma, *R. Br.*	iv.	387–8
	x.	912
Cryptolepis Monteiroae, *Oliv.*	xvi.	1591
Cryptomeria japonica, *Don*	vii.	668
Cryptonemia (?) Forbesii, *Harv.*	vii.	679
Cryptotaenia	xxviii.	2737
Cryptotaeniopsis vulgaris, *Dunn*	xxviii.	2737
Ctenolophon, *Oliv.*	xviii.	1706
Cucurbita dioica, Roxb.	ii.	138
Cudrania	xxv.	2473

	VOL.	PLATE
Cudrania *tricuspidata*, Bur.	xviii.	1792
—— **triloba**, *Hance* .	xviii.	1792
Culcita . . .	viii.	713
Cunninghamia lanceolata	xiii.	1219
Cunuria, *Baill.* . .	xxx.	2985
Cupressus japonica, Linn. f.	vii.	668
Curculigo plicata .	xxiii.	2259
Curroria . . .	xvi.	1557
—— decidua, *Planch.* .	xvi.	1591
Cuscuta australis, *R. Br.*	xxviii.	2704
—— chinensis, *Lamk* .	xxviii.	2704
—— **hygrophilae**, *Pearson*	xxviii.	2704
Cuspidaria, *DC.* . .	xxviii.	2770
Cussonia Gerrardi, *Seem.*	xv.	1454
Cyanandrium guttatum, *Stapf* . .	xxv.	2419
——*rufum, *Stapf* .	xxv.	2419
Cyanastrum, Cass. .	xx.	1965
Cyanastrum, *Oliv.* .	xx.	1992
Cyanastrum cordifolium, *Oliv.* . . .	xx.	1965
Cyanella . . .	xx.	1965
Cyathea . . .	vii.	622, 643, 648
Cyathea, H.B.K. . .	viii.	706
Cyathea Beyrichiana, *Presl*	vii.	623
—— Beyrichiana, *Presl*	vii.	647
—— **Cunninghami**, *Hook. f.*	x.	985
—— **integra**, *J. Sm.* .	vii.	638
—— **integra**,* var. **petiolata**, *Hook.* .	vii.	638
—— medullaris . .	vii. x.	671 985
—— *petiolata*, J. Sm. .	vii.	638
—— Smithii . .	x.	985
—— speciosa . .	viii.	706
—— Walkerae, *Hook.* .	vii.	623
—— **Walkerae**, *Hook.* .	vii.	647
Cyathochaete clandestina, *Benth.* . .	xiv.	1343
Cyathodes Tameiameiae, *Cham.* . . .	ix.	898
Cyathogyne viridis, *Muell.-Arg.* . .	xiii.	1278
Cyathopus sikkimensis, *Stapf* . . .	xxiv.	2395
Cybele alpina, Falc. .	xxii.	2198
Cyclea deltoidea, *Miers*	xx.	1938
—— **racemosa**, *Oliv.* .	xx.	1938
Cyclocampe arundinacea, *Benth.* .	xv.	1434
—— elongata, *Benth.* .	xv.	1434
Cyclocheilon *erianthemum*, Engl. .	xxvii.	2685
—— **minutibracteolatum**, *Engl.*	xxvii.	2685
—— **somalense**, *Oliv.* .	xxv.	2439
Cyclocheilon somalense, *Oliv.* . . .	xxvii.	2685
Cyclodium . . .	x.	919
Cyclonema spinescens, *Oliv.*	xiii.	1221
Cyclophyllum Deplanchei, *Hook. f.* . .	xii.	1158
Cydonia cathayensis, *Hemsl.*	xxvii.	2657–8
—— sinensis, *Thouin* .	xxvii.	2657–8
Cylista suaveolens, Grah.	ii.	189
Cymaria . . .	xix. xxx.	1872 2946
Cymbidium *autumnale*, Sw.	v.	431
—— macrorhizon, *Lindl.*	xxii.	2117
—— **plicatum**, *Harv.* .	ii.	104
—— **sikkimense**, *Hook. f.*	xxii.	2117
Cymbopogon . .	xix.	1870
Cymbopogon citratus, *Stapf* . . .	xxix.	2826
—— Nardus, *Rendle* .	xxix.	2826
Cynanchum gracillimum, Wall. . .	xv.	1427
—— *nanum*, Ham. .	xv.	1426
Cynoglossum trianaeum, *Wedd.* . . .	xxv.	2458
Cynometra . . .	xi.	1066
Cynometra americana, *Vogel* . .	xxv.	2443
—— crassifolia, *Benth.*	xxv.	2443
—— ramiflora, *Linn.* .	xxv.	2443
—— **trinitensis**, *Oliv.* .	xxv.	2443
Cynthia, *Don* . .	iii.	237
Cyperus . . .	xv.	1407–8
Cyphostigma pulchellum, *Benth.* .	xiv.	1380
Cypripedium caudatum, *Lindl.* . . .	vii.	658–9
Cyrtandra bicolor .	viii.	735–6
—— **pendula**, *Bl.* .	viii.	735–6
—— *staminea*, Vahl .	viii.	733–4
Cyrtandromoea megaphylla, *Hemsl.* . .	xvi.	1555
Cyrtogonium, *J. Sm.* .	x.	907
Cyrtopera Mannii, Reichb. f. . .	xxii.	2115
Cyrtopodium . .	xxii.	2115
Cystopteris bulbifera .	x.	955
—— **Douglasii**, *Hook.* .	x.	955
—— fragilis, *var.* dentata	x.	959
—— **tasmanica**, *Hook.* .	x.	959
Cystorchis fusca, Benth.	xxii.	2181
Cytinus dioicus, *Juss.* .	iv.	336
Cytisus sericeus, Willd.	ii.	120
Dacrydium Colensoi, *Hook.*	vi.	548
—— Colensoi, *Hook. f.*.	vi. xiii.	547 1218–9
—— cupressinum, *Don*	xiii.	1218

	VOL.	PLATE
Dacrydium cupressinum, *Soland.*	vi.	547
—— elatum	vi.	544
—— *excelsum*, Don	vi.	547
—— *Fitzgeraldi*, F. Muell.	xiv.	1338
—— **Kirkii**, *F. Muell.*	xiii.	1219
—— Kirkii	xiv.	1383
—— **laxifolium**, *Hook. f.*	ix.	815
—— (*?*) *Mai*, A. Cunn.	vi.	543
—— *taxifolium*, Banks & Soland.	vi.	543
—— *thujoides*, Banks & Soland.	vi.	547
—— **westlandicum**, *Kirk*	xiii.	1218
Dactylis brevifolia, Roem.	xiv.	1368
—— *ciliaris*, Thunb.	xxvii.	2602
Dactylocladus stenostachys, *Oliv.*	xxiv.	2351
Dalbergia assamica, *Benth.*	xx.	1968
—— **hupeana**, *Hance*	xx.	1968
Dalibarda *geoides*, Pers.	v.	495
—— **lobata**, *Baldw.*	i.	76
Dammara australis, *Lamb.*	vi.	547–8
Dampiera alata, *Lindl.*	xi.	1027
—— *biloculata*, F. Muell.	xi.	1026
—— *cauloptera*, DC.	xi.	1027
—— *epiphylloidea*, De Vriese	xi.	1027
—— *Lindleyi*, De Vriese	xi.	1027
—— *trialata*, De Vriese	xi.	1027
—— **trigona**, *De Vriese*	xi.	1026
Danaea crispa, *Reichb. f. & Endres*	xvii.	1700
—— humilis, *Moore*	xvii.	1699
—— **serrulata**, *Baker*	xvii.	1699
—— trichomanoides, *Spruce*	xvii.	1699
Daniella oblonga, *Oliv.*	xxv.	2406
—— **thurifera**, *Benn.*	xxv.	2406
Danthonia	xxiv.	2394
	xxv.	2474
Danthonia disticha, *Nees*	xxx.	2949
—— exigua, *Stapf*	xxvii.	2606
—— **oreoboloides**, *Stapf*	xxvii.	2606
—— *pauciflora*, Buch.	xxvii.	2606
Dapania racemosa, *Korth.*	xx.	1997
—— **scandens**, *Stapf*	xx.	1997
Daphne	i.	5
Daphnopsis Beta, *Taub.*	xxv.	2409
Darwinia Schuermanni, *Benth.*	xxiv.	2303
Dasylepis, *Oliv.*	xxiii.	2265
Dasylepis racemosa, *Oliv.*	xi.	1029
Davallia	iv.	395–6
Davallia *Beccariana*, Cesati	xvii.	1624
—— **botrychioides**, *Hook. & Baker*	xvii.	1621
—— bullata	xvii.	1620
Davallia ciliata	xvii.	1622
—— **Clarkei**, *Baker*	xvii.	1625
—— **hymenophylloides**, *Baker*	xvii.	1623
—— immersa, *Wall.*	xvii.	1624
—— **Kingii**, *Baker*	xvii.	1622
—— *Mooreana*, Mast.	xvii.	1624
—— *nephrodioides*, F. Muell.	xvii.	1608
—— **pallida**, *Mett.*	xvii.	1624
—— pulchra, *Don*	xvii.	1623
—— repens	xvii.	1652
—— **serraeformis**, *Wall.*	i.	93
—— **Tyermanii**, *Baker*	xvii.	2016
Davidia involucrata, *Baill.*	xx.	1961
—— tibetana	xx.	1961
Daviesia	xxviii.	2777
Decabelone *Barklyi, *Dyer*	xx.	1905 Suppl.
—— elegans	xx.	1905
Decaneurum	xi.	1006
Decumaria sinensis, *Oliv.*	xviii.	1741
Deinanthe bifida, *Maxim.*	xix.	1884
Delphinium glaciale, *Hook. f. & Thoms.*	xiii.	1224
—— **macrocentron**, *Oliv.*	xvi.	1501
Dendrobium	xxi.	2081
Dendrobium angulatum, *Lindl.*	xxi,	2026
—— *angulatum*, Wall.	xxi.	2026
—— bambusaefolium	xxi.	2022
—— bicameratum	xxi.	2028
—— **bolbofiorum**, *Falc.*	xxi.	2028
—— Boothii	xxi.	2025
—— **Cathcartii**, *Hook. f.*	xxi.	2022
—— **clavipes**, *Hook. f.*	xxi.	2027
—— **cornutum**, *Hook. f.*	xxi.	2029
—— crumenatum	xxi.	2026
—— cymbidioides, *Lindl.*	xxi.	2020
—— dixanthum, *Reichb. f.*	xxi.	2033
—— geminatum, *Lindl.*	xxi.	2017
—— **grande**, *Hook. f.*	xxi.	2024
—— homonymum, *Steud.*	xxi.	2026
—— hymenanthum	xxi.	2032
—— **hymenopterum**, *Hook.f.*	xxi.	2032
—— **kentrochilum**, *Hook. f.*	xxi.	2030
—— kentrochilum, *Hook. f.*	xxi.	2032
—— **kentrophyllum**, *Hook. f.*	xxi.	2021
—— Kuhlii, *Lindl.*	xxi.	2029
—— Kunstleri, *Hook. f.*	xxi.	2018
—— **Kunstleri**, *Hook. f.*	xxi.	2023
—— **lonchophyllum**, *Hook. f.*	xxi.	2018
—— **longipes**, *Hook. f.*	xxi.	2017
—— Macraei, *Lindl.*	xxi.	2018 2023
—— macropodum, *Hook. f.*	xxi.	2017
—— **macropodum**, *Hook. f.*	xxi.	2020

	VOL.	PLATE
Dendrobium megaceras, *Hook. f.*	xxi.	2031
—— microbulbon	xix.	1853
—— **moulmeinense,** *Parish*	xxi.	2033
—— **nanum,** *Hook. f.*	xix.	1853
—— perakense, *Hook. f.*	xxi.	2017
—— **perakense,** *Hook. f.*	xxi.	2019
—— **podagraria,** *Hook.f.*	xxi.	2026
—— *purpurascens,* Thw.	xxii.	2110
—— *seriatum,* Wall.	xix.	1849
—— **tuberiferum,** *Hook.f.*	xxi.	2025
Dendrocalamus	xxviii.	2773
Dendrocalamus sikkimensis, *Gamble*	xviii.	1770
—— strictus	xxviii.	2786
Dendrochilum linearifolium, *Hook. f.*	xix.	1859
Dendromecon rigidum, *Benth.*	i.	37
Dendrophthora cupressoides, *Eichl.*	xxiii.	2221
Denekia capensis, *Thunb.*	xii.	1138
—— coerulea	xii.	1138
Deparia nephrodioides, *Baker*	xvii.	1608
Dermatobotrys Saundersii, *Bolus*	xx.	1940
Derris Fordii, *Oliv.*	xviii.	1771
Desfontainia	xi.	1082
Desfontainia *parvifolia* (?), Don	i.	33
—— **spinosa,** *Ruiz & Pav.*	i.	33
—— **spinosa,** *var. parvifolia, Hook.*	i.	33
—— *splendens,* Humb. & Bonpl.	i.	33
Desmanthodium *ovatum, *Benth.*	xii.	1116
—— **perfoliatum,** *Benth.*	xii.	1116
Desmazeria obliterata, Hemsl.	xxvii.	2603
—— *unioloides,* Defl.	xxv.	2448
Desmotrichum angulatum, Bl.	xxi.	2026
—— *fimbriatum,* Bl.	xxi.	2023
Deyeuxia breviglumis, *Benth.*	xxvii.	2607
—— epileuca, *Stapf*	xxiv.	2396
—— *epileuca,* Stapf	xxvii.	2607–8
—— Gunniana, *Benth.*	xxvii.	2607
—— **sclerophylla,** *Stapf*	xxvii.	2605
—— **Treutleri,** *Stapf*	xxiv.	2396
Dialium	xii. / xv.	1164 / 1412
Dialypetalum floribundum, *Benth.*	xii.	1178
Diapensia	xi.	1082
Dicarpaea, Presl	vi.	587
Dicentra macrantha, *Oliv.*	xx.	1937
—— spectabilis	xx.	1937
Dicera dentata, Forst.	vii.	602
Dicera (?) *serrata,* Forst.	vii.	601–2
Dicerolepis	xvi.	1545
Dichaetanthera	xxviii.	2734
Dicheranthus	xxx.	2944
Dichotomanthes tristaniaecarpa, *Kurz*	xxvii.	2653
Dicksonia	iv.	395–6
Dicksonia abrupta, *Bory*	xvii.	1604
—— **Chamissoi,** *Hook. & Baker*	xvii.	1603
—— cicutaria, *Sw.*	xvii.	1606
—— **Henriettae,** *Baker*	xvii.	1606
—— **scandens,** *Baker*	xvii.	1605
—— *splendens,* Desv.	xvii.	1603
Dicoelia Beccariana, *Benth.*	xiii.	1289
Dicoma argyrophylla, *Oliv.*	xv.	1461
—— **quinquenervia,** *Baker*	xxv.	2464
—— sessiliflora, *Harv.*	xxv.	2464
Dicranolepis disticha, *Planch.*	viii.	798
Dicranum Jamesoni, *Hook.*	ii.	179
—— **macrodon,** *Hook.*	iv.	319
Dicrastylis Carnegiei, *Hemsl.*	xxvi.	2582
Dicraurus leptocladus, *Hook. f.*	xxiii.	2227
Dictyopteris attenuata, Presl	v.	409
Dictyostegia	vii.	660
—— *orobanchoides,* Miers	iii.	254
Dictyurus	vii.	613
Didesmandra aspera, *Stapf*	xxvii.	2646
Didesmus	ix.	821–2
Didiscus, *DC.*	ii.	200
Didiscus humilis, *Hook. f.*	iv.	304
—— *humilis,* Hook. f.	xxiv.	2308
—— **pilosus,** *Hugel*	iv.	307
Didissandra lanuginosa, *Clarke*	xv.	1437
—— **longipes,** *Hemsl.*	xxiv.	2379
—— **rufa,** *King*	xv.	1437
—— **sesquifolia,** *Clarke*	xviii.	1797
Didymaea mexicana, *Hook. f.*	xiii.	1271
Didymocarpus	xviii. / xxiv.	1716 / 2379
Didymocarpus pectinata, *Clarke*	xxiii.	2246
—— **stenanthos,** *Clarke*	xviii.	1799
—— subalternans, *Wall.*	xviii.	1799
Didymochlamys Whitei, *Hook. f.*	xii.	1122
Didymodon cirrhifolium, *Harv.*	i.	18/5
—— **Tortula,** *Harv.*	i.	18/2
—— **vaginatum,** *Hook.*	i.	18/4
Didymosperma	xx.	1985
Digitalis	xxviii.	2769
—— *dracocephaloides,* Vell.	xxx.	2943
Digitaria	xxvii. / xxx.	2640 / 2927
Dignathia gracilis, *Stapf*	xxx.	2950

	VOL.	PLATE
Dignathia hirtella, *Stapf*	xxx.	2950
—— pubescens . .	xxx.	2950
Dilkea Wallisii, *Mast.* .	xxvi.	2553
Dimeria fuscescens, *Trin.*	xxiv.	2312
—— pubescens, *Hack.* .	xxiv.	2312
—— **Woodrowii,** *Stapf* .	xxiv.	2312
Dimorphandra . .	xxviii.	2721
Dimorphochlamys Mannii, *Hook. f.* . . .	xiv.	1322
Dimorpholepis australis, *A. Gray* . . .	ix.	856
Dioscorea . . .	xiv.	1392
Dioscorea Buchanani, *Benth.*	xiv.	1397–8
—— oppositifolia, *Linn.*	xix.	1868
—— **pusilla,** *Hook.* .	vii.	6788
—— **rhipogonoides,** *Oliv.* . .	xix.	1868
Diosma flavescens, *Oliv.*	xv.	1476
Diospyros Barteri, *Hiern*	xxiii.	2300
—— **bilocularis,** *Oliv.* .	xxiv.	2336
—— calycina, *Bedd.* .	xxix.	2804
—— rhombifolia . .	xxix.	2804
—— **sinensis,** *Hemsl.* .	xxix.	2804
Diotosperma Drummondii, *A. Gray* . . .	ix.	855
Diphylax urceolata, *Hook. f.*	xix	1865
—— urceolata, *Hook. f.*	xxiv.	2321
Dipidax, *Laws.* . .	xxx.	2931
Diplachne arenaria, Nees	xxvii.	2609
—— *grandiglumis,* Hack.	xxvii.	2609
Diplacrum . . .	xiv.	1347
Diplazium alismaefolium, *Presl* . .	x.	939–40
—— brevisorum, *J. Sm.*	x.	913
—— **cordifolium,** *Bl.* .	ii.	184
	x.	936
—— cordifolium . .	x.	939–40
—— **elegans,** *Hook.* .	x.	939–40
—— *grammitoides,* Presl	x.	913
—— *integrifolium,* Bl. .	x.	936
—— *ovatum,* Wall. .	ii.	184
Diplocentrum congestum, *Wight* . .	xxvii.	2687
—— recurvum, *Lindl.* .	xxvii.	2687
Diplocyatha, *N. E. Br.* .	xx.	Suppl.
Diplopappus . .	xi.	1045
Diplopeltis eriocarpa, *Hemsl.* . .	xxviii.	2730
—— Huegelii, *Lindl.* .	xxviii.	2730
—— *Huegelii,* var. (?) *eriocarpa,* Benth. .	xxviii.	2730
Diploprora Championi, *Hook. f.* . . .	xxii.	2120
Diplora integrifolia, *Baker*	xvii.	1651
Diplorhynchus mossambicensis, *Benth.* .	xiv.	1355
—— psilopus, *Welw.* .	xiv.	1355
Diplospora . . .	xi.	1091
Diplostephium canum, A. Gray . . .	xxviii.	2720
Diplusodon . . .	xxiv.	2375
Diplycosia ciliolata, *Hook. f.*	ix.	894
Dipodium, *Griff.* . .	xxi.	2049
—— *scariosum,* Ham. .	xix.	1882
Dipsacus asper, *Wall.* .	xx.	1984
Dipteranthemum Crosslandii, *F. Muell.* .	xvi.	1541
Dipterocarpus Bourdilloni, *Brandis* . .	xxv.	2403
—— indicus, *Bedd.* .	xxv.	2403
—— insignis, *Thw.* .	xxv.	2403
—— turbinatus, *Gaertn. f.*	xxv.	2403
Dipteronia sinensis, *Oliv.*	xix.	1898
Dipyla	xxiv.	2321
Disa	xv.	1500
	xxiii.	2260
Disa Charpentieriana, *Reichb. f.* . .	xix.	1841
—— **ferruginea,** *Sw.* .	iii.	214
—— *macroglottis,* Sond.	xix.	1841
Dischidia Cominsii, *Hemsl.*	xxvii.	2674
—— Nummularia, *R. Br.*	xxvii.	2674
Discocarpus . .	xiii.	1279
Discoglypremna caloneura, *Prain* . .	xxx.	2988
Dissanthelium californicum, *Benth.* .	xiv.	1375
—— *sclerochloides,* Fourn.	xiv.	1374
—— **supinum,** *Trin.* .	xiv.	1374
—— supinum, *Trin.* .	xiv.	1375
Dissochaeta Cummingii, *Naud.* . .	xxv.	2415
—— punctulata, *Hook. f.*	xxv.	2415
—— quintuplinervis .	xxv.	2415
—— sagittata, *Bl.* .	xxv.	2415
Dissomeria . . .	xiv.	1393
Distictella, *Post & Kuntze*	xxx.	2933
Distictis *arthrerion,* DC.	xxx.	2933
—— *crassa,* Bur. & K. Schum. . .	xxx.	2933
—— lactiflora, *DC.* .	xxx.	2933
—— rigescens, *DC.* .	xxx.	2933
Distychia muscoides, *Nees* . . .	xiv.	1362
Distylium, *Sieb. & Zucc.*	xxix.	2817
		2836
Distylium chinense, *Hemsl.*	xxix.	2835
——*myricoides, *Hemsl.*	xxix.	2835
—— racemosum, *Sieb. & Zucc.* . .	xxix.	2835
—— *racemosum,* var. *chinense,* Franch.	xxix.	2835
——*strictum, *Hemsl.* .	xxix.	2835
Ditroche furcata, E. Mey.	vi.	587
Dittoceras Andersoni, *Hook. f.* . . .	xv.	1422

	VOL.	PLATE
Diuranthera major, *Hemsl.*	xxviii.	2734
——***minor,** *C. H. Wright*	xxviii.	2734
Dizygotheca leptophylla, *Hemsl.*	xxiv.	2323
—— **Nilssoni,** *N. E. Br.*	xxiv.	2323
Dolichandrone Hildebrandtii, Baker	xxviii.	2800
—— *platycalyx*, Baker	xxviii.	2800
Dolicholobium acuminatum, *Burkill*	xxvii.	2630
—— latifolium, *A. Gray*	xxvii.	2630
—— longissimum, *Seem.*	xxvii.	2630
Dolichostuberosus, Lamk	xix.	1843
Dombeya	xxviii.	2743
Dombeya arabica, *Baker*	xxv.	2460
—— *arabica*, Baker	xxvi.	2542
Donatia *fascicularis*, Forst.	i.	16
—— **magellanica,** *Lamk*	i.	16
Dorstenia arabica, *Hemsl.*	xxvi.	2503
—— **asaroides,** *Gardn.*	iv.	399
—— **elata,** *Gardn.*	iii.	220
—— gigas, *Schweinf.*	xxvi.	2503
——***hispida,** *Gardn.*	iii.	220
—— indica, *Wall.*	iii.	220
—— radiata, *Lamk*	xxvi.	2502
—— tubicina	iv.	399
—— **zanzibarica,** *Oliv.*	xvi.	1581
Doryopteris, J. Sm.	x.	915
—— *Kitchingii*, Kuhn	xvii.	1639
Dossenia lanceolata, Lindl.	xxii.	2178
Douglasia arctica	ii.	180
—— **nivalis,** *Lindl.*	ii.	180
Draba	vii.	618, 692
Draba *arabizans*, Pursh	i.	31
—— *Bonplandiana*, Humb. & Kunth	i.	35
—— **dentata,** *Hook. & Arn.*	i.	31
—— verna	vii.	617
—— **violacea,** *DC.*	i.	35
Dracaena Draco	xxvi.	2539
—— **Ombet,** *Kotschy & Peyr.*	xxvi.	2539
Dracontomelum *mangiferum* (?), Hemsl.	xxvii.	2641
—— **sinense,** *Stapf*	xxvii.	2641
Dracophyllum Milligani, *Hook.*	ix.	845
Drapetes ericoides, *Hook. f.*	ix.	895
Driessenia axantha, *Korth.*	xxiii., xxv.	2292, 2414
——***crystallina** *Stapf*	xxv.	2414
—— **glanduligera,** *Stapf*	xxiii.	2291
—— glanduligera, *Stapf*	xxiii.	2292
—— **microthrix,** *Stapf*	xxiii.	2292
—— microthrix, *Stapf*	xxv.	2414
—— **scorpioidea,** *Stapf.*	xxv.	2414
Drimys	vi.	561
Drimys axillaris, *Forst.*	vi.	576
Drimys piperita, *Hook. f.*	ix.	896
—— Winteri	ix.	896
Drosera Arcturi, *Hook.*	i.	56
—— **bulbosa,** *Hook.*	iv.	375
—— bulbosa, *Hook.*	iv.	376
—— erythrorhiza, *Lindl.*	iv.	375, 389
—— gigantea	iv.	389
—— **lunata,** *Buch.*	i.	54
—— **macrophylla,** *Lindl.*	iv.	376
—— **Menziesii,** *R. Br.*	i.	53
—— **stolonifera,** *Endl.*	iv.	389
Dryandra cordata, Thunb.	xxix.	2801–2
—— *oleifera*, Wall.	xxix.	2801–2
—— *Vernicia*, Correa	xxix.	2801–2
Drymoglossum niphoboloides, *Baker*	xvii.	1686
—— **rigidum,** *Hook.*	x.	996
Drynaria, Presl	x.	954
—— *revoluta*, J. Sm.	x.	987
Dumasia cordifolia, *Benth.*	xxvii.	2627
Durandea *Deplanchei, *Stapf*	xxix.	2822
——***Jenkinsii,** *Stapf*	xxix.	2822
——***latifolia,** *Stapf*	xxix.	2822
——***Lenormandii,** *Stapf*	xxix.	2822
—— **magnifolia,** *Stapf.*	xxix.	2822
——***pallidia,** *K. Schum.*	xxix.	2822
——***parviflora,** *Stapf*	xxix.	2822
——***pentagyna,** *K. Schum.*	xxix.	2822
——***racemosa,** *Stapf*	xxix.	2822
——***rotundata,** *Warb.*	xxix.	2822
——***serrata,** *Planch.*	xxix.	2822
——***viscosa,** *Stapf*	xxix.	2822
——***vitiensis,** *Stapf*	xxix.	2822
Duthiea bromoides, *Hack.*	xxv.	2474
——***oligostachya,** *Stapf*	xxv.	2474
Duvalia angustiloba, *N. E. Br.*	xx.	1925
——***angustiloba,** *N. E. Br.*	xx.	Suppl.
——***Corderoyi,** *N. E. Br.*	xx.	1925 Suppl.
——***elegans,** *N. E. Br.*	xx.	1925 Suppl.
——***hirtella,** *N. E. Br.*	xx.	1925 Suppl.
——***reclinata,** *N. E. Br.*	xx.	1925 Suppl.
Dysoxylon *Championii*, Hook. f. & Thoms.	xv.	1458
—— Fraseranum, *Benth.*	xxix.	2827
—— *Fraseranum*, F. Muell.	xxix.	2827
—— Lessertianum, *Benth.*	xxix.	2827
—— **pachyphyllum,** *Hemsl.*	xxix.	2827
Earina mucronata, *Lindl.*	v.	431
Echidnopsis, *Hook. f.*	xx.	Suppl.

	VOL.	PLATE
Echinocalyx, Benth.	xi.	1017–8
Echinocarpus dasycarpus, Benth.	xxvii.	2628
—— *sinensis*, Hemsl.	xxvii.	2628
Echinops	iii.	252
Echinops bromeliaefolius, *Baker*	xxvi.	2514
—— longifolius, *A. Rich.*	xxvi.	2514
Echiochilon longiflorum, *Benth.*	xiii.	1277
Echites	ix.	841
Echites pulchella, *Gardn.*	v.	470
Echium stenosiphon, *Webb*	viii.	772
Ecklonia capensis, Steud.	xiv.	1348
Ectadiopsis nigritana, *Benth.*	xii.	1187
Ectadium oblongifolium, *Meissn.*	xii.	1187
Ectinocladus Benthami, *Baill.*	xxiv.	2341
Ectrosia	xiii.	1250
	xxvii.	2611
Edgeworthia chrysantha, *Lindl.*	xx.	1972
Edithcolea grandis, *N. E. Br.*	xxx.	2981
—— sordida, *N. E. Br.*	xxx.	2981
Efulensia clematoides, *C. H. Wright*	xxvi.	2518
Eggersia buxifolia, *Hook. f.*	xv.	1401
Ehretia cuneata, Wight	ix.	823
—— *viminea*, Wall.	ix.	823
Elaeagia lineata, Spruce	xii.	1147
Elaeagnus	i.	57
	xxv.	2404
Elaeocarpus coriaceus, *Hook.*	ii.	154
—— *dentatus*, Vahl	vii.	602
—— *Dicera*, Vahl	vii.	601
—— **hainanensis**, *Oliv.*	xxv.	2462
—— **Hinau**, *A. Cunn.*	vii.	602
—— Mastersii, *Pierre*	xxv.	2462
—— **pubescens**, *Hook.*	ii.	155
Elaeococca verrucosa, A. Juss.	xxix.	2801–2
Elaeophorbia drupifera, *Stapf*	xxix.	2823
Elaphoglossum	vii.	657
Elateriospermum Tapos, *Bl.*	xiii.	1294
Eleiotis sororia	xxviii.	2753
—— **trifoliolata**, *T. Cooke*	xxviii.	2753
Elettaria Cardamomum	xiv.	1380
Eleusine brevifolia, Hochst. & Steud.	xiv.	1368
Eleutherococcus Henryi, *Oliv.*	xviii.	1711
——*leucorrhizus, *Oliv.*	xviii.	1711
Elisma	xxvii.	2652
Ellipeia cuneifolia, *Hook. f. & Thoms.*	xi.	1025
Elvasia	viii.	709
Elvira	xix.	1825
Elytrophora	xiii.	1250
Embelia	xix.	1863
Embelia polypodioides, *Hemsl. & Mez*	xxviii.	2724
—— **polypodioides**, *Hemsl. & Mez*	xxviii.	2725
——*procumbens, *Hemsl.*	xxviii.	2724
—— Ribes, *Burm.*	xvi.	1597
—— **Ribes**, *Burm.*, var. **penangiana**, *Oliv.*	xvi.	1597
—— **saxatilis**, *Hemsl.*	xxviii.	2724
Emercia Pergularia, Roem. & Sch.	ii.	153
Emmenanthe	iv.	354
Emmenopterys	xxiv.	2388
Emmenopterys Henryi, *Oliv.*	xix.	1823
Empetrum *Conradi*, Torr.	vi.	531
—— nigrum	ix.	815
Emplectanthus cordatus, *N. E. Br.*	xxx.	2995
—— **Gerrardii**, *N. E. Br.*	xxx.	2995
Empogona Kirkii, *Hook. f.*	xi.	1091
Encyclia patens, Hook.	iv.	347
Endiandra	xvi.	1515
		1547
Endodesmia calophylloides, *Benth.*	xx.	1988
Endogonia	xiii.	1254
Engelhardtia nudiflora, *Hook. f.*	xviii.	1747
—— rigida, *Bl.*	xviii.	1747
Engleria africana, var. **radiata**, *Oliv.*	xxiii.	2205
Enneapogon	xxx.	2949
Enterospermum littorale, *Hiern*	xiii.	1269
Entoganum laevigatum, Soland.	vii.	603
Entosthodon latifolius, *Hook. f.*	iii.	245
—— **Mathewsii**, *Hook. f.*	iii.	245
—— **obtusifolius**, *Hook. f.*	iii.	245
—— Templetoni	iii.	245
Epallage dentata, *DC.*	xiv.	1394
—— dentata	xvi.	1506
—— *salvifolia*, DC.	xii.	1135
Eperua bijuga, *Mart.*	xx.	1955
—— grandiflora, *Benth.*	xx.	1955
—— **Jenmani**, *Oliv.*	xx.	1955
Ephedra	xviii.	1756
Ephialis pentaphylla, Banks & Soland.	v.	419–20

	VOL.	PLATE
Ephippiandra myrtoidea, *Dcne* . . .	xv.	1415
Epidendrum *autumnale*, Forst.	v.	431
—— *Avicula*, Lindl. .	xiv.	1335
—— *hexandrum*, Koenig	xxii.	2149
—— **microbulbon,** *Hook.*	iv.	347
—— *microphyllum*, Lindl.	xiv.	1334
—— odoratissimum, *Lindl.*	iv.	347
—— resupinatum, *Forst.*	xix.	1832
—— **rigidum,** *Jacq.* .	iv.	314
—— **rigidum,** *var. β, Lindl.	iv.	314
Epilobium alpinum, *Linn.* . .	vii. ix.	685 812
—— **confertifolium,** *Hook. f.*	vii.	685
—— **macranthum,** *Hook. f.*	iii.	297
—— **macropus,** *Hook.* .	ix.	812
—— **melanocaulon,** *Hook.*	ix.	813
Epipactis juliana, Roxb.	xxii.	2194
Epiphanes, *Bl.* . .	xix.	1852
Epiphyllum . . .	vii.	700
Epipogon . . .	xiv.	1364
Eragrostis . . .	xxvii.	2609
Eragrostis brevifolia, *Benth.*	xiv.	1368
—— **Coelachyrum,** *Benth.*	xiv.	1368
—— cynosuroides .	xiv.	1381
—— **Piercii,** *Benth.* .	xiv.	1370
—— **Schimperi,** *Benth.*	xiv.	1371
—— *sp.*, Benth. & Hook. f.	xxv.	2448
—— *sp.*, Nees . .	xxvii.	2610
—— **Wightiana,** *Benth.*	xiv.	1381
Eranthemum polyanthum, *C. B. Clarke*	xx.	2000
—— *salsoides*, C. Sm. .	viii.	776
Eremanthus eriopus, *Baker*	xxiii.	2282
—— **purpurascens,** *Oliv.*	xxiii.	2282
Eremia . . .	xxx.	2939
Eremiopsis curvistyla, *N. E. Br.* . .	xxx.	2939
Eria	xxi.	2083–4
Eria acervata, *Lindl.* .	xix. xxi.	1845 2069
—— **acervata,** *Lindl.* .	xix.	1849
—— **alba,** *Lindl.*. .	xix.	1845
—— alba . . .	xix. xxi.	1849 2069
—— *alba*, Hook. f. .	xix.	1850
—— **andamanica,** *Hook. f.*	xxi.	2073
—— **Andersoni,** *Hook.f.*	xxi.	2069
—— Andersoni, *Hook. f.*	xxi.	2070
—— **aporina,** *Hook. f.* .	xxi.	2081
—— articulata . .	xxi.	2074
—— bambusifolia .	xxi.	2076
—— bractescens . .	xxi.	2069
—— carinata . .	xix.	1848
—— *clavicaulis* (?), Lindl.	xxi.	2076
—— confusa, *Hook. f.*	xix. xxi.	1845–6 1849 2069
Eria confusa, *Hook. f.*	xix.	1850
—— **crassicaulis,** *Hook.f.*	xxi.	2076
—— **elata,** *Hook. f.* .	xix.	1848
—— excavata, *Lindl.* .	xix. xxi.	1845 2069
—— **excavata,** *Lindl.* .	xix.	1846
—— *excavata*, Lindl. .	xix.	1850
—— **exilis,** *Hook. f.* .	xxi.	2074
—— flava . . .	xxi.	2073
—— *flava*, var. *rubida*, Lindl. . .	xix.	1846
—— **gracilis,** *Hook. f.* .	xxi.	2078
—— gracilis, *Hook. f.* .	xxi.	2079-80
—— **graminifolia,** *Lindl.*	xix.	1847
—— graminifolia, *Lindl.*	xix. xxi.	1845 1849 2069
—— **iridifolia,** *Hook. f.*	xxi.	2067
—— iridifolia, *Hook. f.*	xxi.	2068
—— **Kingii,** *Hook. f.* .	xxi.	2066
—— Kingii, *Hook. f.* .	xxi.	2068
—— **lancifolia,** *Hook. f.*	xxi.	2075
—— **leptocarpa,** *Hook. f.*	xxi.	2077
—— **longifolia,** *Hook. f.*	xxi.	2068
—— **Maingayi,** *Hook. f.*	xxi.	2072
—— nutans, *Lindl.* .	xxi.	2077
—— **oligantha,** *Hook. f.*	xxi.	2079
—— oligantha, *Hook. f.*	xxi.	2078
—— Pleurothallis .	xxi.	2074
—— *pygmaea*, Hook. f.	xxi.	2074
—— *ramossissima*, Wall.	xxii.	2101
—— recurvata, *Hook. f.*	xxi.	2069
—— **recurvata,** *Hook. f.*	xxi.	2070
—— **saccifera,** *Hook. f.*	xxi.	2071
—— **Scortechinii,** *Hook.f.*	xxi.	2082
—— Scortechinii .	xxii.	2112
—— *sphaerochila*, Lindl.	xix.	1846
—— **tuberosa,** *Hook. f.* .	xxi.	2080
—— vittata, *Lindl.* .	xxi.	2069
Erica Tetralix . .	i.	27
—— tubercularis, *Salisb.*	xxx.	2941
Erichsenia uncinata, *Hemsl.* . . .	xxviii.	2777
Erigeron . . .	xi.	1045
Erigeron *ciliatus*, Ledeb.	xii.	1106
—— **Ellisii,** *Hook. f.* .	xv.	1447
—— flagellare, *Boiss. & Hausskn.* . .	xii.	1107
—— persicus, *Boiss.* .	xii.	1106
—— *Vahlii*, Gaudich. .	v.	486
Eriobotrya (?) *heterophylla*, Lindl. . .	ix.	846
—— *obtusifolia*, DC. .	ix.	846
Eriocaulon flaccidum, Bong.	vi.	526
Eriocephalus racemosus	iv.	336
Eriodendron . .	xii.	1119
Eriogonum multiflorum, *Benth.* . . .	iii.	250

	VOL.	PLATE
Eriope . . .	v.	458, 463
Eriope macrostachya, *Mart.*	v.	461
Eriophila verna . .	vii.	617
Eriophorum comosum .	xviii.	1773
Eriospermum spirale, *Berg.*	xxiii.	2260
Eriosphaera Oculus-Cati, *Less.* . .	xxviii.	2710
Eriospora abyssinica .	xiv.	1342
—— **pilosa,** *Benth.* .	xiv.	1342
—— Schweinfurthiana .	xiv.	1342
Eriostemon obcordatum, *A. Cunn.* .	i.	60
—— *squameum,* Labill.	i.	57
Erismanthus obliquus, *Wall.*	xvi.	1578
—— **sinensis,** *Oliv.* .	xvi.	1578
Eritrichium . .	xiii.	1254
Ervatamia . . .	xxviii.	2764
Eryngium articulatum, *Hook.* . .	xxix.	2806
—— *axilliflorum,* Turcz.	xxvi.	2511
—— **Beecheyanum,** *Hook. & Arn.* .	xxvi.	2506
—— *Beecheyanum,* Seem.	xxvi.	2509
—— Bonplandi, *Delar.*	xxvi.	2510, 2545
—— *Bonplandi,* Turcz.	xxvi.	2546
—— bromeliaefolium .	xxvi.	2511
—— Carlinae, *Delar.* .	xxvi., xxviii.	2506, 2767
—— **Cervantesii,** *Delar.*	xxvi.	2547
—— Cervantesii, *Delar.*	xxvi.	2581
—— **columnare,** *Hemsl.*	xxvi.	2511
—— columnare, *Hemsl.*	xxviii.	2766
—— comosum . .	xxvi.	2507
—— **crassisquamosum,** *Hemsl.* . .	xxviii.	2765
—— crassisquamosum, *Hemsl.* . .	xxviii.	2766
—— **cryptanthum,** *Hemsl.*	xxvi.	2509
—— cymosum, *Delar.* .	xxvi.	2511
—— **Deppeanum,** *Cham. & Schlecht.* .	xxvi.	2544
—— **Galeotii,** *Hemsl.* .	xxvi.	2510
—— Ghiesbreghtii, *Dcne*	xxvi.	2505, 2510
—— *Ghiesbreghtii,* Coult. & Rose . .	xxvi.	2510
——**globosum,** *Hemsl.* .	xxviii.	2765
—— **Goldmani,** *Hemsl.* .	xxvii.	2638
——**guatemalense,** *Hemsl.*	xxviii.	2766
——**humile,** *Cav.* .	iii.	216
—— **humile,** var. **caulescens,** *Hook.* . .	iii.	216
—— **humile,** var. ***latipes,** *Hook.* . .	iii.	216
—— **humile,** *var. **subacaule,** *Hook.* .	iii.	216
Eryngium leptopodum, *Hemsl.* . .	xxvi.	2546
—— longifolium, *Cav.* .	xxvi.	2508
—— *longifolium,* A. Gray	xxvi.	2508
—— **longipetiolatum,** *Hemsl.* . .	xxvi.	2504
—— longirameum .	xxvi.	2504
——**longispinum,** *Coult. & Rose* . .	xxviii.	2766
—— **medium,** *Hemsl.* .	xxviii.	2767
—— microcephalum, *Willd.*	xxvi.	2510
—— *microcephalum,* Hemsl. . .	xxvi.	2510
——**monocephalum,** *Cav.* . .	xxviii.	2766
—— nasturtiifolium, *Juss.* . .	xxvi.	2543
—— **nasturtiifolium,** *Juss.* . .	xxvi.	2581
——**Palmeri,** *Hemsl.* .	xxviii.	2765
—— **paucisquamosum,** *Hemsl.* . .	xxvi.	2505
—— paucisquamosum, *Hemsl.* . .	xxvi.	2510
—— pectinatum, *Presl*	xxvi.	2511
—— *pectinatum,* Benth.	xxvi., xxviii.	2511, 2766
—— *pectinatum,* Coult. & Rose . .	xxviii.	2766
—— pectinatum, *Presl*	xxviii.	2765
—— **pectinatum,** *Presl*	xxviii.	2766
—— *pectinatum,* Seem.	xxviii.	2765
—— *petiolatum,* Hook.	xxix.	2806
—— **pilularioides,** *Hemsl. & Rose*	xxix.	2806
—— *Pringlei,* Hemsl. & Rose . .	xxix.	2806
—— **reptans,** *Hemsl.* .	xxvi.	2543, 2547
—— reptans, *Hemsl.* .	xxvi., xxix.	2547, 2806
—— **Rosei,** *Hemsl.* .	xxvi.	2579
Rosei, *Hemsl.* .	xxvii.	2638
—— scaposum, *Turcz.* .	xxvi.	2504, 2579
—— **Schaffneri,** *Hemsl.*	xxvi.	2545
—— serratum, *Cav.* .	xxviii.	2767
—— **sparganophyllum,** *Hemsl.* . .	xxvi.	2508
—— **spiculosum,** *Hemsl.*	xxvi.	2507
—— spiculosum, *Hemsl.*	xxvi.	2581
——**stenobolum,** *Hemsl.*	xxviii.	2766
—— tenue, *Hook. & Arn.*	xxvi.	2580
—— **tenuissimum,** *Hemsl.*	xxvi.	2580
—— viviparum . .	xxvi.	2547
—— Wrightii, *A. Gray*	xxvi.	2580
Erythrophloeum Fordii, *Oliv.*	xv.	1409
—— guineense . .	xv.	1409

	VOL.	PLATE
Erythrophysa . .	xi.	1097
Erythrospermum hypoleucum, *Oliv.* .	xix.	1899
—— **polyandrum,** *Oliv.*	xiv.	1333
Escallonia montevidensis	vi.	514
—— **organensis,** *Gardn.*	vi.	514
—— **polifolia,** *Hook.* .	ii.	114
—— Sellowiana . .	vi.	514
—— **serrata,** *Sm.* .	vi.	540
—— serrata, *Sm.* .	ii.	114
Escholtzia . . .	v.	456
Esenbeckia Riedeliana, Engl.	xiii.	1203–4
Etaballia guianensis, *Benth.*	v.	453–4
—— macrophylla .	v.	453–4
Etaeria abbreviata, Lindl.	xxii.	2178
—— *affinis,* Lindl. .	xxii.	2177
—— *elongata,* Lindl. .	xxii.	2190
—— *flava,* Lindl. .	xxii.	2176–7
—— *lanceolata,* Reichb. f.	xxii.	2178
—— *moulmeinensis,* Par. & Reichb. f.	xxii.	2179
—— *nervosa,* Lindl. .	xxii.	2175
Eucalyptus macrocarpa, *Hook.*	v.	405–7
—— **maculata,** *Hook.* .	vii.	619
—— **platypus,** *Hook.* .	ix.	849
—— **populifolia,** *Hook.* .	ix.	879
—— Preissiana, *Schauer*	ix.	849
—— **spathulata,** *Hook.*	vii.	611
Eucladus suffruticosus, Nutt.	vii.	649–50
Euclea bilocularis, *Hiern*	xvi.	1568
Eucommia ulmoides, *Oliv.*	xx.	1950
	xxiv.	2361
—— ulmoides, *Oliv.* .	xxviii.	2787
Eucorymbia alba, *Stapf*	xxviii.	2764
Eugenia . . .	ix.	877
Eulophia . . .	xxi.	2065
		2092
Eulophia explanata, *Lindl.* . .	xix.	1882
—— *hastata,* Lindl. .	xxi.	2092
—— **holochila,** *Coll. & Hemsl.* . .	xxii.	2116
—— macrostachya, *Lindl.* . .	xxii.	2115
—— **Mannii,** *Hook. f.* .	xxii.	2115
—— pratensis, *Lindl.* .	xxii.	2115
—— *promensis,* Lindl. .	xix.	1883
Euonymoides excelsa, Soland.	vi.	570
Euonymus . . .	viii.	709
Euonymus echinatus .	xviii.	1763
—— japonicus, *Thunb.*	xx.	1950
—— **macrocarpus,** *Gamble*	xviii.	1763
—— vagans . .	xviii.	1763
Euosmia corymbosa, Benth.	xi.	1069
Eupatorium . .	i.	64
Eupatorium Ballii, *Oliv.*	xv.	1462
—— *Rebaudianum,* Bertoni	xxix.	2816
Euphorbia . . .	xxvii.	2666
Euphorbia Abbottii, *Baker*	xxiv.	2347
—— **alata,** *Hook.* .	vii.	700
—— **aphylla,** *Brouss.* .	ii.	182
—— **burmanica,** *Hook.f.*	xvi.	1548
—— chamaerrhodos, *Boiss.*	xiv.	1305
—— *drupifera,* Thonn. .	xxix.	2823
—— drupifolia (*sphalm.*)	xxix.	2323
—— **grandicornis,** *Goebel*	xxvi.	2531-2
—— grandifolia, *Haw.* .	xxix.	2823
—— Ipecacuanha .	iv.	346
—— Lemaireana, *Boiss.*	xxvi.	2531–2
—— potentilloides, *Boiss.*	xiv.	1305
—— *Renouardi,* Pax .	xxix.	2823
—— **sphaerorhiza,** *Benth.*	iv.	346
—— Teke, *Schweinf. & Pax*	xxix.	2823
—— *thymifolia,* Wall. .	xvi.	1548
—— toxicaria, *Afz.* .	xxix.	2823
—— Tuckeyana (*sphalm.* Tuckerana) .	viii.	757
—— **zambesiana,** *Benth.*	xiv.	1305
Euphrasia . . .	xiv.	1366
Euphrasia disperma, *Hook. f.*	xiii.	1283
—— repens . . .	xiii.	1283
Euploca convolvulacea, *Nutt.*	vii.	651
Euptelea Davidiana, *Baill.*	xxiv.	2361
—— **Davidiana,** *Baill.* .	xxviii.	2787
—— *Delavayi,* Van Tiegh.	xxviii.	2787
—— *Franchetii,* Van Tiegh.	xxviii.	2787
—— pleiosperma, *Hook. f. & Thoms.* .	xxviii.	2787
—— *pleiosperma,* Solereder	xxviii.	2787
—— polyandra, *Sieb. & Zucc.* . .	xxviii.	2787
Euroschinus falcatus, *Hook.f.*	xiv.	1308
Eurotia capensis, *E. Mey.*	vi.	596
—— glabra, *E. Mey.* .	vi.	596
Eurya distichophylla, *Hemsl.* . .	xxviii.	2761
——* **Henryi,** *Hemsl.* .	xxviii.	2761
—— **obliquifolia,** *Hemsl.*	xxviii.	2761
Euryale . . .	ix.	809–10
Eurybia . . .	ix.	862
Eurycles Cunninghamii, *Ait.*	xxiv.	2371
Euryops Candollei, *Harv.*	xvi.	1508
—— **dacrydioides,** *Oliv.*	xvi.	1508
Euscaphis . . .	xx.	1928
Eustegia . . .	xxvii.	2692
Eustigma Balansae, *Oliv.*	xx.	1954
—— oblongifolium, *Gardn. & Champ.*	xx.	1954
Euthemis leucocarpa, *Jack*	viii.	711
Eutoca aretioides, *Hook. & Arn.* . .	iv.	355
—— **aretioides,** var. * **perpusilla,** *Hook. & Arn.*	iv.	355
——(?) **lutea,** *Hook. & Arn.*	iv.	354
Evandra aristata, *R. Br.*	xiii.	1212
—— **pauciflora,** *R. Br.* .	xiii.	1213

	VOL.	PLATE
Excoecaria . . .	xxvii.	2680
Excoecaria Agallocha, *Linn.* . .	xxviii.	2741
—— **Benthamiana,** *Hemsl.* . .	xxviii.	2741
—— *biglandulosa,* Muell.-Arg. .	xxvii.	2647
—— *biglandulosa,* var. *angustifolia,* Muell.-Arg. .	xxix.	2882
—— *biglandulosa,* var. *Aucuparia,* Muell.-Arg. .	xxvii.	2650
—— biglandulosa, *var.* grandifolia .	xxvii.	2650
—— biglandulosa, *var.* Klotzschiana, *Muell.-Arg.* .	xxix.	2895
—— *biglandulosa,* var. *lanceolata,* Muell.-Arg. . .	xxix.	2883
—— *biglandulosa,* var. *lanceolata,* forma *longifolia,* Muell.-Arg.	xxix.	2882
—— *biglandulosa,* var. *longifolia,* Muell.-Arg. .	xxix.	2882
—— *biglandulosa,* var. *montevidensis,* Muell.-Arg. .	xxix.	2887
—— *biglandulosa,* var. *Moritziana,* Muell.-Arg. .	xxvii.	2677
—— *biglandulosa,* var. *pallida,* Muell.-Arg. . .	xxix.	2880
—— *biglandulosa,* var. *Pavoniana,* Muell.-Arg. .	xxix.	2896
—— *biglandulosa,* var. *prunifolia,* Muell.-Arg. . .	xxix.	2900
—— *biglandulosa,* var. *Sellowiana,* Muell.-Arg. .	xxix.	2885
—— *biglandulosa,* var. *serrata,* Muell.-Arg.	xxix.	2887
—— *glandulosa,* var. *lanceolatea,* Muell.-Arg. .	xxix.	2897
—— *haematosperma,* Muell.-Arg. .	xxix.	2883
—— *Laurocerasus,* var. *elliptica,* Muell.-Arg.	xxix.	2889
—— *Laurocerasus,* var. *genuina,* Muell.-Arg. . .	xxix.	2888
Excoecaria *Laurocerasus,* var. *laurifolia,* Muell.-Arg. .	xxix.	2889
—— *Martii,* Muell.-Arg.	xxix.	2878–9
—— *obovata,* Muell.-Arg. . .	xxix.	2878–9
—— *obtusiloba,* Muell.-Arg. . .	xxvii.	2650
—— *pallida,* Muell.-Arg.	xxix.	2880
sp., Benth. . . .	xxviii.	2741
—— *stylaris,* Muell.-Arg.	xxviii.	2757
—— *suberosa.* Muell.-Arg. . .	xxvii. xxix.	2681 2890
Exocarya sclerioides, *Benth.*	xiii.	1206
Exochorda (?) Davidiana	xiii.	1255
—— grandiflora, *Lindl.*	xiii.	1255
—— **serratifolia,** *S. Moore*	xiii.	1255
Exostemma . . .	xii.	1150
Fabera, *Sch.-Bip.* .	xix.	1815
Faberia sinensis, *Hemsl.*	xix.	1815
Fabiana, *Ruiz. & Pav.*	xxvii.	2636
Fabiana imbricata, *Ruiz & Pav.* . .	iv.	340
Fabronia Persoonii .	viii.	739
—— **tomentosa,** *Hook. & Wils.* . .	viii.	739
Fagara Pterota . .	vii.	695–6
Fagopyrum . .	xxv.	2471
Fagus antarctica . .	ix.	881
—— **cliffortioides,** *Hook. f.* .	vii. ix.	673 816
—— Cunninghamii, *Hook.*	vii. ix.	652 881
—— **fusca,** *Hook. f.* .	vii.	630–1
—— **Gunnii,** *Hook. f.* .	ix.	881
—— japonica, *Maxim.*.	xx.	1936
—— **Menziesii,** *Hook. f.*	vii.	652
—— **Solandri,** *Hook. f.*	vii. ix.	639 816
—— Solandri, *Hook. f.*.	vii. ix.	673 816
—— **sylvatica,** var. **longipes,** *Oliv.* . .	xx.	1936
Falconeria himalaica, *Hook. f.* . . .	xv.	1438
Faramea colorata, Benth.	xii.	1128
Farsetia aegyptiaca .	ix.	808
—— **Burtonae,** *Oliv.* .	xiv.	1310
—— Hamiltoniana, *Royle*	ix.	808
—— **linearis,** *Dcne* .	ix.	808
—— longisiliqua, *Dcne* .	ix.	808
Felicia retorta, DC. .	xii.	1114
Fenzlia dianthiflora, *Benth.*	ii.	199
Fergusonia *Thwaitesii,* Hook. f. . .	xii.	1124
—— **zeylanica,** *Hook. f.*	xii.	1124

	VOL.	PLATE
Festuca oreoboloides, *F. Muell.*	xxvii.	2606
—— pusilla, *F. Muell.*	xxvii.	2607
Ficus *altera*, Schlecht.	xxvii.	2680
—— **foveolata, var. Henryi,** *King*	xix.	1824
—— foveolata, *var.* nipponica, *King*	xix.	1824
—— gibbosa, *Bl.*	xxvi.	2535
—— glomerata	xxv.	2442
—— **heteromorpha,** *Hemsl.*	xxvi.	2533–4
—— **Kingiana,** *Hemsl.*	xxvi.	2535
—— *Kunthii*, Miq.	xxvi.	2578
—— **laurifolia,** *Lamk*	xxvi.	2578
—— leucosticta, *Miq.*	xxvi.	2578
—— *martinicensis*, Willd.	xxvi.	2578
—— *neriifolia*, Reinw.	xxvi.	2578
—— **noronhae,** *Oliv.*	xiii.	1222
—— pyriformis, *Hook. & Arn.*	xxvi.	2536
—— *rhododendrifolia*, Kunth	xxvi.	2578
—— *sapioides*, Klotzsch	xxvii.	2680
—— sikkimensis, *Miq.*	xxvi.	2535
—— **stenophylla,** *Hemsl.*	xxvi.	2536
Fimbristylis	xiv.	1346
—— *planiculmis*, Boeck.	xiv.	1345
Fingerhuthia africana, *Lehm.*	xiv.	1373
—— *ciliata*, Nees	xiv.	1373
—— *sesleriaeformis*, Nees	xiv.	1373
Fintelmannia	xiv.	1342
Fissidens	viii.	746
Flagellaria gigantea, *Hook. f.*	xv.	1429
Forstera bellidifolia, *Hook.*	ix.	851
Fortuynia, *Shuttlew.*	ix.	821–2
Frangula sempervirens, Dill.	vi.	552
Frankenia	v.	410
Frankenia *Beatsonia*, Sch.	xi.	1058
—— **cymbifolia,** *Hook.*	iii.	265
—— **portulacifolia,** *Spr.*	xi.	1058
Fraxinus malacophylla, *Hemsl.*	xxvi.	2598
—— **platypoda,** *Oliv.*	xx.	1929
—— **retusa,** var. **Henryana,** *Oliv.*	xx.	1930
Frerea, *Dalz.*	xx.	Suppl.
Fresenia fasciculata, *Boiss.*	xii.	1108
Friesia	vii.	602
Friesia racemosa, *A. Cunn.*	vii.	601
Fritillaria *cirrosa*, Don	ix.	860
—— *leucantha*, Grah.	ix.	860
—— **lophophora,** *Bur. & Franch.*	xxiii.	2219
—— **Roylei,** *Hook.*	ix.	860
—— verticillata, *Willd.*	ix.	860
—— *verticillata*, Wall.	ix.	860
Froelichia, *Moench*	iii.	256
Frostia parasitica, Bert.	vii.	655
Fuchsia	vi.	561
Fuchsia *cordifolia, *Benth.*	v.	450
—— **cordifolia,** var. *β*, *Hook.*	v.	450
—— **dependens,** *Hook.*	i.	65
—— dependens, *Hook.*	xxvi.	2553
—— **Kirkii,** *Hook. f.*	xi.	1083
—— **procumbens,** *R. Cunn.*	v.	421
—— procumbens, *A. Cunn.*	xi.	1083
—— prostrata	xi.	1083
Fumaria *calycina*, Bab.	iv.	363
—— *capreolata*, Auct.	iv.	363
—— **capreolata, var. anglica,** *Arn.*	iv.	363
—— media, *DC.*	iv.	363
—— **micrantha,** *Lag.*	iv.	363
—— officinalis	iv.	363
Funifera	xiii. / xxv.	1265 / 2409
Funtumia africana, *Stapf*	xxvii.	2696–7
—— africana, *Stapf*	xxvii.	2694–5
—— **elastica,** *Stapf*	xxvii.	2694–5
—— latifolia, *Stapf*	xxvii.	2694–5
Furcraea cubensis	xxvi.	2501
—— **macrophylla,** *Baker*	xxvi.	2501
—— Selloa	xxvi.	2501
Gagea	xiii.	1227 / 1237
Galearia	xiii.	1289
Galiniera	xi. / xxiii.	1090 / 2275
Galium capitatum	xv.	1469
—— **cryptanthum,** *Hemsl.*	xv.	1469
—— *vernum*, Hook. f.	xv.	1469
Galpinia transvaalica, *N. E. Br.*	xxiv.	2375
Gamblea ciliata, *C. B. Clarke*	xiv.	1338
Gamolepis	iv.	343
Gamoplexis sesamoides, Falc.	xix.	1852
Ganophyllum falcatum, *Bl.*	xiv.	1308
Gardenia cornuta, *Hemsl.*	xxix.	2809
—— enneandra, *Wight*	ix.	824
—— **sokotensis,** *Hutch.*	xxx.	2991
—— **Storckii,** *Oliv.*	xv.	1448
—— succosa, *Baker*	xxx.	2991
—— taitensis, *DC.*	xv.	1448
—— Thunbergia, *Linn. f.*	xxix.	2809
—— **Vogelii,** *Hook. f.*	viii.	782–3
Garnotia	xxiv. / xxv.	2395 / 2494
Garnotia polypogonoides, *Munro*	xv.	1481
—— polypogonoides, *Oliv.*	xxv.	2447
Garnotiella philippinensis, *Stapf*	xxv.	2494

	VOL.	PLATE
Garrya . . .	iii.	294
Garrya Fadyenii, *Hook.*	iv.	333
Gastonia cutispongia, *Lamk* . . .	xxix.	2805
Gastranthus Schlechtendalii, *Moritzi* .	xiii.	1210
Gastrodia elata, *Bl.* .	xix.	1852
—— **exilis,** *Hook. f.* .	xxii.	2196
—— javanica . .	xix.	1852
—— **orobanchoides,** *Benth.*	xix.	1852
—— sesamoides . .	xix.	1852
Gaultheria . . .	ix.	894
Gaultheria lanigera, *Hook.*	i.	66
—— lanigera, *Hook.* .	iv.	393
—— **tomentosa,** *H. B. K.*	iv.	393
Gaylussacia . .	xii.	1160
Gazania Burchellii, *DC.*	xvi.	1536
Geigeria . . .	xii.	1136
Gelsemium . . .	xii.	1195
Genethyllis Schuermanni, F. Muell. . .	xxiv.	2303
Geniosporum . .	v.	456
Geniosporum strobiliferum, *Wall.* . .	v.	462
Geniostoma ligustrifolium, *A. Cunn.*	v.	430
—— *rupestre,* A. Rich.	v.	430
Genlisea africana, *Oliv.*	xxvii.	2629
—— **guianensis,** *N. E. Br.*	xxvii.	2629
Gentiana bellidifolia, *Hook. f.*	vii.	635
—— bellidifolia, *Hook. f.*	vii.	636
—— **borneensis,** *Hook. f.*	xv.	1440
—— ciliata, *Linn.* .	ix.	857
—— *detonsa,* Fries .	ix.	857
—— **detonsa,** var. ***barbata,** *Fries* .	ix.	857
—— **detonsa,** var. **paludosa,** *Hook.* .	ix.	857
—— **Grisebachii,** *Hook. f.*	vii.	636
—— **Herrediana,** *Raim.*	xx.	1962
—— **Jamesoni,** *Hook.* .	i.	61
—— *laxicaulis,* Zoll. .	xv.	1440
—— **Loderi,** *Hook. f.* .	xv.	1440
—— montana, *Forst.* .	vii.	636
—— *paludosa,* Munro .	ix.	857
—— quadrifaria, *Bl.* .	xv.	1440
—— **robusta,** *King* .	xv.	1439
—— robusta, *King* .	xv.	1441
—— saxosa, *Forst.* .	vii.	635
—— **stylophora,** *Clarke*	xxx.	2992
—— **tibetica,** *King* .	xv.	1441
—— tibetica, *King* .	xv.	1439
—— venosa, *Hemsl.* .	xxx.	2992
Geopanax procumbens, *Hemsl.* . .	xxix.	2821
Geophila cordifolia, *Miq.*	xxvii.	2691
—— hirsuta, *Benth.* .	xxvii.	2691
—— hirta, *Korth.* .	xxvii.	2691
Geophila melanocarpa, *Ridl.* . .	xxvii.	2691
—— obvallata, *Didr.* .	xxvii.	2691
—— **pilosa,** *Pearson* .	xxvii.	2691
Georchis biflora, Lindl.	xxii.	2188
—— *cordata,* Lindl. .	xxii.	2187
—— *vittata,* Lindl. .	xxii.	2185
Geranium cuneatum, *Hook.*	ii.	198
Gerardia . . .	xi.	1080
—— *Nigrina,* Linn. f. .	iii.	255
Gerbera parva, *N. E. Br.*	xxiv.	2376
Gerrardina foliosa, *Oliv.*	xi.	1075
Gesnera allagophylla .	xii.	1199
Geum . . .	iii.	286
Gigartina plicata . .	vii.	662
Gilia	ii.	200
Gilia *ciliata,* Benth. .	xxvi.	2552
—— **congesta,** *Hook.* .	iii.	235
Ginginsia, *DC.* . .	i.	83
Gironniera nitida, *Benth.*	xxv.	2486
Giulianettia tenuis, *Rolfe*	xxvii.	2616
Gladiolus spathaceus, Linn. f. . . .	xxviii.	2710
Gleichenia flagellaris, *Spr.*	xvii.	1602
—— **Milnei,** *Baker* .	xvii.	1602
—— **moniliformis,** *Moore*	xvii.	1601
—— oceanica, *Kuhn* .	xvii.	1602
—— **simplex,** *Hook.* .	i.	92
Glochidion . . .	xxvi.	2563–4
Glossocalyx brevipes, *Benth.*	xiv.	1302
—— **longicuspis,** *Benth.*	xiv.	1301
—— longicuspis, *Benth.*	xiv.	1302
Glossonema . .	ix.	863
Glossopetalon, *A. Gray*	xvi.	1526
Glossostemon Bruguieri, *Desf.* . . .	xxvi.	2542
Gloxinia	v.	468
Gloxinia ichthyostoma, *Gardn.* . .	v.	472
—— maculata . .	v.	472
——**Sarmentiana,** *Gardn.*	iv.	378
Glumicalyx montanus, *Hiern* . . .	xxviii.	2769
Glyceria . . .	xxv.	2472
Glycine pondicheriensis, Spr. . .	ii.	189
—— *rufescens,* Willd. .	ii.	189
—— vestita, *Grah.* .	ii.	144
Glycosmis . . .	xiii.	1247
Glycycarpus racemosa, *Dalz.* . . .	ix.	842
Glyphaea grewioides, *Hook. f.* . . .	viii.	760
Glyphocarpa, *R. Br.* .	ii.	135
Glyphocarpa Roylii, *Hook. f.* . .	ii.	194
Gmelina chinensis, *Benth.*	xix.	1874
—— ***hainanensis,** *Oliv.*	xix.	1874

	VOL.	PLATE
Gmelina hainanensis, *Oliv.*	xxiv.	2391
—— **uniflora,** *Stapf* .	xxiv.	2391
Gnaphalium . .	xi.	1003
Gomphandra . .	xxiv.	2398
Gomphia . . .	viii.	709
	xi.	1096
Gomphia angustifolia, *Vahl*	viii.	712
—— malabarica, *DC.* .	viii.	712
—— **sumatrana,** *Jack* .	viii.	712
—— zeylanica, *DC.* .	viii.	712
Gomphocarpus . .	xxviii.	2744
Gomphogyne . .	xxiii.	2225
Gomphostemma chinense, *Oliv.* . .	xv.	1468
—— insuave, *Hance* .	xv.	1468
Gomphostigma incanum, *Oliv.* . .	xv.	1472
—— scoparioides, *Turcz.*	xv.	1472
Gomphrena interrupta .	iii.	256
—— **Pearcei,** *Oliv.* .	xi.	1073
—— umbellata, *Remy* .	xi.	1073
Gongrothamnus divaricatus, *Steetz* . .	xii.	1140
Goniocarpus serpyllifolius, *Hook. f.* .	iii.	290
—— serpyllifolius, *Hook. f.*	iv.	311
—— **vernicosus,** *Hook. f.*	iv.	311
Goniophlebium . .	x.	951–2
Goniopteris . .	x.	950
—— *hastata,* Fée. .	xvii.	1669
Goniothalamus uvarioides, *King* . .	xxiv.	2399
Gonophlebium, *Presl* .	x.	920
Gonostemon, Haw. .	xx.	Suppl.
Goodallia . . .	xi.	1074
Goodallia guianensis, *Benth.* . . .	xiii.	1265
Goodenia . . .	xi.	1028
Goodyera biflora, *Hook.f.*	xxii.	2188
—— **cordata,** *Benth.* .	xxii.	2187
—— (*?*) *elongata,* Lindl.	xxii.	2190
—— **fusca,** *Lindl.* .	xxii.	2181
—— **gracilis,** *Hook. f.* .	xxii.	2183
—— **hispida,** *Lindl.* .	xxii.	2186
—— **Prainii,** *Hook. f.* .	xxii.	2182
—— recurva, *Lindl.* .	xxii.	2182
—— **robusta,** *Hook. f.* .	xxii.	2184
—— secundiflora, *Lindl.*	xxii.	2184
—— **vittata,** *Benth.* .	xxii.	2185
Gooringia Littledalei, *F. N. Williams* . .	xxx.	2944
Gordonia brevifolia, Hook. f. . . .	xxiii.	2264
Gossypianthus rigidiflorus, *Hook.* .	iii.	251
—— ***tenuiflorus,** *Hook.* .	iii.	251
Goupia glabra, *Aubl.* .	xvi.	1590
Graderia . . .	xi.	1080
Grammitis ascensionis, *Hook.* . .	x.	967
—— **bisulcata,** *Hook.* .	x.	998
—— Ceterach . .	ii.	105
—— *fasciculata,* Bl. .	x.	941
—— *hispanica,* Coss.	x.	935
—— leptophylla, *Sw.* .	x.	967
—— *macrophylla,* Wall.	iii.	204
—— **organensis,** *Gardn.*	vi.	509
—— *rutaefolia,* R. Br. .	x.	935
—— **vestita,** *Wall.* .	ii.	115
Grantia . . .	xxv.	2434
Gravesia . . .	xxv.	2419
Grayia polygaloides, *Hook. & Arn.* . .	iii.	271
Grewia . . .	viii.	760
Greyia Flanagani, *Bolus*	xxiv.	2349
—— Radlkoferi, *Szyszyl.*	xxiv.	2349
—— Sutherlandi, *Hook. & Harv.* . .	xxiv.	2349
Griffithsia . . .	vii.	662
Grimmia laxifolia, *Hook.f.*	ii.	194
Grisollea myrianthea, *Baill.* . .	xxviii.	2789
—— **Thomassetii,** *Hemsl.*	xxviii.	2789
Guarea (?) microphylla, *Hook.*	ii.	129
Guatteria maypurensis, *Humb. & Kunth* .	iii.	227
Guilandina Wallichiana, Grah. . . .	xi.	1017–8
Guildingia pisidoides, *Hook.*	vi.	515
Gunnera . . .	iii.	299
Gunnera falklandica, *Hook.*	v.	489–90
—— magellanica, *Lamk.*	v.	489
Gustavia . . .	viii.	799–800
Guthriea capensis, *Bolus*	xii.	1161
Gymnadenia puberula .	xxii.	2197
—— **spathulata,** *Lindl.* .	xxii.	2197
Gymnanthera nitida, *R. Br.*	xvi.	1545
Gymnarrhena . .	xii.	1136
Gymnema macranthum, *Hook. f.* . . .	xv.	1436
Gymnocarpos, *Forsk.* .	xv.	1499
Gymnocladus canadensis	xv.	1412
—— **chinensis,** *Baill.* .	xv.	1412
—— dioica . . .	xv.	1412
Gymnogramme . .	viii.	713
Gymnogramme Andersoni, *Bedd.* .	xvii.	1680
—— **aspidioides,** *Hook*	x.	950
—— *aspidioides,* Bl. .	x.	950
—— **aureo-nitens,** *Hook.*	ix.	820
—— **aurita,** *Hook.* .	x.	974
—— **aurita,** var. β, *Hook.*	x.	989
—— *Biardii,* Baker .	xvii.	1684
—— canescens, *Bl.* .	x.	920
—— **cantoniensis,** *Baker*	xvii.	1685
—— chaerophylla .	x.	967

	VOL.	PLATE
Gymnogramme extensa, *Baker* . .	xvii.	1684
—— ferruginea, *Kunze*	ix.	820
—— hirta, *Desv.* . .	xvii.	1684
—— leptophylla . .	x.	902, 916
—— **microphylla,** *Hook.*	x.	916
—— **prehensibilis,** *Baker*	xvii.	1683
——*rutaefolia, *Hook. & Grev.*	x.	935
—— **rutaefolia,** var. **hispanica,** *Hook.*	x.	935
—— **rutaefolia,** var. *major, *Hook.* .	x.	935
—— **schizophylla,** *Baker*	xvii.	1682
—— **Schomburgkiana,** *Kunze* . .	x.	992
—— Stegnogramme, *Bl.*	x.	950
—— *subglandulosa,* Hook. & Grev. .	x.	935
—— Totta, *Schlecht.* .	x.	950
—— **vestita,** *Wall.* .	ii.	115
—— **xerophila,** *Baker* .	xvii.	1681
Gymnolaema Newii, *Benth.*	xii.	1186
Gymnopentzia bifurcata, *Benth.* . . .	xii.	1155
Gymnopodium floribundum, *Rolfe* .	xxvii.	2699
Gymnopogon . .	xiv.	1360
Gymnopsis Schiedeana, *DC.*	ii.	145
—— **uniserialis,** *Hook.*	ii.	145
Gymnopteris *platyrhynchus,* J. Sm. .	x.	999
—— **quercifolia,** *Bernh.*	x.	905
—— **semipinnatifida,** *Fée*	x.	971–2
—— **semipinnatifida,** *Fée,* var. β, *Hook.* .	x.	971–2
—— *subquinquefida,* Presl . .	x.	907
—— taccaefolia, *J. Sm.*	x.	907
—— **trilobata,** *J. Sm.* .	x.	907
Gymnostephium corymbosum, *Harv.* .	xi.	1062
Gymnostomum cylindricum, *Hook.* .	i.	17/2
—— julaceum, *Hook.* .	viii.	738
—— **rufescens,** *Hook.* .	i.	17/3
—— **setifolium,** *Hook. & Arn.*	ii.	135
—— **spathulatum,** *Harv.*	i.	17/1
—— **vernicosum,** *Hook.*	i.	17/4
Gymnotheca chinensis, *Dcne* . . .	xix.	1873
Gynostemma . .	xix.	1822
	xxiii.	2224
Gynostemma cardiosperma, *Cogn.* . .	xxiii.	2225
Gynura Valeriana, *Oliv.*	xvi.	1507
Gypsophila biovulata, *Stapf* . . .	xxiv.	2332
Gyrinops Walla, *Gaertn.* .	i.	5
Haastia pulvinaris, *Hook. f.*	xi.	1003
—— recurva . .	xi.	1003
—— **Sinclairii,** *Hook. f.*	xi.	1003
Habenaria . . .	xxii.	2198
Habenaria andamanica, *Hook. f.* . .	xxii.	2200
—— andamanica, *Hook. f.*	xxv.	2496
—— **concinna,** *Hook. f.*	xxiv.	2320
—— *decipiens,* Hook. f.	xxiv.	2322
—— digitata . .	xxiv.	2319
—— **Gibsoni,** *Hook. f.* .	xxiv.	2319
—— **Griffithii,** *Hook. f.*	xxiv.	2322
—— hexaptera, *Lindl.* .	xxvii.	2686
—— longicalcarata *A. Rich.*	xxiv.	2322
—— macrostachya, *Lindl.*	xxii.	2200
—— Michauxii, *Nutt.* .	xxvii.	2686
—— montana, *Wight* .	xxiv.	2322
—— **polytricha,** *Rolfe* .	xxv.	2496
—— *radicans,* Griseb. .	xxvii.	2686
—— **repens,** *Nutt.* .	xxvii.	2686
—— **secundiflora,** *Hook. f.*	xxiv.	2321
—— ternatea, *Reichb. f.*	xxv.	2496
—— *tricuspis,* A. Rich.	xxvii.	2686
—— *urceolata,* Clarke .	xix.	1865
—— urceolata, *Clarke* .	xxiv.	2321
Haemanthus . .	xxv.	2493
Haematobanche, *Presl* .	xv.	1486
Haemodorum distichophyllum, *Hook.* .	ix.	866
Hakea Baxteri, *R. Br.* .	v.	439–40
—— **conchifolia,** *Hook.*	v.	432
—— conchifolia, *Hook.*	v.	441
—— **cristata,** *R. Br.* .	v.	443
—— cucullata, *R. Br* .	v.	432
—— **cucullata,** *R. Br.* .	v.	441
—— **heterophylla,** *Hook.*	v.	437
—— ilicifolia, *R. Br.* .	v.	445
—— **incrassata,** *R. Br.* .	v.	442
—— **intermedia,** *Hook.*	v.	445
—— nitida, *R. Br.* .	v.	445
—— **pandanicarpa,** *R. Br.*	v.	434
—— **platysperma,** *Hook.*	v.	433
—— **stenocarpa,** *R. Br.*	v.	444
—— **tricostata,** *R. Br.* .	v.	435–6
—— **undulata,** *R. Br.* .	v.	447
Halesia (?) *Fortunei,* Hemsl.	xxviii.	2791
Hallia . . .	xvi.	1552
Halopyrum mucronatum, *Stapf* . . .	xxv.	2448
Haloragis cordigera, *Hugel*	vi.	598
Hamadryas andicola, *Hook.*	ii.	137
—— magellanica . .	ii.	137
—— **sempervivoides,** *Sprague* . .	xxviii.	2748

	VOL.	PLATE
Hamadryas tomentosa .	ii.	137
Hamamelis japonica, *Sieb. & Zucc.* .	xviii.	1742
—— **mollis,** *Oliv.*. .	xviii.	1742
Hampea . . .	xx.	1986
Hancockia uniflora, *Rolfe*	xxx.	2945
Hannoa Schweinfurthii, *Oliv.* . . .	xiii.	1256
Hansemannia oblonga, *Hemsl.* . . .	xxviii.	2735
Haploclathrum . .	xxviii.	2790
Haplodictyum heterophyllum, Presl . .	x.	920
Harpachne Schimperi, Hochst. . . .	xiv.	1371
Harpalyce . . .	xi.	1024
Hartia sinensis, *Dunn* .	xxviii.	2727
Hartighsea spectabilis, *A. Juss.* . . .	vii.	615–6
Hartigsea, A. Juss. .	xxix.	2827
Hartmannia (?) pungens, *Hook. & Arn.* . .	iv.	334
Harveya, *Hook.* . .	iv.	400
Harveya capensis, *Hook.*	ii.	118
——* **capensis,** *Hook.* .	iv.	351
—— **purpurea,** *Harv.* .	iv.	351
Haworthia Saundersiae, *Baker.* . .	xx.	1974
—— **stenophylla,** *Baker* .	xx.	1974
—— tenuifolia, *Engl.* .	xx.	1974
Haya	xv.	1499
Hazardia cana, *Greene* .	xxviii.	2720
—— **detonsa,** *Greene* .	xxviii.	2720
—— serrata, *Greene* .	xxviii.	2720
Hebanthe paniculata, *Mart.*	ii.	102
Hectorella caespitosa, *Hook. f.*	xi.	1046
Hectoria . . .	v.	451–2
Hederella * Forbesii, *Stapf*	xxv.	2415
—— **multiflora,** *Stapf* .	xxv.	2415
quintuplinervis, *Stapf*	xxv.	2415
—— **quintuplinervis,** *Stapf*	xxv.	2416
——***tetrandra,** *Stapf* .	xxv.	2415
Hedyotis . . .	xi.	1049
Hedyotis arborea, *Roxb.*	xi.	1031
arborea, *Roxb.* .	xi.	1032
—— *tillaeacea,* F.Muell.	xii.	1146
Hedysarum esculentum, *Ledeb.* . . .	xx.	1959
Heeria, Meisn. . .	vi.	595
Heimia grandiflora, *Hook.*	vi.	554
—— *myrtifolia,* Cham. & Schlecht. .	vi.	554
—— **salicifolia,** *Link & Otto*	vi.	554
—— **salicifolia,** var. *β, Hook.*	vi.	554
—— **salicifolia,** * var. *γ Hook.*	vi.	554
—— *salicifolia,* var. *grandiflora,* Lindl.	vi.	554
Heisteria . . .	xi.	1005

	VOL.	PLATE
Hekistocarpa minutiflora, *Benth.* . . .	xii.	1151
Helianthemum argyraeum, *Baker* . .	xxiv.	2360
Helichrysum . .	xi.	1003
	xiv.	1363
Helichrysum *bicolorum,* A. Conn. .	iv.	318
—— **densiflorum,** *Oliv.*	xxiii.	2286
—— **Gunnianum,** *Hook*	iv.	320
—— *incanum,* Hook.	iv.	318
Helicia grandis, *Hemsl.*	xxvii.	2631
Helietta *apiculata, *Benth.*	xiv.	1385
—— **parvifolia,** *Benth.*	xiv.	1385
—— Plaeana, *Tul.* .	xiv.	1385
Heliogenes longifolia, Benth. . . .	xii.	1117
Heliomyces . .	ix.	870–1
Heliophila flacca, *Sond.*	xxiv.	2325
—— **patens,** *Oliv.* .	xxiv.	2325
Heliotropium cabulicum	xviii.	1755
—— **gymnostomum,** *Hemsl.* . .	xviii.	1755
Helipterum, *DC.*	iv.	320
	xxviii.	2781
Helipterum incanum, *DC.*	iv.	318
Hemiandra . .	xxviii.	2783
Hemiarrhena plantaginea, *Benth.* . .	xi.	1059
Hemiboea *follicularis, *Clarke* . .	xviii.	1798
—— **Henryi,** *Clarke* .	xviii.	1798
——***subcapitata,** *Clarke*	xviii.	1798
Hemicyclia . .	xv.	1411
Hemicyclia Gardneri, *Thw.* . .	xxviii.	2701
—— **Porteri,** *Gamble* .	xxviii.	2701
—— venusta, *Thw.* .	xxviii.	2701
Hemidesmus Wallichii, Wight & Arn. .	xv.	1433
Hemidictyon . .	x.	937–8
Hemigenia . .	xxviii.	2783
Hemionitis . .	x.	991
Hemionitis pinnata, *J.Sm.*	xvii.	1687
—— *sp.,* Gardn.. .	x.	991
Hemitelia . . .	vii.	623
	vii.	647
	x.	985
	xi.	1015
Hemitelia (?) alternans, *Hook.* . .	vii.	622
—— (?) guianensis, *Hook.*	vii.	643
—— **(?) guianensis,** *Hook.*	vii.	648
—— horrida . .	vii.	669
—— **Hostmanni,** *Hook.*	vii.	646
—— **Imrayana,** *Hook.* .	vii.	669
—— **Imrayana,** var. *β, Hook.* . . .	vii.	669

	VOL.	PLATE
Hemitelia Lindeni, *Hook.*	viii.	706
—— **(?) Parkeri,** *Hook.*	vii.	643
—— Parkeri, *Hook.* .	vii.	648
—— *serrata,* J. Sm. .	vii.	669
—— speciosa, *Kaulf.* .	viii.	706
Hemitrema . .	vii.	613
—— *Kraussii,* R. Br. .	vii.	697
Hemprichia, *Ehrenb.* .	xxiii.	2287
Hemsleya chinensis, *Cogn.*	xix.	1822
Henonia scoparia, *Moq.*	xv.	1414
Henosis . . .	xxi.	2040
Henosis longipes, *Hook. f.*	xxi.	2051
Henrya Augustiniana, *Hemsl.* . . .	xx.	1971
Hepatica . . .	ix.	809–10
		899
	xvi.	1570
Heptapleurum, *Gaertn.*	xxix.	2821
Hermannia . .	xx.	1905
Hermannia boraginiflora, *Hook.* .	vi.	597
—— comosa, *Burch.* .	xxviii.	2709
—— **Johansseni,** *N. E. Br.* . . .	xxviii.	2709
Hermas villosa, *Thunb.*	xi.	1001
Herminium, Griff. .	xxiv.	2322
Herminium Duthiei, *Hook. f.* . .	xxii.	2199
—— **fallax,** *Lindl.* .	xxii.	2198
—— **orbiculare,** *Hook.f.*	xxii.	2199
Herniaria illecebroides, C. Sm. . . .	viii.	756
Herpolirion capense, Bolus . . .	xviii.	1726
Hesperomeles heterophylla, *Hook.* .	ix.	846
—— **heterophylla,** var. **vacciniifolia,** *Hook.* . .	ix.	846
—— lanuginosa, *Ruiz & Pav.*	ix.	846
—— oblonga, *Lindl.* . .	ix.	846
—— *obtusifolia,* Lindl. .	ix.	846
Hetaeria elata, *Hook. f.*	xxii.	2191
—— **elongata,** *Lindl.* .	xxii.	2190
—— **Helferi,** *Hook. f.*	xxii.	2189
—— *longifolia,* Benth.	xxii.	2180
Heterachne Brownii, *Benth.*	xiii.	1250
—— **Gulliveri,** *Benth.* .	xiii.	1250
Heteranthoecia isachnoides, *Stapf* . .	xxx.	2927
Heterella multiflora, *Stapf*	xxv.	2415
Heterocladia, *Dcne* .	vii.	662
Heterolepis, *Cass.* .	xi.	1062
Heteroneuron diversifolium, *Fée* .	x.	907
—— **nigricans,** *Hook. f.*	xi.	1022
Heterophyllaea pustulata, *Hook. f.* . .	xii.	1134

	VOL.	PLATE
Heteropsis Jenmani, *Oliv.*	xx.	1949
—— oblongifolia, *Kunth*	xx.	1949
Heteropyxis canescens, *Oliv.* . .	xxv.	2407
—— natalensis, *Harv.*	xxv.	2407
Heterostemma, *Wight & Arn.* . .	xv.	1422
		1425
		1466
—— *urceolatum,* Dalz.	xii.	1191
Heterostemon . .	xii.	1192
Heterotoma arabidioides	xii.	1177
—— lobelioides . .	xii.	1177
—— **macrocentron,** *Benth.*	xii.	1177
—— tenella . .	xii.	1177
Hevea *apiculata,* Baill.	xxvi.	2574
—— **Benthamiana,** *Muell.-Arg.* .	xxvi.	2571
		2575
—— brasiliensis, *Muell.-Arg.* . .	xxvi.	2571
—— **brasiliensis,** *Muell.-Arg.* . .	xxvi.	2573
		2575
—— **confusa,** *Hemsl.*	xxvi.	2570
		2574-5
—— discolor, *Muell.-Arg.* . .	xxvi.	2571
		2576
—— **discolor,** *Muell.-Arg.* . .	xxvi.	2573
		2575
		2577
—— guianensis, *Aubl.*	xxvi.	2570
—— **guianensis,** *Aubl.*	xxvi.	2573
—— *janeirensis,* Muell.-Arg. . .	xxvi.	2573
—— **lutea,** *Muell.-Arg.*	xxvi.	2574
—— membranacea, *Muell.-Arg.* .	xxvi.	2570
—— *membranacea,* Muell.-Arg. .	xxvi.	2574
—— **minor,** *Hemsl.* .	xxvi.	2572
—— *pauciflora,* Kew Rep.	xxvi.	2570
—— *pauciflora,* Muell.-Arg. . .	xxvi.	2570
—— **pauciflora,** *Muell.-Arg.*	xxvi.	2574-5
—— *peruviana,* Aubl.	xxvi.	2573
—— *peruviana,* Lechler	xxvi.	2574
—— **rigidifolia,** *Muell.-Arg.* . .	xxvi.	2573
—— **similis,** *Hemsl.* .	xxvi.	2576
—— **sp. indet.** . .	xxvi.	2577
—— **Spruceana,** *Muell.-Arg.* . .	xxvi.	2570
		2573
—— Spruceana, *Muell.-Arg.* . .	xxvi.	2575
—— *Spruceana,* Oliv. .	xxvi.	2570
		2574
Hewardia, Sm. . .	ix.	858
Hewardia tasmanica, *Hook.*	ix.	858
Hexakistra . .	xviii.	1704
Hexameria disticha, R.Br.	xxii.	2147

	VOL.	PLATE
Hexapora, Hook. f. .	xvi.	1547
Hibbertia prostrata, *Hook.*	iii.	672
—— **virgata**, *Hook*, .	iii.	267
—— **virgata**, *var. β. Hook.*	iii.	267
Hibiscus cancellatus, *Roxb.*	xxx.	2990
—— macrophyllus, *Roxb.*	xxx.	2990
—— micranthus .	ix.	802
—— **scindicus**, *Stocks* .	ix.	802
—— **tulipaeflorus**, *Hook.*	viii.	707–8
—— **Watsoni**, *W. W. Sm.*	xxx.	2990
Hieronyma . .	xiii.	1296
Hildebrandtia . .	xxv.	2439
Himantochilus, *T. And.*	xvi.	1527
Hippomane biglandulosa, *Linn.* .	xxvii.	2650
—— *biglandulosa*, Linn.	xxix.	2890
—— eglandulosa, *Ruiz & Pav.* . .	xxix.	2894
—— *glandulosa*, Linn.	xxix.	2890
—— glandulosa, *Ruiz & Pav.* . .	xxix.	2894
Hippotis multiflora, Benth. . . .	xi.	1093
Hirtella *dodecandra*, DC.	xxvii.	2620–1
—— **zanzibarica**, *Oliv.*	xii.	1193
Hoheria populnea, *A. Cunn.*	vi.	565–6
Hoitzia aristata, H. B. K.	xxvi.	2552
—— *lupulina*, Hook. & Arn. . .	xxvi.	2552
Holalafia multiflora, *Stapf* . . .	xxiv.	2350
Holboellia, *Wall.*. .	xxix.	2846
Holboellia *chinensis*, Diels	xxix.	2842
—— **cuneata**, *Oliv.* .	xix.	1817
—— *cuneata*, Oliv. .	xxix.	2842
—— latifolia, *Wall.* .	xix.	1817
	xxix.	2843
		2845
Holcus capillaris, Thunb.	xxvii.	2604
Holigarna racemosa, *Roxb.* . . .	ix.	842
Holostemma sinense, Hemsl.	xx.	1970
Holostigma, *Spach* .	iv.	339
Holothrix Harveiana, *Lindl.*	ii.	103
—— **parvifolia**, *Lindl.* .	ii.	103
Holubia saccata, *Oliv.*	xv.	1475
Homaloclados colorata, *Hook. f.*. . .	xii.	1128
Homalopetalum jamaicense, *Rolfe* . .	xxv.	2461
Homochaete conferta, *Benth.* . . .	xii.	1110
Homogyne . .	xii.	1141
Homoianthus echinulatus, *Cass.* . .	v.	491
Homonoia, *Lour.* .	xviii.	1701
—— *symphilliaefolia*, Kurz	xvi.	1587
Honokenya . .	xxiv.	2307

	VOL.	PLATE
Hoodia *Bainii, *Dyer* .	xx.	1905 Suppl.
——***Barklyi**, *Dyer* .	xx.	1905 Suppl.
——***Currori**, *Dyer* .	xx.	1905 Suppl.
——***Gordoni**, *Dyer* .	xx.	1905 Suppl.
Hookeria fissidentoides, *Hook. & Wils.*.	viii.	746
—— nitens, *Hornsch.* .	viii.	746
—— **obtusifolia**, *Harv.*	i.	24/11
—— **prostrata**, *Harv.*	i.	20/5
Hornemannia pinnata, Benth. . . .	xxvi.	2592
Hostmannia elvasioides, *Planch.* . . .	viii.	709
Houttuynia . .	xix.	1873
Hoya . . .	xv.	1425
Hoya affinis, *Hemsl.* .	xxiii.	2247
—— **Cominsii**, *Hemsl.*	xxiii.	2248
—— **Guppyi**, *Oliv.* .	xxiii.	2247
—— samoensis, *Seem.*	xxiii.	2248
Hualania colletioides, *Phil.*	xii.	1130
Huernia humilis, *Haw.*	xx.	1905
—— **humilis**, *Haw.* .	xx.	Suppl.
—— **primulina**, *N. E. Br.*	xx.	1906
——***primulina**, *N. E. Br.*	xx.	Suppl.
——***reticulata**, *Haw.*	xx.	1906 Suppl.
Huerniopsis, *N.E.Br.* .	xx.	Suppl.
Hugelia, Reichb. . .	ii.	200
Hugelia virgata, *Benth.* .	ii.	200
Hugonia *Jenkinsii*, F. Muell. . .	xxix.	2822
—— *pentagyna*, Schum.	xxix.	2822
—— **Planchoni**, *Hook.f.*	viii.	777
Humata botrychioides, Brack. . .	xvii.	1621
—— *multifida*, Carruth.	xvii.	1621
—— *rigida*, Carruth. .	xvii.	1621
—— *Tyermanii*, Moore	xvii.	1620
Humboldtia decurrens, *Bedd.* . . .	xxiv.	2368
Hunteria umbellata, Hallier f. . .	xxviii.	2762
Hutchinsia perpusilla, *Hemsl.*	xvi.	1599
—— petraea .	ix.	900
	xvi.	1599
—— *procumbens*, Desv.	iii.	277
	ix.	848
—— prostrata . .	ix.	900
—— (?) **tasmanica**, *Hook.*	ix.	848
—— **tibetica**, *Thoms.* .	ix.	900
Hydrangea longipes .	xix.	1884
Hydrocotyle cordifolia, *Hook. f.* . .	iv.	303
—— *gummifera*, Lamk	v.	492

	VOL.	PLATE
Hydrocotyle tripartita, *R. Br.*	vi.	312
Hydrolythrum Wallichii, *Hook. f.*	xi.	1007
Hygrophila quadrivalvis, *Nees*	xxviii.	2704
Hymenachne	xxiv.	2395, 2396
Hymenocardia ulmoides, *Oliv.*	xii.	1131
Hymenodictyon parvifolium, *Oliv.*	xv.	1488
Hymenogyne glabra, *Haw.*	xx.	1995
Hymenolepis coenorachis	xxiii.	2233
—— (?) *leucoclada,* DC.	xxiii.	2233
—— **platyrhynchos,** *Kunze*	x.	999
Hymenolobus divaricatus, *Nutt.*	iii.	277
——*erectus, *Nutt.*	iii.	277
—— procumbens, *Nutt.*	iii.	277
Hymenophyllum	i., x.	8, 918
Hymenophyllum Armstrongii, *Kirk*	xvii.	1614
—— **asplenioides,** *Sw.*	x.	956
—— **Baldwinii,** *Eaton*	xvii.	1611
—— bivalve	xvii.	1613
—— Cheesemani, *Baker*	xii.	1120
—— **Cheesemani,** *Baker*	xii.	1132
—— ciliatum	xvii.	1612
—— crispatum	x.	962
—— **dejectum,** *Baker*	xvii.	1610
—— **flexuosum,** *A. Cunn.*	x.	962
—— **fucoides,** *Sw.*	x.	963
—— **Glaziovii,** *Baker*	xvii.	1612
—— hirsutum	xvii.	1612
—— javanicum	x.	962
—— *Lyallii,* Hook. f.	xvii.	1616
—— *Mannianum,* Mett.	xvii.	1613
—— *melanocheilos,* Colenso	xvii.	1614
—— minimum, *A. Rich.*	xii.	1132
—— multifidum	xvii.	1613
—— myriocarpum	xvii.	1610
—— *palmatum,* Klotzsch	x.	956
—— *polyanthos,* Hook.	viii.	703
—— polyanthos	xvii.	1610
—— **Poolii,** *Baker*	xvii.	1609
—— subtilissimum, *Kunze*	xvii.	1609
—— **triangulare,** *Baker*	xvii.	1613
—— **undulatum,** *Sw.*	x.	964
Hymenostephium *angustifolium, *Benth.*	xii.	1154
—— mexicanum, *Benth.*	xii.	1154
Hymenoxys (?) linearifolia, *Hook.*	ii.	146
Hyobanche atropurpurea, *Bolus*	xv.	1486
—— sanguinea, *Thunb.*	xv.	1487
Hyoscyamus flaccidus, *Wright*	xxv.	2446
—— **leptocalyx,** *Stapf*	xxv.	2446
Hypecoum	iv.	360
Hypericum longistylum, *Oliv.*	xvi.	1534
Hypertelis	xi.	1035
Hypnum alopecuroides, *Hook.*	i.	24/5
—— **ambiguum,** *Harv.*	i.	24/4
—— **cordatum,** *Harv.*	i.	24/7
—— **curvulum,** *Hook.*	i.	23/7
—— **cyperoides,** *Hook.*	i.	23/5
—— **humile,** *Harv.*	i.	23/9
—— **inflexum,** *Harv.*	i.	24/6
—— **kamounense,** *Harv.*	i.	24/10
—— **microcarpum,** *Hook.*	i.	23/4
—— **nervosum,** *Hook.*	i.	24/3
—— **papillatum,** *Harv.*	i.	23/8
—— **propinquum,** *Harv.*	i.	24/9
—— **punctulatum,** *Harv.*	i.	23/10
—— **retroflexum,** *Hook.*	i.	23/6
—— **tavoyense,** *Hook.*	i.	24/1
—— **vagans,** *Harv.*	i.	24/2
Hypocalymma robustum	ix.	852
Hypochoeris	xix.	1815
Hypocrea grossa, *Berk.*	ix.	872
Hypodaphnis Zenkeri, *Stapf*	xxx.	2938
Hypoderris Brownii, *J. Sm.*	vii.	675–6
Hypogynium, *Nees*	xix.	1870
Hypolepis sanguinea, Pers.	iv.	336
Hypolytrum	xiii.	1206
Hypopterygium adstringens, Schlecht.	xxviii.	2722–3
Hypoxis alba, *Linn. f.*	xxiii.	2259
—— curculigioides, *Bolus*	xxiii.	2259
—— **Schlechteri,** *Bolus*	xxiii.	2259
—— stellata, *Linn.*	xxiii.	2259
Hyptiandra *Bidwillii,* Hook. f.	xxv.	2449
—— Bidwillii, *var. grandiuscula, Bail. & F. Muell.*	xxv.	2449
—— *Bidwillii,* var. *grandiuscula,* Bail. & F. Muell.	xxv.	2450
Hyptis	v.	461
Hyptis *Chamaedrys,* Willd.	v.	457
—— *inflata,* Spr.	v.	457
—— *lurida,* Spr.	v.	457
—— *pseudochamaedrys,* Poit.	v.	457
—— **Salzmanni,** *Benth.*	v.	463
—— **verticillata,** *Jacq.*	v.	458
Iberidella Andersonii, *Hook. f. & Thoms.*	xvi.	1599
Icacina macrocarpa, *Oliv.*	xxiv.	2338
—— senegalensis, *Juss.*	xxiv.	2338

	VOL.	PLATE
Ichnocarpus . .	xv.	1423
Icica . . .	xvi.	1571
Idesia, *Maxim.* . .	xix.	1885
	xxvii.	2688
Ignatia amara, *Linn. f.*	xxiii.	2212
Ignatiana philippinica, *Lour.* . . .	xxiii.	2212
Ilex affinis, *Gardn.* .	v.	465
—— aquifolium .	i.	33
	ii.	149
—— **crassifolia**, *Hook.*	ii.	149
—— crenata, *Thunb.* .	xxiii.	2263
—— **cuneifolia**, *Hook.*	iii.	294
—— **macrocarpa**, *Oliv.*	xviii.	1787
—— **microphylla**, *Hook.*	ii.	139
—— paraguayensis .	v.	465
—— **Pernyi**, *Franch.* .	xvi.	1539
—— **racemosa**, *Oliv.* .	xix.	1863
—— **revoluta**, *Stapf* .	xxiii.	2263
——* **rivularis**, *Gardn.* .	v.	465
—— rugosa, *Maxim.* .	xxiii.	2263
—— rupicola, *Humb. & Kunth* . .	ii.	149
Illicium micranthum, *Dunn* . .	xxviii.	2714
—— parviflorum, *Michx*	xxviii.	2714
Illipe . . .	xxvi.	2569
Imbricaria coriacea, *DC.*	xxiv.	2315
—— maxima, *Poir.* .	xxiv.	2315
—— **sechellarum**, *Oliv.*	xxiv.	2315
Impatiens abbatis, *Hook. f.*	xxix.	2861
—— **Aitchisonii**, *Hook. f.*	xxx.	2903
—— **amabilis**, *Hook. f.*	xxx.	2973
—— *amphorata*, Aitch.	xxx.	2903
—— **apsotis**, *Hook. f.* .	xxx.	2972
—— arguta, *Hook. f. & Thoms.* .	xxix.	2861, 2865, 2875
—— arguta, *var.* Balleyana, *Hook. f.* .	xxix.	2861
—— **arguta**, var. **Balleyana**, *Hook. f.* .	xxix.	2875
—— **atherosepala**, *Hook. f.* . .	xxix.	2868
—— **attopeuensis**, *Hook. f.*	xxix.	2853
—— **Aureliana**, *Hook. f.*	xxix.	2851
—— **Balansae**, *Hook. f.*	xxix.	2862
—— Balsamina, *Linn.*	xxix.	2828
—— bicolor, *Royle* .	xxx.	2902, 2961
—— bicornuta . .	xxx.	2961
—— **Boni**, *Hook. f.* .	xxix.	2860
—— Boni, *Hook. f.* .	xxx	2918–9
—— brachycentra, *Kar. & Kir.* . .	xxx.	2904
—— capensis . .	xxvi.	2540
—— **Capusii**, *Hook. f.* .	xxix.	2864
—— chinensis, *Linn.* .	xxx.	2915–6

	VOL.	PLATE
Impatiens *circaeoides*, Turcz. . .	xxx.	2910
—— **cirrhipetala**, *Hook. f.*	xxx.	2962
—— **claviger**, *Hook. f.*	xxix.	2863
—— **coriosepala**, *Hook. f.*	xxx.	2908
—— **cosmia**, *Hook. f.*	xxx.	2915
—— **crassicaudex**, *Hook. f.*	xxx.	2956
—— **crassicaudex**, *Hook. f.*	xxx.	2957
—— **crassicornu**, *Hook. f.*	xxx.	2916
—— **cyanantha**, *Hook. f.*	xxix.	2866
—— **cyathiflora**, *Hook. f.*	xxx.	2952
—— cyathiflora, *Hook. f.*	xxx.	2953
—— **debilis**, *Turcz.* .	xxx.	2911
—— decipiens, *Hook. f.*	xxx.	2951
—— deludens, *Hook. f.*	xxx.	2968
—— **diffusa**, *Hook. f.* .	xxx.	2923
—— **dorstenioides**, *Warb.*	xxix.	2828
—— Duclouxil . .	xxx.	2954
—— **exiguiflora**, *Hook. f.*	xxx.	2975
—— Faberi, *Hook. f.* .	xxx.	2917
—— **Flanaganae**, *Hemsl.*	xxvi.	2540
—— **Gagei**, *Hook. f.* .	xxx.	2951
—— **ganpiuana**, *Hook. f.*	xxix.	2873
—— Goughii, *Wight* .	xxx.	2910
—— **gracilipes**, *Hook. f.*	xxx.	2956
—— **grandiflora**, *Hemsl.*	xxvii.	2655
—— **Harmandi**, *Hook. f.*	xxix.	2858
—— **Harrissii**, *Hook. f.*	xxx.	2965
—— **humilis**, *Hook. f.*	xxx.	2964
—— **imbecilla**, *Hook. f.*	xxx.	2917
—— *inconspicua*, Benth.	xxx.	2909
—— **indo-chinensis**, *Hook. f.* . .	xxix.	2854
—— **inops**, *Hook. f.* .	xxx.	2922
—— insignis, *DC.* .	xxx.	2908, 2955, 2959
—— **Jaeschkei**, *Hook. f.*	xxx.	2902
—— **Kingii**, *Hook. f.* .	xxx.	2960
—— **Lacei**, *Hook. f.* .	xxx.	2912
—— **Lanessani**, *Hook. f.*	xxix.	2855
—— Langeana, *Hook. f.*	xxx.	2906
—— **Langeana**, *Hook. f.*	xxx.	2907
—— **lasiophyton**, *Hook. f.*	xxix.	2871
—— **lenta**, *Hook. f.* .	xxx.	2913
—— **lepida**, *Hook. f.* .	xxix.	2867
—— **leptocaulon**, *Hook. f.*	xxix.	2872
—— **Leveillei**, *Hook. f.*	xxix.	2865
—— longicornu, *Wall.* .	xxx.	2961
—— loulanensis, *Hook. f.*	xxx.	2952
—— **loulanensis**, *Hook. f.*	xxx.	2953
—— **Martinii**, *Hook. f.*	xxix.	2870
—— **Meyana**, *Hook. f.*	xxx.	2958
—— **microtheca**, *Hook. f.*	xxx.	2910
—— **monotricha**, *Hook. f.*	xxx.	2921
—— **Morsei**, *Hook. f.* .	xxix.	2874
—— **Musyana**, *Hook. f.*	xxx.	2919
—— **nepalensis**, *Hook. f.*	xxx.	2961

	VOL.	PLATE
Impatiens notolopha, *Maxim.* . .	xxx.	2974
—— **notoptera,** *Hook. f.*	xxx.	2925
—— obconica, *Hook. f.*	xxx.	2952–3
—— **odontopetala,** *Maxim.*	xxx.	2967
—— **oligoneura,** *Hook. f.*	xxx.	2966
—— **Perrottetii,** *Turcz.*	xxx.	2909
—— **piufanensis,** *Hook. f.*	xxix.	2869
—— **podocarpa,** *Hook. f.*	xxx.	2963
—— **polysciadia,** *Hook. f.*	xxx.	2906
—— **Potanini,** *Maxim.*	xxx.	2968
—— **Prainii,** *Hook. f.*.	xxx.	2959
—— pseudarguta .	xxix.	2865
—— pusilla, *Heyne* .	xxx.	2909
—— **pygmaea,** *Hook. f.*	xxx.	2918
—— racemosa . .	xxx.	2963
—— **recurvicornis,** *Maxim*	xxx.	2969
—— **Reidii,** *Hook. f.* .	xxx.	2901
—— **robusta,** *Hook. f.*	xxx.	2970
—— **rubro-striata,** *Hook. f.* .	xxx.	2954
—— scaberula . .	xxx.	2914
—— **scutisepala,** *Hook. f.*	xxx.	2955
—— **semounensis,** *Hook. f.*	xxix.	2852
—— **Spireana,** *Hook. f.*	xxix.	2859
—— **Stoliczkai,** *Hook. f.*	xxx.	2904
—— sulcata . .	xxx.	2961
—— tenella, *Heyne* .	xxx.	2911, 2913
—— Thomsoni, *Hook. f.*	xxx.	2903
—— **Thorelii,** *Hook. f.*	xxx.	2920
—— **trichocarpa,** *Hook. f.*	xxx.	2914
—— **vagans,** *Hook. f.*.	xxx.	2924
—— **verrucifer,** *Hook. f.*	xxix.	2856
—— **vexillaria,** *Hook. f.*	xxx.	2905
—— **Waldheimiana,** *Hook.f.*	xxx.	2971
—— **zygosepala,** *Hook.f.*	xxix.	2857
Indigofera *aspalathifolia,* Roxb. . .	ii.	188
—— **aspalathoides,** *Vahl*	ii.	188
—— erythrogramma, *Welw.*	xv.	1416
—— **Kirkii,** *Oliv.* .	xv.	1416
—— **podophylla,** *Benth.*	xviii.	1800
—— **trachyphylla,** *Benth.*	xiv.	1354
Indokingia crassa, *Hemsl.* . .	xxix.	2805
Inga acuminata, *Benth.*	xiii.	1202
—— *flexuosa,* Grah. .	xvi.	1510
—— *hystrix,* A. Rich..	xii.	1168
Inocarpus . . .	v.	453–4
Inocarpus edulis, *Forst.*	xix.	1837
Inula	xii.	1110, 1139
Inula *cutchica,* Clarke .	xxv.	2434
—— **grantioides,** *Boiss.*	xxv.	2434
—— Helenium, *Linn.*	xx.	1975
—— **racemosa,** *Hook.f.*	xx.	1975
—— **rhizocephala,** *Schrenk*	xviii.	1730
Inula rhizocephala, *Schrenk*	xviii.	1731
—— rhizocephaloides, *Clarke* . .	xviii.	1730
—— **rhizocephaloides,** *Clarke* . .	xviii.	1731
—— **shirensis,** *Oliv.* .	xiv.	1399
Iodes	xiii.	1247
Ione *candida,* Lindl. .	xxi.	2050
—— *cirrhata,* Lindl. .	xxi.	2049
—— fusco-purpurea .	xxi.	2049
—— paleacea . .	xxi.	2049
Ionidium brevilabre .	xxviii.	2731
—— **floribundum,** *Walp.*	xxviii.	2731
Iphiona rotundifolia, *Oliv. & Hiern* .	xii.	1156
Iphisia, *Dcne* . .	xxiv	2373
Ipomoea crinigera, *Oliv.*	xxv.	2437
—— **goyazensis,** *Gardn.*	v.	479
—— **Habeliana,** *Oliv.* .	xi.	1099
——***hirsutissima,** *Gardn.*	v.	471
—— **neriifolia,** *Gardn.*	v.	471
—— **Riedeliana,** *Oliv.*	xv.	1424
—— **shirensis,** *Oliv.* .	xv.	1474
Ipsea (?) Wrayana, *Hook. f.*	xxi.	2085
Iresine . . .	iii.	251
Iresine diffusa, *H. B. K.*	xxiii.	2227
—— **grandiflora,** *Hook.*	ii.	102
Iris	ix.	858
Iris Ludwigii, *Maxim.*	xxiv.	2302
—— Rossii, *Baker* .	xxiv.	2302
—— **Thoroldi,** *Baker* .	xxiv.	2302
Irvingia . . .	xxix.	2841
Irvingia Barteri, *Hook.f.*	xiii.	1246
—— Barteri, *Hook. f.* .	xiii.	1247
—— **malayana,** *Oliv.* .	xiii.	1247
Isachne . . .	xxx.	2927
Isachne albens, *Trin.*.	xix.	1866
—— **comata,** *Munro* .	xix.	1866
—— firmula, *Buese* .	xix.	1866
—— leersioides, *Griseb.*	xix.	1866
Ischaemum angustifolium, *Hack.* .	xviii.	1773
Ischnochloa Falconeri, *Hook. f.* . .	xxv.	2466
Isidrogalvia falcata, *Ruiz & Pav.* . .	vii.	691
Isodon . . .	v.	464
Isoetes . . .	x.	908
Isoloma . . .	x.	957
Isoplexis . . .	xxviii.	2769
Isopogon axillaris, *R. Br.*	v.	438
Isopyrum grandiflorum	xviii.	1745
—— **Henryi,** *Oliv.* .	xviii.	1745
—— microphyllum .	xviii.	1745
Itea ilicifolia, *Oliv.* .	xvi.	1538
Itoa orientalis, *Hemsl.*	xxvii.	2688
Ixerba brexioides, *A. Cunn.*	vi.	577–8
Ixionanthes, *Jack*	viii.	773

	VOL.	PLATE
Ixora . . .	xii.	1150, 1158
Ixora siphonantha, *Oliv.*	xxiii.	2236
—— siphonantha, *Oliv.*	xxvi.	2554
	xxvii.	2655
Jamesonia cinnamomea, *Kunze* . .	viii.	713
—— hispidula, *Kunze*	viii.	713
—— paleacea, *Kunze*	viii.	713
—— pulchra, *Kunze* .	viii.	713
—— scalaris, *Kunze* .	viii.	713
—— verticalis, *Kunze*	viii.	713
Janipha Loeflingii, Humb.	vi.	530
—— *Loeflingii*, var. *multifida*, Grah. .	vi.	530
Jasione . . .	xxvii.	2659
Jasminum lineare, *R. Br.*	ix.	831
—— nudiflorum, *Lindl.*	xxiv.	2384
—— **primulinum**, *Hemsl.*	xxiv.	2384
Jateorhiza, *Miers* (*sphalm.* Jatrorhiza)	viii.	759
Jatropha Heudelotii, Baill.	xiii.	1300
—— *Janipha*, Linn. .	vi.	530
—— *Manihot*, Linn. .	vi.	530
Jenmania elata, Rolfe	xxx.	2989
Jovellana . . .	vi.	561
Juliania adstringens, *Schlecht.* .	xxviii.	2722
—— **adstringens**, *Schlecht.*	xxviii.	2723
—— Huaucui, *A. Gray*	xxviii.	2722
—— **mollis**, *Hemsl.* .	xxviii.	2722
—— mollis, *Hemsl.* .	xxviii.	2723
Juncus . . .	xxix.	2806
Juncus andicola, *Hook.*	viii.	714
—— bogotensis, *H. B. K.*	viii.	714
—— castaneus .	xxiii.	2235
—— *communis*, E. Mey. & Kunth .	viii.	714
—— conglomeratus .	viii.	714
—— *grandiflorus*, Linn. f.	vi.	533
—— himalensis, *Klotzsch & Garcke* .	xxiii.	2235
—— khasiensis, *Buchen.*	xxiii.	2234
—— **nematocaulon**, *Hook. f.* . .	xxiii.	2234
—— **sikkimensis**, *Hook. f.*	xxiii.	2235
—— **sikkimensis**, var. **monocephala**, *Hook. f.*	xxiii.	2235
Jungermannia epiphylla	ii.	158
Jurinea *chaetolepis*, Boiss.	xviii.	1733
—— elegans . .	xviii.	1734
—— leptoloba, *DC.* .	xviii.	1734
Justicia orchioides, *Griff.*	xiii.	1205
—— *parasitica*, Lamk.	viii.	733–4
—— **patentiflora**, *Hemsl.*	xxviii.	2792
—— vasculosa, *Wall.* .	xxviii.	2792

	VOL.	PLATE
Kaliphora madagascariensis, *Hook. f.* .	xi.	1023
Kandelia Rheedei, *Wight & Arn.* . . .	iv.	362
Keerlia linearifolia .	iii.	240
—— ramosa . .	iii.	240
—— **skirrhobasis**, *DC.*	iii.	240
Kennedia chlorantha, A. Cunn. . . .	ix.	829
Kickxia africana, *Benth.*	xiii.	1276
—— africana, *Benth.* .	xxvii.	2694–5
—— *africana*, Stapf .	xxvii.	2694–5
—— *africana*, Benth. .	xxvii.	2696–7
—— *africana*, var. *iners*, Pierre . .	xxvii.	2696–7
—— *africana*, var. *Klainii*, Pierre	xxvii.	2696–7
—— arborea, *Bl.* .	xiii.	1276
	xxvii.	2694–5
—— Blancoi, *Rolfe* .	xxvii.	2693
—— **borneensis**, *Stapf*	xxvii.	2693
—— congolana, *De Wild.* . .	xxvii.	2694–5
—— *elastica*, Preuss .	xxvii.	2694–5
—— Gilletii, *De Wild*	xxvii.	2694–5
—— latifolia, *Stapf* .	xxvii.	2694–5
—— Scheffleri, *K. Schum.*	xxvii.	2694–5
—— Zenkeri, *K. Schum.*	xxvii.	2694–5
Kigelianthe . .	xxviii.	2749
Kiggelaria . .	viii.	758
—— integrifolia, *Jacq.*	iv.	352
—— *integrifolia*, E. Mey.	iv.	352
Kirkia acuminata, *Oliv.*	xi.	1036
Klaineanthus gaboniae, *Pierre* . . .	xxx.	2985
Kniphofia . . .	xxvi.	2523
Kobresia globularis, Dewey	v.	448
Koeleria . . .	xiv.	1368
—— cristata . .	xxvii.	2612
—— *Gerrardi*, Munro & Benth. . .	xxvii.	2612
Koelreuteria . .	xi.	1097
Koelreuteria bipinnata, *Franch.* . .	xxvii.	2642
—— **minor**, *Hemsl.* .	xxvii.	2642
—— paniculata, *Laxm.*	xxvii.	2642
Kolkwitzia amabilis, *Graebn.* . . .	xxx.	2937
Koompassia malaccensis, *Maingay* . .	xii.	1164
Kosaria, Forsk. . .	xxvi.	2503
Krigia caroliniana .	iii.	237
—— dichotoma . .	iii.	237
—— leptophylla .	iii.	237
—— montana . .	iii.	237
—— **nervosa**, *Hook.* .	iii.	237
—— texana . .	iii.	237
——*virginica, *Willd.* .	iii.	237

	VOL.	PLATE
Lachanodes cuneifolia, *DC.*	xi.	1055–6
Lachanodes *Leucadendron*, DC. . .	xi.	1055
—— *Pladaroxylon*, Endl.	xi.	1055
—— **prenanthiflora,** *Burch.*	xi.	1054
—— prenanthiflora, *Burch.*	xi.	1055
Lachnocephalus, *Briq.*.	xxviii.	2732
Lachnophyllum .	xii.	1106
Lachnophyllum gossypinum, *Bunge* .	xii	1107
—— **Noeanum,** *Boiss.*	xii.	1107
Lachnostachys albicans, *Hook.*	v.	414
—— albicans, *Hook.* .	v.	415
	xxviii.	2732
—— **ferruginea,** *Hook.*	v.	415
—— ferruginea, *Hook.*	xxviii.	2732
—— **verbascifolia,** *F. Muell.* . .	xxviii.	2732
Lachnostylis capensis, *Turcz.*	xiii.	1279
—— *hirta,* Muell.-Arg.	xiii.	1279
Lacmellea edulis, *Karst.*	xxvii.	2637
Lagenocarpus tenuis, Benth.	xxx.	2940
Lagerstroemia Flos-Reginae . . .	xxx.	2912
Lagetta lintearia .	vii.	700
Lambertia formosa,	vi.	553
—— **ilicifolia,** *Hook.* .	vi.	553
Lamium album . .	xx.	1984
Lampra volcanica, *Benth.*	xiii.	1236
Lamprolobium fruticosum, *Benth.* . .	xi.	1024
Lamprothamnus zanguebaricus, *Hiern* .	xiii.	1220
Landolphia . .	xxiv.	2350
	xxviii.	2745–6
Landolphia (?)bracteata, *Dewèvre* . .	xxvi.	2568
—— **capensis,** *Oliv.* .	xiii.	1228
—— *elastica,* Vatke .	xxviii.	2755
—— Heudelotii .	xxviii.	2755
—— **Kirkii,** *Dyer* .	xxviii.	2755
—— Kirkii, *Dyer* .	xxviii.	2756
—— **Petersiana,** *Dyer*.	xxviii.	2756
—— *polyantha,* K. Schum. . .	xxviii.	2755
—— scandens . .	xxviii.	2756
—— *scandens,* var. *Petersiana,* Hallier f. . .	xxviii.	2756
—— *scandens,* var. *rotundifolia,* Hallier f. . .	xxviii.	2756
—— *scandens,* var. *Stuhlmanniana,* Hallier f. .	xxviii.	2756
Lanessania turbinata, *Baill.*	xiv.	1326
Langsdorffia indica, *Wight & Arn.* . .	iii.	205–6
Lanium Avicula, *Lindl.*	xiv.	1335
—— **microphyllum,** *Lindl.*	xiv.	1334
—— microphyllum, *Lindl.*	xiv.	1335
Laportea longifolia, *Hemsl.* . . .	xxvi.	2559–60
Laserpitium Aciphylla, Linn. f. . . .	vii.	607–8
Lasiochloa *alopecuroides,* Hack.	xxvii.	2612
—— ciliaris, *Kunth* .	xxvii.	2602
Lasiococca symphilliaefolia, *Hook. f.* . .	xvi.	1587
Lasiorhiza ceterachifolia, Cass. . .	v.	496
—— *viscosa,* Cass.	v.	496
Lasiostelma Sandersoni, *Oliv.*	xv.	1449
Lastrea . . .	x.	950
Lastrea borneensis, *Hook.*	x.	993
—— *crinita,* Boivin .	xvii.	1662
—— *Prenticei,* Carruth.	xvii.	1661
Lathyrus gladiatus, *Hook.*	i.	72
—— macropus, *Gillies*	i.	72
—— sessilifolius, *Hook. & Arn.* .	i.	72
Latipes senegalensis, *Kunth* . . .	xxx.	2950
Laurencia, Lamour. .	iii.	261–2
Laurus *Chloroxylon,* Linn.	xix.	1862
—— nobilis . .	viii.	709
Lavigeria macrocarpa, Pierre . . .	xxiv.	2338
Lavoisiera Itambana, *DC.*	vi.	502
—— **lycopodioides,** *Gardn.*	vi.	502
Lawrencia glomerata, *Hook.*	v.	417
—— **spicata,** *Hook.* .	iii.	261–2
—— spicata, *Hook.* .	v.	417
Lawsonia inermis .	xxiv.	2348
Laxmannia arborea, Forst.	xi.	1053
Layia heterotricha, Hook.	iv.	326
Lebeckia Candolleana, *Walp.* . .	xvi.	1556
—— **inflata,** *Bolus* .	xvi.	1572
—— leptophylla, *Benth.*	xvi.	1576
—— **longipes,** *Bolus* .	xvi.	1552
—— Meyeriana, *Eckl. & Zeyh.* . .	xvi.	1552
——***Wrightii,** *Bolus* .	xvi.	1552
Lecanopteris Curtisii, *Baker*	xvii.	1607
Ledocarpum chiloense .	i.	14
—— cistiflora, *Hook.* .	i.	14
—— pedunculare, *Lindl.*	i.	14
—— **Reynoldsii,** *Hook.*	i.	14
Legnotis elliptica, Sw. .	iii.	280
Leianthus umbellatus, *Griseb.*	vii.	687–8
Leidesia capensis, *Muell.-Arg.* . . .	xiii.	1284
Leitneria floridana, *Chapm.*	xi.	1044
Lentinus . . .	ix.	869

	VOL.	PLATE
Leontochir Ovallei, *Phil.*	xiv.	1389
Lepia rotunda, Desv. .	vii.	609
Lepidium latipes, *Hook.*	i.	41
—— novae-hollandiae, *Desv.*	vii.	609
—— Piscidium . .	vii.	609
—— **rotundum,** *DC.* .	vii.	609
Lepidostephium denticulatum, *Oliv.* .	xi.	1030
Lepidoturus alnifolius, *Benth.* . .	xiii.	1297
—— **laxiflorus,** *Benth.*	xiii.	1297
—— occidentalis .	xiii.	1297
Lepinia, *Dcne* . .	xii.	1181
Lepinia solomonensis, *Hemsl.* . .	xxviii.	2703
—— taitensis, *Dcne* .	xxviii.	2703
Lepistemon africanum, *Oliv.*	xiii.	1270
Leptactina *densiflora, *Hook. f.* . .	xi.	1092
——***involucrata,** *Hook. f.*	xi.	1092
—— **Mannii,** *Hook. f.* .	xi.	1092
—— ***senegambica,** *Hook. f.*	xi.	1092
Leptadenia . .	xxv.	2453
Leptadenia gracilis, *Dcne*	ix.	838
—— **Jacquemontiana,** *DC.*	ix.	838
—— pyrotechnica, *Dcne*	ix.	838
—— spartium, *Wight* .	ix.	838
Leptaspis . . .	xxiv.	2328
Leptaulus daphnoides, *Benth.* . .	xxiv.	2339
—— **daphnoides, *var. macrophylla,** *Oliv.*	xxiv.	2339
Lepterica tenuis, *N.E.Br.*	xxx.	2940
Leptocarydion . .	xxvii.	2609
Leptochilus quercifolius, Fée	x.	905
—— *subquinquefidus*, Fée	x.	907
Leptochloa falcata, Hack.	xxvii.	2610
—— *grandiglumis*, Nees	xxvii.	2609
—— *mollis*, Kunth .	xxvii.	2609
—— *Wightiana*, Nees .	xiv.	1381
Leptocladus . .	xii.	1196
Leptogonum domingense, *Benth.* . . .	xiv.	1320
Leptogramme, J. Sm. .	x.	974
Leptomeria . .	xiv.	1324
—— *acerba*, R. Br. .	xii.	1172
Leptonema Lindeni, *Hook.*	vii.	692
Leptopleuria abrupta, Presl	xvii.	1604
Leptopteris pellucida .	x.	910
—— **superba,** *Hook.* .	x.	910
Leptoscela . . .	xii.	1151
Leptoscela ruellioides, *Hook. f.* . .	xii.	1149
Leptospermum . .	ix.	852
Leptospermum recurvum, *Hook. f.* . .	ix.	893
—— **rupestre,** *Hook. f.*	iv.	308
—— scoparium . .	xii.	1120
Leptostomum . .	ii.	136
Leptotheca Gaudichaudii, *Schwaegr.* .	viii.	748
—— **speciosa,** *Hook. & Wils.*	viii.	748
Lepturus paniculatus, Nutt.	xiv.	1360
Leskea (?) curvirostris, *Harv.*	i.	20/4
—— **fulva,** *Harv.* .	i.	23/2
—— **polyantha,** *Hedw.*, var. **indica,** *Harv.*	i.	23/3
—— **pterogonioides,** *Harv.*	i.	24/8
—— **secunda,** *Hook.* .	i.	23/1
Lespedeza ciliata .	xxvii.	2700
—— **diversifolia,** *Hemsl.*	xxvii.	2625
—— *juncea*, Wall. .	ii.	188
—— **velutina,** *Dunn* .	xxvii.	2700
Leucas masaiensis, *Oliv.*	xv.	1495
Leucaster, *Chois.* .	xxv.	2404
Leucodon bartramioides, *Hook.*	i.	71
Leucolaena, *R. Br.* .	viii.	726
Leucolaena peltigera, *Hook.* . .	i.	45
—— rotundifolia .	i.	45
Leucomphalos capparideus, *Benth.* .	viii.	784
Leuconotis elastica, *Becc.* . .	xxviii.	2733
Leucopholis *latifolia, *Benth.* . .	xii.	1115
—— **phylicoides,** *Gardn.*	xii.	1115
Leucopogon . .	xi.	1038
Leucopogon Colensoi, *Hook. f.* . .	ix.	898
—— **lancifolius,** *Hook. f.*	ix.	898
——***suaveolens,** *Hook. f.*	ix.	898
Leucostegia Hookeri, Bedd. . . .	xvii.	1625
Leycesteria . .	xxvii.	2632
Leycesteria formosa, .	xxvii.	2633
—— glaucophylla, *Hook. f.* . .	xxvii.	2633
—— **sinensis,** *Hemsl.* .	xxvii.	2633
Libertia . . .	ix.	858
Lichtensteinia Burchellii, *Hook. f.* . .	xi.	1033
Lightfootia capitata, *Baker* . .	xxvii.	2659
—— **leptophylla,** *C. H. Wright* . .	xxvii.	2659
Ligularia (?) *reniformis*, DC.	xii.	1141
Ligusticum *Aciphylla*, Spr.	vii.	607–8
—— acutilobum, *Sieb. & Zucc.* . .	xx.	1999
—— pteridiphyllum, *Franch.* . .	xx.	1958
—— **sinense,** *Oliv.* .	xx.	1958
Lilium . . .	xxiii.	2219
Limacia cuspidata, *Hook. f. & Thoms.* . .	xxvi.	2585

	VOL.	PLATE
Limacia monilifera, *Burkill*	xxvi.	2585
—— **sagittata**, *Oliv.* .	xviii.	1749
Limeum, *Linn.* . .	vi.	587
Limnosipanea *palustris, *Hook. f.* .	xi.	1050
——***Schomburgkii**, *Hook. f.*	xi.	1050
—— **Spruceana**, *Hook.f.*	xi.	1050
Linaria . . .	ix.	875
—— *aphylla*, Spr. .	xxviii.	2793
—— *sphaerocarpa*, Benth.	xxiv.	2362
Lindenbergia urticaefolia, *Lehm.* . .	ix	875
Lindenia acutiflora, *Benth.*	v.	475
—— rivalis, *Benth.* .	v.	475
—— **rivalis**, *Benth.* .	v.	476
Lindera aromatica, *Brandis* . .	xxviii.	2784
——***assamica**, *Kurz*	xxviii.	2784
——***citriodora**, *Hemsl.*	xxviii.	2784
——***communis**, *Hemsl.*	xxviii.	2784
—— **fragrans**, *Oliv.* .	xviii.	1788
——***glauca**, *Bl.* .	xxviii.	2784
——***Meissneri**, *King* .	xxviii.	2784
——***praecox**, *Bl.* .	xxviii.	2784
——***sericea**, *Bl.* .	xxviii.	2784
—— *Tzumu*, Hemsl. .	xxix.	2833
—— **umbellata**, *Thunb.*	xxviii.	2784
Lindernia capensis, *Thunb.*	ii.	151
—— *plantaginea*, F. Muell. . .	xi.	1059
Lindsaya caudata, *Hook.*	x.	958
—— caudata, *var.* Edgeworthii . .	xvii.	1627
—— **crispa**, *Baker* .	xvii.	1627
—— **elegans**, *Hook.* .	i.	98
—— flabellulata, *Dryand.* . .	x.	957
	xvii.	1629
—— *hymenophylloides*, Bl.	xvii.	1623
—— **jamesonioides**, *Baker*	xvii.	1626
—— **leptophylla**, *Baker*	xvii.	1628
—— **macrophylla**, *Kaulf.*	ii.	193
—— **madagascariensis**, *Baker* . .	xvii.	1629
—— **media**, *R. Br.* .	x.	957
—— *repens*, var. *laciniata*, Mett. .	xvii.	1623
—— tenera, *Dryand.* .	x.	957
—— trapeziformis, *Dryand.*	x.	958
—— virescens, *Sw.* .	xvii.	1629
Linostoma . .	xi.	1074
Lintonia nutans, *Stapf*	xxx.	2949
Liparis	xix.	1826
	xxii.	2182
Liparis acuminata, *Hook. f.*	xxi.	2007
—— angustifolia, *Lindl.*	xix.	1886
—— *angustifolia*, Thw.	xix.	1886
—— atropurpurea, *Wight*	xix.	1836
—— *auriculata*, Reichb. f.	xix.	1856
Liparis bistriata, *Par. & Reichb. f.* .	xix.	1858
—— **bistriata**, * var. **robusta**, *Hook. f.* . .	xix.	1858
—— bituberculata .	xxi.	2007
—— bootanensis, *Griff.*	xix.	1855
	xxi.	2010
	,,	2014
—— caespitosa, *Lindl.*	xix.	1886
—— *caespitosa*, Ridl. .	xix.	1886
—— **Cathcartii**, *Hook. f.*	xix.	1808
—— Cathcartii, *Hook. f.* . .	xix.	1813
—— **cordifolia**, *Hook. f.*	xix.	1811
—— decurrens .	xix.	1889
—— *decurrens*, Ridl. .	xix.	1889
—— **deflexa**, *Hook. f.*.	xxi.	2008
—— **delicatula**, *Hook. f.*	xix.	1889
—— distans, *Clarke* .	xxi.	2010
—— **Dolabella**, *Hook. f.*	xxi.	2010
—— **Duthiei**, *Hook. f.* .	xix.	1857
—— flaccida, *Reichb. f.*	xxi.	2011
—— **Gamblei**, *Hook. f.*	xix.	1812
—— **Glossula**, *Reichb. f.*	xix.	1809
—— Glossula, *Reichb. f.*	xix.	1812
—— **gracilis**, *Hook. f.* .	xxi.	2011
—— Griffithii, *Ridl.* .	xxi.	2012
—— *intermedia*, A. Rich.	xix.	1832
—— **lancifolia**, *Hook. f.*	xix.	1855
—— lancifolia, *Hook. f.*	xix.	1854
	xxi.	2010
—— latifolia, *Bl.* .	xxi.	2009
		2012
—— **macrantha**, *Hook.f.*	xix.	1854
—— macrantha, *Hook.f.*	xix.	1855
	xxi.	2010
—— Mannii, *Reichb. f.*	xxi.	2013
—— *nepalensis* . .	xix.	1809
—— nepalensis . .	xix.	1810
—— **obscura**, *Hook. f.*	xix.	1886
—— olivacea, *Lindl.* .	xix.	1813
—— *olivacea*, Hook. f. & Thoms. .	xix.	1813
—— pachypus, *Par. & Reichb. f.* .	xxi.	2009
		2012
—— paradoxa, *Reichb. f.*	xxi.	2008
—— **perpusilla**, *Hook. f.*	xix.	1856
—— perpusilla, *Hook. f.*	xix.	1890
—— **platyrachis**, *Hook. f.*	xix.	1890
—— **Prainii**, *Hook. f.*.	xix.	1857
—— *priochilus*, Lodd..	xix.	1832
—— **pulchella**, *Hook. f.*	xix.	1810
—— **pusilla**, *Ridl.* .	xix.	1856
—— resupinata, *Lindl.*	xix.	1887
—— *resupinata*, Ridl..	xix.	1887
—— **resupinata**, *Ridl.* .	xix.	1888
—— **Ridleyi**, *Hook. f.* .	xix.	1887
—— Ridleyi, *Hook. f.* .	xix.	1888

	VOL.	PLATE
Liparis robusta, *Hook. f.*	xxi.	2009
—— **robusta,** *Hook. f.*	xxi.	2012
—— rostrata, *Reichb. f.*	xix.	1810
—— **rostrata,** *Reichb. f.*	xix.	1813
—— Roylei . .	xix.	1808
—— rupestris, *Griff.* .	xix.	1810 1813
—— *rupestris*, Ridl. .	xix.	1808 1810–1 1813
—— *rupestris*, var. *purpurascens*, Ridl.	xix.	1810
—— **Scortechinii,** *Hook. f.*	xxi.	2009
—— Scortechinii, *Hook. f.* .	xxi.	2012
—— **tenuifolia,** *Hook.f.*	xxi.	2013
—— **Thwaitesii,** *Hook.f.*	xxi.	2006
—— **torta,** *Hook. f.* .	xxi.	2014
—— **Trimenii,** *Ridl.* .	xix.	1836
—— Wightiana, *Thw.*	xix. xxi.	1836 2006
Liquidambar formosana, *Hance* . .	xi.	1020
—— *imberbe*, Ait. .	xi.	1019
—— **orientalis,** *Mill.* .	xi.	1019
—— orientalis . .	xi.	1020
——***styraciflua,** *Linn.*	xi.	1019
—— styraciflua, *Linn.*	xi.	1020
Liriodendron . .	xv.	1412
Liriodendron chinense, *Sarg.* . .	xxviii.	2785
—— *sp.*, S. Moore .	xxviii.	2785
—— Tulipifera . .	xxviii.	2785
—— *Tulipifera*, var. (?) *chinense*, Hemsl.	xxviii.	2785
—— *Tulipifera*, var. *sinensis*, Diels .	xxviii.	2785
Lisianthus daturoides, *Griseb.* . .	ii.	196
—— **frigidus,** *Sw.* .	ii.	195
—— *umbellatus*, Sw. .	vii.	687–8
Lissanthe . .	xi.	1038
Lissocarpa Benthami, *Guerke* . . .	xxv.	2413
Listera micrantha, *Lindl.*	xxii.	2171
—— **pinetorum,** *Lindl.*	xxii.	2170
—— **tenuis,** *Lindl.* .	xxii.	2169
Lithocarpus scutigera, *Oudem.* . . .	xiv.	1314
Lithospermum Hancockianum, *Oliv.*	xxv.	2457
—— Kotschyi, *Boiss.* .	ix.	804
—— rosmarinifolium	xxv.	2457
Litobrochia, *Presl* .	x.	915 973
Litsaea . . .	xxviii.	2784
—— *laxiflora*, Hemsl.	xxix.	2833
Littledalea tibetica, *Hemsl.*	xxv.	2472
Littonia minor, *Defl.* .	xxiv.	2365
—— **obscura,** *Baker* .	xxiv.	2365
Llagunoa nitida, Ruiz & Pav. . . .	ii.	132
Lloydia graeca . .	ix.	834
—— himalayensis, *Royle*	ix.	834
—— **ixiolirioides,** *Baker*	xxiii.	2215
—— kunawurensis, *Royle*	ix.	834
—— **longiscapa,** *Hook.*	ix.	834
—— serotina . .	ix.	834
—— **tibetica,** *Baker* .	xxiii.	2162
Loasa . . .	iii.	225
Loasa rupestris, *Gardn.*	vii.	663
Lobelia foetida, *H.B.K.*	viii.	716
—— *gigantea*, Cav. .	viii.	716
—— *Heyneana*, Roem. & Sch. . .	iv.	358
—— *micrantha*, Hook.	iv.	358
—— **physaloides,** *A. Cunn.*	vi.	555–6
—— radicans, *Wall.* .	iv.	358
—— *stipularis*, Roth. .	iv.	358
—— *trialata*, Ham. .	iv.	358
—— **trigona,** *Roxb.* .	iv.	358
—— zeylanica, *Linn.* .	iv.	358
Lobopogon ericoides, Schlecht.	xi.	1038
Lobostephanus palmatus, *N. E. Br.* . .	xxvii.	2692
Lochia . . .	xv.	1499
Loeflingia texana, *Hook.*	iii.	275
Loeselia amplectens, *Benth.*	xxvi.	2551
—— *aristata*, G. Don	xxvi.	2552
—— **ciliata,** *Linn.* .	xxvi.	2552
—— **cordifolia,** *Hemsl. & Rose* . .	xxvi.	2551
—— **involucrata,** *G.Don*	xxvi.	2552
Logania campanulata, *R. Br.*	ix.	832
—— *hyssopoides*, Nees	ix.	832
Loiseleuria . .	xi.	1082
Lomaria biformis, *Baker*	xvii.	1643
—— **Colensoi,** *Hook. f.*	vii.	627–8
—— **concinna,** *Baker* .	xvii.	1644
—— *deflexa*, Colenso .	x.	969
—— *deltoides*, Colenso	x.	969
—— fluviatilis, *R. Br.*	x.	960
—— **Fraseri,** *A. Cunn.*	ii.	185
—— *heterophylla*, Colenso	vii.	627–8
—— **lanceolata,** *Spr.* .	v.	429
—— lanceolata . .	x.	960
—— **nigra,** *Colenso* .	x.	960
——***procera,** *Spr.* .	v.	427–8
—— **procera,** var. β, *Hook.*	v.	427–8
—— *rotundifolia*, Raoul	x.	960
—— semicordata, *Baker*	xvii.	1644
—— **vulcanica,** *Bl.* .	x.	969
Lonchocarpus cyanescens, *Benth.* . .	xviii.	1791
Lonchomera leptopoda, *Hook. f. & Thoms.* .	xvi.	1560

	VOL.	PLATE
Longetia . . .	xiii.	1280
Lonicera . . .	xvi.	1534
Lonicera calcarata, *Hemsl.*	xxvii.	2632
—— **diversifolia,** *Wall.*	ix.	807
—— **diversifolia,** var. . *Royleana, Wall.*	ix.	807
—— **Loureiri,** *Bl.* .	ix.	806
—— **Loureiri,** var. *major, Hook.* .	ix.	806
—— **pileata,** *Oliv.* .	xvi.	1585
—— *Royleana,* Wall. .	ix.	807
—— *Xylosteum,* Lour.	ix.	806
Lophacme digitata, *Stapf*	xxvii.	2611
Lophiocarpus . .	xxvii.	2652
Lophiocarpus Burchellii, *Hook. f.* . .	xv.	1463
—— polystachyus .	xv.	1463
—— **tenuissimus,** *Hook. f.*	xv.	1463
Lopholaena Dregeana, *DC.*	xii.	1113
—— **platyphylla,** *Benth.*	xii.	1113
Lophopyxis Maingayi, *Hook. f.* . .	xviii.	1714
Loranthus . . .	ix.	883
	xi.	1005
Loranthus albiflorus, *Hook.* . .	vii.	683
—— **Atkinsonae,** *Benth.*	xiv.	1319
—— **Colensoi,** *Hook. f.*	vii.	633
—— **curviflorus,** *Benth.*	xiv.	1304
—— dichotomus, *Ruiz & Pav.* . .	viii.	743–4
—— grandiflorus, *Ruiz & Pav.* . .	viii.	743–4
—— **Kirkii,** *Oliv.* .	xiv.	1309
—— **lageniflorus,** *Wight*	iii.	229–30
—— **longifolius,** *Hook.*	ix.	880
—— **macranthus,** *Hook.*	viii.	743–4
—— **Mannii,** *Oliv.* .	xiv.	1303
—— **rubroviridis,** *Oliv.*	xv.	1464
—— **Schiedeanus,** *Schlecht.*	iv.	374
—— **stenopetalus,** *Oliv.*	xiii.	1223
—— tetrasepalus, *Linn. f.*	vii.	633
—— undulatus, *E. Mey.*	xiv.	1304
Loropetalum subcordatum, *Oliv.* . .	xv.	1417
Lotononis Wrightii, Harv.	xvi.	1552
Lotus . . .	vii.	661
Lotus *anthylloides* (?), Brunn. . .	viii.	754
—— anthylloides, *Vent.*	viii.	754
—— **Brunneri,** *Webb* .	viii.	754
—— Jacobaeus .	viii.	754
—— macranthus, *Lowe*	viii.	757
—— *portosanctanus,* Webb	viii.	757
—— **purpureus,** *Webb* .	viii.	757
Loureira cuneifolia, Cav.	iv.	357
Luculia . . .	xix.	1823
Lucuma . . .	xxix.	2829
Lucuma Hartii, *Hemsl.*	xxvi.	2565
—— **multiflora,** *A. DC.*	xxv.	2498
—— multiflora, *A. DC.*	xxvi.	2565
—— pauciflora, *A. DC.*	xxv.	2498
Luffa . . .	viii.	799–800
Luffa (?) Batesii, *C. H. Wright* . . .	xxv.	2490
Luina hypoleuca, *Benth.*	xii.	1139
Luisia bicaudata, Thw.	xxii.	2120
—— *uniflora,* Bl. .	xxii.	2127
Lumnitzera rubicunda, Spr.	v.	459
Lupinus arenarius, *Gardn.*	vi.	511
——***attenuatus,** *Gardn.*	vi.	511
—— coriaceus, *Benth.*	vi.	511
——***decurrens,** *Gardn.*	vi.	521
—— **parvifolius,** *Gardn.*	vi.	521
—— velutinus, *Benth.*	vi.	511
Luxemburgia, *A. St.-Hil.*	viii.	711
Luxemburgia ciliosa, *Gardn.*	vi.	516
Luzuriaga radicans, *Ruiz & Pav.* . .	vii.	674
Lychnophora villosissima, *Mart.* . .	xxiii.	2281
Lycium . . .	ix.	823
Lycium fuchsioides, .	viii.	723
—— **quitense,** *Hook.* .	viii.	723
Lycopodium . .	vi.	502
Lycopodium alpinum, *Michon*	i.	85
—— **biforme,** *Hook.* .	iii.	228
—— **casuarinoides,** *Spring,* vars. α, β, δ .	x.	968
—— **casuarinoides,** *var. γ, *Hook.* . .	x.	968
—— cernuum . .	i.	90
—— *comans,* Hook. f..	x.	968
—— **compactum,** *Hook.*	iii.	244
—— *decurrens,* R. Br..	x.	966
—— *filicaule,* Hook. f..	x.	968
—— Haenkii, *Presl* .	x.	966
—— **Jussieui,** *Desv.* .	ii.	186
—— Jussieui, *Desv.* .	x.	996
—— **lepidophyllum,** *Hook. & Grev.*.	ii.	162–3
—— Lessonianum, *A. Rich.*	x.	966
—— *leucolepis,* Jungh.	x.	968
—— **Mathewsii,** *Hook.*	i.	26
—— **pendulinum,** *Hook.*	i.	90
—— Phlegmaria .	vi.	544
—— **pichinchense,** *Hook.*	i.	85
—— *rubellum,* Presl .	x.	968
—— **rufescens,** *Hook.* .	i.	36
—— rufescens, *Hook.*	iii.	244
—— sabinaefolium, *Willd.* (*sphalm.* subinaefolium)	i.	85
—— *Sanguisorba,* Spring	x.	908
—— **scariosum,** *Hook.*	i.	89
—— scariosum, *Forst.*	x.	966

	VOL.	PLATE
Lycopodium scariosum, *Forst.*, var. **decurrens,** *Spring*	x.	966
—— tortum, *Sieb.* .	i.	90
Lygisma angustifolia, *Hook. f.*	xv.	1423
Lygodium Kerstenii, *Kuhn*	xvii.	1698
—— pinnatifidum .	xvii.	1698
—— polystachyum, *Wall.*	xvii.	1698
—— *subalatum,* Bojer	xvii.	1698
Lysicarpus ternifolius, *F. Muell.* . .	xi.	1042
Lysidice rhodostegia, *Hance* . . .	xii.	1192
Lysiloma Sabicu, *Benth.*	xviii.	1722
Lysimachia Christinae, *Hance* . .	xx.	1980
—— **Fordiana,** *Oliv.* .	xx.	1983
—— **grandifolia,** *Hemsl.*	xxv.	2405
—— **Hemsleyana,** *Maxim.*	xx.	1980
—— **insignis,** *Hemsl.* .	xxvii.	2634
—— **paridiformis,** *Franch.*	xx.	1982
—— paridiformis, *Franch.* . .	xx. xxviii.	1983 2707
—— paridiformis, *var.* elliptica, *Franch.*	xx. xxviii.	1982 2707
—— *pardiformis,* var. *stenophylla,* Franch. .	xx. xxviii.	1982 2707
—— **repens,** *D'Urv.* .	vi.	536
—— **rubiginosa,** *Hemsl.*	xx.	1981
—— **trientalioides,** *Hemsl.*	xxviii.	2707
—— umbellifera, *Phil.*	xxv.	2405
Macaranga . . .	xviii.	1703
Macarthuria australis, *Huegel*	v.	408
Macgregoria racemosa, *F. Muell.* . .	xiii.	1230
Machaerium . .	vi.	599
Machilus Thunbergii, *Sieb. & Zucc.* . .	xxvi.	2538
Macleania . . .	iii.	243
Macleania floribunda, *Hook.*	ii.	109
Maclura tricuspidata, Carr. . . .	xviii.	1792
Macowania revoluta, *Oliv.*	xi.	1062
Macphersonia macrophylla, *Oliv.* . .	xxiii.	2243
Macrodiscus . .	xxx.	2933
Macromitrion brachiatum, *Hook. & Wils.*	viii.	746
Macroplethus platyrhynchus, Presl . .	x.	999
Macrostigma australe, *Hook.*	v.	412
—— **varians,** *Stocks* .	ix.	863
Madaraglossa heterotricha, *DC.* . .	iv.	326
Madarosperma Traillianum, *Benth.* .	xiii.	1214
Maesobotrya floribunda, *Benth.* . .	xiii.	1296
—— *Stapfiana,* Beille .	xxx.	2929
Maingaya . . .	xv.	1417 1480
Mairia coriacea, *Bolus*	xxvi.	2541
Majidea zanguebarica, *Kirk*	xi.	1097
Malanthos . .	xxv.	2415
Malaxis *demissa,* Reichb. f.	xviii.	1785
—— *obcordata,* Reichb. f.	xviii.	1783
—— plantaginea .	xix.	1832
—— *recurva,* Reichb. f.	xviii.	1784
—— *Rheedii,* Heyne .	xix.	1832
—— *Rheedii,* Sw. .	xxi.	2002
—— *Scyllae,* Reichb. f.	xviii.	1781
—— *setifera,* Reichb. f.	xviii.	1784
—— *tenuis,* Reichb. f.	xviii.	1779
—— *Wightiana,* Reichb. f.	xviii.	1784
Mallotus . . .	xviii. xxx.	1703 2988
Malvastrum . .	xxiii.	2249
Manettia . . .	xii.	1134
Mangifera gabonensis, Lecomte . .	xiii.	1246
Manglietia Fordiana, *Oliv.*	xx.	1953
Manihot Api, *Pohl* .	vi.	530
—— caricaefolia, *Pohl*	xxix.	2876–7
—— **dichotoma,** *Ule* .	xxix.	2876–7
—— flabellifolia .	vi.	530
—— **Grahami,** *Hook.* .	vi.	530
—— heterophylla, *Pohl*	xxix.	2876–7
—— utilissima, *Pohl* .	vi.	530
Manniophyton .	xiii.	1300
Manniophyton africanum, *Muell.-Arg.* .	xiii.	1267–8
Manulea . . .	xiv.	1318
Mapania . . .	xiii.	1206
Mappia pittosporoides, *Oliv.*	xviii.	1762
Marasmius . . .	ix.	870–1
Marchantia trichocephala, *Hook.* .	ii.	158
Mareya micrantha, *Muell.-Arg.* . .	xiii.	1281
—— spicata, *Baill.* .	xiii.	1281
Marginaria, *Bory & Presl* . . .	x.	952
Marila . . .	xxviii.	2790
Markhamia Hildebrandtii, *Sprague*	xxviii.	2800
—— **lanata,** *K. Schum.*	xxviii.	2800
——*lutea, *Sprague* .	xxviii.	2800
—— **platycalyx,** *Sprague*	xxviii.	2800
——*tomentosa, *Sprayne*	xxviii.	2800
Marsdenia . . .	xii. xv. xv. xxv. xxx.	1190 1425 1436 2453 2980

	VOL.	PLATE
Marsdenia *angustifolia*, Wight . .	xv.	1423
—— **crinita**, *Oliv.* .	xx.	1993
—— **efulensis**, *N. E. Br.*	xxv.	2497
—— Schimperi, *Dcne* .	xx.	1993
Marsilea macropus, *Hook.*	x.	909
Marsipposperma *calyculatum*, Desv.	vi.	533
—— **grandiflorum**, *Hook.*	vi.	533
Marsypianthes . .	v.	458
Marsypianthes hyptoides, *Mart.* .	v.	457
Martensia elegans, *Hering*	vii.	697
Mascarenhasia Curnowiana, *Hemsl.* .	xxiv.	2390
—— **utilis**, *Baker* .	xxiv.	2390
Massonia marginata, *Willd.* . .	xviii.	1727
—— rugulosa, *Lichtenst.*	xviii.	1727
Mastostigma varians, *Stocks* . . .	ix.	863
Matricaria zuurbergensis, *Oliv.* . .	xxiii.	2230
Matsumuria Oldhamii, Hemsl. . . .	xxx.	2936
Mattiola stylosa, *Hochst. & Steud.* .	ix.	808
Mauria simplicifolia, *H. B. K.* . .	vi.	595
Maurocenia Frangularia, Mill. . . .	vi.	552
Mavea judicialis, *Bert.*	xv.	1409
Maxillaria . . .	iv.	313
Maxillaria angustifolia, *Hook.* . .	iv.	348
—— **curtipes**, *Hook.* .	iv.	384
—— **nana**, *Hook.* .	iv.	315
—— rufescens, *Lindl.*.	iv.	384
Mazus . . .	xv.	1438
Mazus pumilio, *R. Br.* (?)	vi.	567
—— **pumilio**, *vars. α, β, R. Br.* .	vi.	567
Meconella oregana, *Nutt.*	iv.	360
Meconopsis glabra, *Benth.*	viii.	732
—— **heterophylla**, *Benth.*	viii.	732
Medicago, *Linn.* .	ix.	840
Medinilla . . .	xxv.	2418
Medinilla alternifolia, *Bl.*	xxv.	2411
—— decurrens, *Cogn.*.	xxv.	2411
——***flagellata**, *Stapf* .	xxv.	2411
—— lorata, *Stapf* .	xxv.	2411
—— **lorata**, *Stapf* .	xxv.	2417
—— robusta, *Cogn.* .	xxv.	2418
—— **serpens**, *Stapf* .	xxv.	2411
—— serpens, *Stapf* .	xxv.	2417
Medinillopsis Beccariana, *Cogn.* .	xxv.	2418
—— sessiliflora, *Cogn.*.	xxv.	2418
Medusagyne oppositifolia, *Baker* .	xiii.	1252
	xxviii.	2790
Megabaria *Klaineanum*, Pierre . .	xxx.	2929
—— *obovatum*, Pierre.	xxx.	2929, 2986
—— Trillesii, *Pierre* .	xxx.	2929
—— *Trillesii*, Pierre .	xxx.	2986
Megacarpaea, *DC.* .	i.	48
Megaphyllaea . .	xix.	1844
Megaphyllaea perakensis, *Hemsl.* . . .	xviii.	1708
Megistostigma malaccense, *Hook. f.* .	xvi.	1592
Meionectes Brownii, *Hook. f.*	iv.	306
Melaleuca lurida, Linn. f.	vi.	569
Melampodium . .	xix.	1825
Melanochyla Beccariana, *Oliv.* . .	xxiv.	2313
—— Beccariana, *var.* breviflora .	xxiv.	2313
—— tomentosa, *Hook. f.*	xiii.	1292–3
Melanodendron integrifolium, *DC.* . .	xi.	1045
Melanophylla crenata, *Baker* . . .	xxv.	2499
Melanorrhoea Curtisii, *Oliv.*	xvi.	1513
Melanoselinum . .	xi.	1032
Melasma, *Berg.* . .	xxx.	2943
Melasma scabrum, *Berg. & Benth.* .	iii.	255
—— (?) **Zeyheri**, *Hook.*	iii.	255
Melhania . . .	xxviii.	2743
Melhania incana, *Heyne*	viii.	753
—— **Leprieurii**, *Webb* .	viii.	753, 755
—— ovata, *Spr.* .	viii.	753
—— velutina, *Forsk.* .	viii.	753
Melia arguta . .	xxviii.	2786
Melicope simplex, *A. Cunn.*	vi.	585
—— simplex, *A. Cunn.*	vii.	603
—— **ternata**, *Forst.* .	vii.	603
Melicytus . . .	viii.	758
Melinis minutiflora, *Beauv.*	xxvii.	2660
—— **tenuissima**, *Stapf*	xxvii.	2660
—— **tenuissima**, var. ***abyssinica**, *Stapf*	xxvii.	2660
Meliosma Henryi, *Diels*	xxix.	2832
—— **Herbertii**, *Rolfe* .	xxiv.	2305
—— oppositifolia, *Griseb.*	xxiv.	2305
—— **squamulata**, *Hance*	xvi.	1598
—— squamulata, *Hance*	xxix.	2832
Mellissia begonifolia, *Hook. f.* . .	xi.	1021
Melocanna virgata, *Munro*	xxiii.	2253
Melodinus coriaceus, *Oliv.*	xviii.	1758
Mendoncia . .	xxv.	2426
Meniscium . .	x.	919

	VOL.	PLATE
Meniscium angustifolium, *Willd.* .	x.	990
—— **salicifolium,** *Wall.*	x.	990
Menodora africana, *Hook.*	vi.	586
—— **heterophylla,** *Moric.*	xv.	1459
Mentha hyptiformis, Lamk	v.	458
Mentzelia . . .	iii.	234
Merimea texana, *Hook.*	iii.	278
Merostachys(?) capitata, *Hook.* . . .	iii.	273–4
Mesembryanthemum Barklyi, *N.E.Br.*	xix.	1820
—— **cryptanthum,** *Hook. f.*	xi.	1034
—— crystallophanes, *Eckl.*	xix.	1820
—— *glabrum,* Ait. .	xx.	1995
—— nodiflorum, *Linn.*	xi.	1034
Mesochlaena, *R. Br.* .	x.	950
Mesoclastes uniflorus, Lindl.	xxii.	2127
Mespilodaphne . .	xxix.	2813
Mespilus *heterophylla,* Ruiz & Pav. .	ix.	846
—— lanuginosa, *Ruiz & Pav.*	ix.	846
—— stipulosa, *H.B.K.*	ix.	846
Metalasia . . .	xxiv.	2352
Metaplexis Hemsleyana, *Oliv.*	xx.	1970
—— Stauntoni . .	xx.	1970
Metastelma . .	xiii.	1214
Metrosideros diffusa, *Sm.*	vi.	569
—— tomentosa . .	vii.	633
Mezoneuron brachycarpum, *Benth.*	xx.	1960
—— **sinense,** *Hemsl.* .	xx.	1960
Mezzettia Herveyana, *Oliv.*	xvi.	1560
Micholitzia obcordata, *N. E. Br.* . .	xxx.	2980
Micraira subulifolia, *F. Muell.* . . .	xiv.	1361
Microcalamus Prainii .	xx.	1969
Microcorys barbata .	xxviii.	2783
—— **Dielsii,** *Hemsl.* .	xxviii.	2783
—— *loganiacea,* F.Muell.	xxviii.	2783
Microdesmis *caseariaefolia, *Planch.* .	viii.	758
—— **puberula,** *Hook. f.*	viii.	758
Microelus Roeperianus, Wight & Arn. . .	ix.	844
Microgynoecium tibeticum, *Hook. f.* .	xx.	1990
Microlaena . .	xxvii.	2605
Micromeria pilosa, *Benth.*	xvi.	1522
Micromyrtus Drummondii, *Benth.*	xxviii.	2780
—— **Erichsenii,** *Hemsl.*	xxviii.	2780
Micronychia madagascariensis, *Oliv.* .	xiv.	1337
Micropora Curtisii, *Hook. f.* . .	xvi.	1547
Microsperma lobata, *Hook.*	iii.	234
Microstephanus cernuus, *N. E. Br.* . .	xxx.	2994
Microstylis acutangula, *Hook. f.* . .	xix.	1835
—— crenulata, *Ridl.* .	xix.	1830
—— **furcata,** *Hook. f.*	xix.	1827
—— **khasiana,** *Hook.f.*	xix.	1831
—— **lancifolia,** *Thw.* .	xix.	1830
—— *luteola,* Hook. f. & Thoms. . .	xix.	1833
—— luteola, *Wight* .	xix.	1830
—— **Maingayi,** *Hook. f.*	xix.	1826
—— **Maingayi,** *var. (?) **Kunstleri,** *Hook. f.* . .	xix.	1826
—— **micrantha,** *Hook.f.*	xix.	1834
—— **parvula,** *Hook. f.*	xix.	1827
—— plantaginea, *Steud.*	xix. 1835; xxi. 2002	
—— **polyodon,** *Hook. f.*	xxi.	2002
—— *pratensis,* Ridl. .	xix.	1830
—— Rheedii . .	xix.	1826, 1833
—— Rheedii, *Lindl.* .	xix. 1835; xxi. 2002	
—— *Rheedii,* Reichb. f.	xxi.	2002
—— Rheedii, *Wight* .	xix.	1830
—— **Rheedii,** *Wight* .	xix.	1832
—— **Scottii,** *Hook. f.* .	xxi.	2001
—— Stocksii, *Hook. f.*	xix.	1830
—— **Stocksii,** *Hook. f.*	xix.	1833
—— *versicolor,* Lindl. .	xix.	1830, 1832
—— versicolor, *Wight.*	xix.	1830
—— versicolor, *var.* lutea	xix.	1833
—— Wallichii, *Lindl.* .	xix.	1831
Microtoena cymosa, *Prain*	xix.	1872
Microula . . .	xxiii.	2255
Microula Benthami, *Clarke*	xxiii.	2257
—— *Benthami,* Clarke	xxvi.	2562
—— sikkimensis, *Hemsl.* . .	xxvi.	2562
—— tangutica, *Maxim.*	xxvi.	2562
—— **tibetica,** *Maxim.* .	xxvi.	2562
Mida eucalyptoides, A. Cunn.	vi.	563
—— *myrtifolia,* A. Cunn.	vi.	563
—— *salicifolia,* A. Cunn.	vi.	563, 575
Mikania arborea, Roxb.	xi.	1054
Milium . . .	xx.	1991
—— *Treutleri,* Kuntze	xxiv.	2395–6
Milleria . . .	xii.	1102
Milletia macrophylla, *Benth.* . .	viii.	788–9
—— **pachycarpa,** *Benth.*	xxviii.	2738
Milligania cordifolia, *Hook. f.*	iii.	299
Mimosa bahamensis, *Benth.*	xix.	1802
—— **floribunda,** *H.B.K.*	iv.	373

	VOL.	PLATE
Mimosa involucrata, *Benth.*	xiii.	1207
—— *octandra*, Roxb. .	ii.	156
—— *Rottleri*, Spr. .	ii.	156
—— **rubricaulis**, *Lamk*	ii.	156
—— *Willdenovii*, Poir.	iv.	373
Mimusops (?) Horneana, Hartog . . .	xv.	1473
Mirabilis . . .	vii.	651
Misandra magellanica, Gaud.	v.	489–90
Misanteca anacardioides, *Benth.* . .	xiii.	1259
——***capitata**, *Cham. & Schlecht.* . .	xiii.	1259
——***crassiramea**, *Benth.*	xiii.	1259
——***cubensis**, *Benth.* .	xiii.	1259
Mitchella pilosa, Benth.	xii.	1123
Mitrasacme . .	xii.	1146
Mitremyces lutescens .	ix.	869
—— **viridis**, *Berk.* .	ix.	869
Mitreola oldenlandioides, *Wall.* . .	ix.	827
—— oldenlandioides, *Wall.*	ix.	828
—— paniculata, *Wall.*	ix.	827
—— **paniculata**, *Wall.* .	ix.	828
Mitrephora macrophylla, *Oliv.* . . .	xvi.	1562
Mnasium sphaerocephalum, Rudge . .	xv.	1407
Mniarum biflorum, *Forst.*	iii.	283
—— **fasciculatum**, *R. Br.*	iii.	283
Mnium ramosum, *Hook.*	i.	20/2
—— **rhynchophorum**, *Hook.*	i.	20/3
Mocanera canariensis, Juss.	iii.	253
Modecca . . .	xxiii.	2270
Modecca aculeata, *Oliv.*	xiv.	1317
Moehringia . .	xxx.	2944
Mohria	x.	903
Mohria caffrorum, *Desv.*	xvii.	1696
—— **vestita**, *Baker* .	xvii.	1696
Molina ferruginea, Ruiz & Pav. . . .	viii.	750
Momordica . . .	xi.	1084
	xxiii.	2223
—— *monadelpha*, Roxb.	ii.	138
Monacanthus discolor .	ii.	177
—— viridis . .	ii.	177
Monachyron villosum, Parl.	xxiv.	2374
Monadelphanthus .	xii.	1150
Monadenium coccineum, *Pax* . .	xxvii.	2666
—— **echinulatum**, *Stapf*	xxvii.	2666
—— **laeve**, *Stapf* .	xxvii.	2666
Monizia . . .	xi.	1032
Monochilus affinis, Lindl.	xxii.	2177
—— *flavus*, Wall. .	xxii.	2176
—— *galeatus*, Lindl. .	xxii.	2172
—— *nervosus*, Wall. .	xxii.	2175
—— *regius*, Lindl. .	xxii.	2174

	VOL.	PLATE
Monococcus echinophorus, *F. Muell.* .	xi.	1077
Monolopia major, *DC.* .	iv.	344
—— major, *DC.* .	iv.	343
—— **minor**, *DC.* .	iv.	343
—— minor, *DC.* .	iv.	344
Monopyle . . .	xii.	1199
Monopyle *leucantha, *Moritzi*	xii.	1198
——***macrocarpa**, *Benth.*	xii.	1198
—— **macrocarpa**, var. **isophylla**, *Benth.*	xii.	1198
——***macrophylla**, *Benth.*	xii.	1198
——***paniculata**, *Benth.*	xii.	1198
——***racemosa**, *Benth.* .	xii.	1198
——***subsessilis**, *Benth.*	xii.	1198
Monothylaceum Gordoni, Don . . .	xx.	1905
Montia fontana . .	vi.	535
Moquilea platypus, *Hemsl.* . . .	xxvii.	2618–9
Morina betonicoides, *Benth.* . . .	xii.	1171
Moringa aptera, *Gaertn.*	xxvi.	2596
—— **concanensis**, *Nimmo* . .	xxvi.	2596
—— **pterygosperma**, *Gaertn.* . .	xxvi.	2596
Moschosma . .	v.	456, 462
Moseleya pinnata, *Hemsl.*	xxvi.	2592
Mostuea surinamensis, *Benth.* . .	xii.	1196
—— Thomsoni, *Oliv.* .	xii.	1196
Motandra guineensis, *A. DC.*	xii.	1185
Mouriria	xi.	1022
	xxiv.	2351
Mouriria arborea, *Gardn.*	vi.	515
Mozinna *spathulata, *Ort.*	iv.	357
—— **spathulata**, var. **sessiliflora**, *Benth.*	iv.	357
Munroa squarrosa, *Torr.*	xiv.	1372
Munronia pumila, *Wight*	xviii.	1709
—— **unifoliolata**, *Oliv.*	xviii.	1709
Murtonia Kerrii, *Craib*	xxx.	2979
Musa Livingstoniana, *Kirk* . .	xviii.	1777
—— **proboscidea**, *Oliv.*	xviii.	1777
Musanga Smithii, *R. Br.*	xiv.	1306–7
MUSCI INDICI . .	i.	17–24
Mussaenda mutabilis, *Hemsl.*	xviii.	1718
Mussaendopsis Beccariana, *Baill.* . .	xxiv.	2388
Myanthus . . .	ii.	177
Myosotidium nobile, *Hook.*	xx.	1942
Myrica Faya . .	iii.	253
Myriophyllum variaefolium, *Hook. f.* .	iii.	289

	VOL.	PLATE
Myristica Horsfieldii .	xiii.	1261–2
—— Irya, *Gaertn.* .	xiii.	1261
—— **Mannii,** *Benth.* .	xiii.	1262
—— **microcephala,** *Benth.*	xiii.	1261
—— microcephala, *Benth.*	xiii.	1262
—— **Sagotiana,** *Benth.*	xiii.	1260
Myristicea, Wall. .	xviii.	1707
Myrmechis, *Bl.* . .	xxii.	2162
—— glabra, *Bl.* . .	xxii.	2161
Myrodia . . .	xii.	1119
Myrsine bifaria, *Wall.*	ix.	825
—— *ciliata,* H. B. K.	ix.	877
—— dependens, *Spr. & DC.*	ix.	877
—— **Myrtillus,** *Hook.* .	ix.	825
—— **myrtoides,** *Hook.*	ix.	877
—— Urvillei . .	xii.	1120
Myrtilloides cinerascens, Banks & Soland. .	vii.	639
Myrtus . . .	ix.	877
Myrtus bullata, *Soland.*	vi.	557
—— **flavida,** *Stapf* .	xxiii.	2290
—— Metrosideros, *Baill.*	xxiii.	2290
—— microphylla, *H.B.K.*	xxiii.	2290
—— myricoides, *H. B. K.*	xxiii.	2290
—— **pedunculata,** *Hook.f.*	vii.	629
—— rufopunctatus, *Brongn. & Gris.*	xxiii.	2290
Nanolirion capense, *Benth.*	xviii.	1726
Napoleona Heudelotii	viii.	799–800
—— imperialis . .	viii.	799–800
—— **Vogelii,** *Hook. & Planch.* . .	viii.	799–800
Nasturtium . .	xix.	1818
Nasturtium Henryi, *Oliv.*	xviii.	1719
Nastus . . .	xxiii.	2253
—— *tessellatus,* Nees .	xxx.	2930
Natalia paullinioides, *Planch.* . . .	viii.	780
Natsiatum herpeticum, *Ham.* . .	xix.	1900
—— **sinense,** *Oliv.* .	xix.	1900
Nauclea . . .	xxiv.	2386
Nauclea africana, *DC.*	viii.	787
—— africana, *Willd.* .	viii.	787
—— **platanocarpa,** *Hook.f.*	viii.	787
—— **sinensis,** *Oliv.* .	xx.	1956
Neaea . . .	xv.	1401
Necepsia Afzelii, *Prain*	xxx.	2987
Neckera blanda, *Harv.*	i.	22/1
—— **cordata,** *Hook.* .	i.	22/2
—— **crenulata,** *Harv.* .	i.	21/6
—— **fimbriata,** *Harv.* .	i.	21/4
—— **flexuosa,** *Harv.* .	i.	21/3
—— **lancifolia,** *Harv.* .	i.	21/5
—— **squamosa,** *Hook.* .	i.	22/3
—— **subseriata,** *Hook.* .	i.	21/7
Nectandra . . .	xxx.	2938
Nectaropetalum Kaessneri, *Engl.* . .	xxix.	2840
Nectris aquatica, Nutt.	vii.	642
—— *peltata,* Pursh .	vii.	642
Neesia, *Bl.* . .	xii.	1119
Neillia opulifolia, *Don* .	xvi.	1540
—— **sinensis,** *Oliv.* .	xvi.	1540
—— thyrsiflora, *Don* .	xvi.	1540
Nematostylis *anthophylla,* Baill. . . .	xxiii.	2272
—— **loranthoides,** *Hook.f.*	xxiii.	2272
Nemesia Bodkinii, *Bolus*	xxvi.	2502
—— strumosa, *Benth.* .	xxvi.	2502
Neoboutonia, *Muell.-Arg.*	xxx.	2987
Neoboutonia africana, *Muell.-Arg.* .	xiii.	1298–9
—— Mannii, *Benth.* .	xiii.	1298–9
Neodregea Glassii, *C. H. Wright* . . .	xxx.	2931
Neogoezia gracilipes, *Hemsl.* . .	xxv.	2424
—— minor, *Hemsl.* .	xxv.	2424
—— **minor,** *Hemsl.* .	xxv.	2425
Neoschimpera heterophylla, *Hemsl.* .	xxix.	2810
Neottopteris, *J. Sm.* .	x.	928
—— Phyllitidis, *J.Sm.*	x.	925
—— stipitata, *J.Sm.* .	x.	925
Nepenthes . .	xv.	1440
Nepenthes Lowii, *Hook.f.*	xxix.	2814–5
—— **Macfarlanei,** *Hemsl.*	xxix.	2814–5
—— **villosa,** *Hook.f.* .	ix.	888
Nepeta decolorans, *Hemsl.*	xxv.	2470
—— pharica, *Prain* .	xxv.	2470
Nephelaphyllum .	xxx.	2945
Nephelochloa orientalis, *Boiss.* . . .	xiv.	1369
Nephrodium . .	x.	924, 950
Nephrodium acrostichoides, *J. Sm.*.	x.	919
—— **Bakeri,** *Harringt.* .	xvii.	1664
—— *Blumei,* J. Sm. .	x.	920
—— **Buchanani,** *Baker*	xvii.	1662
—— calcaratum, *Hook.*	xvii.	1661
—— chrysoloburn .	xvii.	1660
—— cuspidatum, *Baker*	xvii.	1659
—— decipiens . .	xvii.	1659
—— decompositum .	xvii.	1608
—— **Dickinsii,** *Baker* .	xvii.	1659
—— *eximium,* Cordemoy	xvii.	1662
—— **hederaefolium,** *Baker* . .	xvii.	1665
—— hirtipes, *Hook.* .	xvii.	1659
—— inaequale, *Hook.* .	xvii.	1662
—— **longicaudatum,** *Baker*	xvii.	1658
—— **magnum,** *Baker* .	xvii.	1663

	VOL.	PLATE
Nephrodium Pica, *Baker*	xvii.	1665
—— **Prenticei,** *Baker* .	xvii.	1661
—— pulviniferum, *Baker*	xvii.	1662
—— scolopendrioides, *Hook.* . .	xvii.	1664
—— *simplicifolium*, J. Sm.	x.	919
—— **subcrenulatum,** *Baker*	xvii.	1660
—— **tripartitum,** *Baker*	xvii.	1666
—— unitum, *Schott* .	x.	922
—— variolosum, *Baker*	xvii.	1666
—— villosum, *Presl* .	xvii.	1663
Nephrolepis . .	iv.	395–6
—— *abrupta*, Mett. .	xvii.	1604
Neriacanthus Purdieanus, *Benth.*	xii.	1200
Nertera	xii.	1123
Nesaea salicifolia, H. B. K.	v.	554
Nesiota elliptica, *Hook. f.*	xi.	1052
Nesogenes	xxvii.	2685
Nestlera	xii.	1109
Nestlera corymbosa, *Bolus*	xxiv.	2324
—— Dregeana, *Harv.*	xxiii.	2228
—— humilis . .	xxiii.	2231
Neuracanthus *Lawii*, Wight	xi.	835
—— **sphaerostachys,** *Dalz.*	ix.	835
—— tetragonostachys.	ix.	835
Neurachne alopecuroidea, *R. Br.* .	xiii.	1239
—— **alopecuroidea,** *R. Br.*	xiii.	1241
—— **Mitchelliana,** *F. Muell.*	xiii.	1240
—— **Munroi,** *F. Muell.*	xiii.	1239
—— *paradoxa*, R. Br.	xiii.	1243–4
Neurada procumbens, *Linn.*	ix.	840
Neurocallis, *Fée* .	x.	933
Neurocalyx . .	xii.	1134
Neurocalyx sp. (?), *Hook.*	xi.	1048
—— **zeylanicus,** *Hook.*	ii.	174
Neuropeltis . .	xxiii.	2276
Neuwiedia . .	xxx.	2989
Neuwiedia Griffithii .	xx.	1987
—— **veratrifolia,** *Bl.* .	xx.	1987
Nicodemia Baroniana, *Oliv.*	xxiii.	2238
Niebuhria *arenaria*, DC.	ii.	127
—— **linearis,** *Wight & Arn.* . .	ii.	124
—— *oblongifolia*, DC..	ii.	127
—— **oblongifolia,** *Wight & Arn.* . .	ii.	127
—— **oblongifolia,** *vars. α, β, γ, Wight* .	ii.	127
—— **Woodii,** *Oliv.* .	xiv.	1386
Nigrina viscosa, Linn..	iii.	255
Nimmonia floribunda, Wight	x.	826
Niota lucida, *Wall.* .	i.	7
—— *pentapetala*, Poir.	i.	7
—— *tetrapetala*, Wall.	i.	7
Niphobolus albicans, *Bl.*	iii.	203
Niphobolus costatus, *Wall.*	iii.	203
—— **penangianus,** *Hook.*	iii.	203
Nissolia fruticosa, *Jacq.*	vi.	599
—— *hirsuta*, DC. .	vi.	599
—— *racemosa*, DC. .	vi.	599
Nitophyllum . .	vii.	697
Nomaphila pinnatifida, *Dalz.*	ix.	843
Normandia neocaledonica, *Hook. f.* .	xii.	1121
Noronhia Broomeana, *Horne*	xiv.	1365
Northea seychellana, *Hook. f.*	xv.	1473
Notholaena (*sphalm.* Nothochlaena) .	x.	904
Notholaena affinis, *Hook.*	xvii.	1678
—— Aschenborniana, *Klotzsch* .	xvii.	1677
—— **Balansae,** *Baker* .	xvii.	1677
—— *candida*, var. *quinquefido-palmata*, Hook. f. .	xvii.	1679
—— **chinensis,** *Baker* .	xvii.	1676
—— **distans,** *R. Br.* .	x.	980
—— *eriophora*, Fée .	x.	991
—— **Hookeri,** *Eaton* .	xvii.	1679
—— Marantae, *R. Br.*	xvii.	1676
—— **Palmeri,** *Baker* .	xvii.	1678
Nothosmyrnium japonicum, *Miq.* . .	xx.	1958
Notobuxus, *Oliv.* .	xvi.	1518
Notobuxus natalensis, *Oliv.*	xiv.	1400
Notochaete hamosa, *Benth.*	xiii.	1217
Notonerium . .	xii.	1181
Notonerium Gossei, *Benth.*	xii.	1180
Notonia, *Wight & Arn.*	ii.	144
Notopora Schomburgkii, *Hook. f.* . .	xii.	1159
Notosceptrum natalense, *Baker* . . .	xxvi.	2523
Notothixos malayanus, *Oliv.*	xvi.	1519
—— subaureus, *Oliv.* .	xvi.	1519
Notothlaspi . .	xi.	1009
Nuttallia . . .	xiii.	1255
Nuytsia ligustrina, A. Cunn . . .	xiv.	1319
Nyssa . . .	xx.	1961
Nyssa sinensis, *Oliv.* .	xx.	1964
Oakesia Conradi, *Tuck.*	vi.	531
Obbea timonioides, *Hook. f.*	xi.	1070
Oberonia . . .	xxi.	2084
Oberonia anceps, *Lindl.*	xxiv.	2318
—— angustifolia .	xxi.	2003
—— *Arnottiana*, Wight	xviii.	1784
—— **biaurita,** *Hook. f.*	xxiv.	2317
—— *Browniana*, Thw.	xviii.	1782
—— caulescens . .	xxi.	2003

	VOL.	PLATE
Oberonia ciliolata, *Hook. f*	xxiv.	2318
—— **Clarkei,** *Hook. f.*	xviii.	1779
—— **demissa,** *Lindl.*	xviii.	1785
—— **Falconeri,** *Hook. f.*	xviii.	1780
—— **forcipata,** *Lindl.*, var. . .	xviii.	1782
—— Griffithiana .	xxi.	2004
—— **Helferi,** *Hook. f.*	xviii.	1785
—— **insectifera,** *Hook.f.*	xxi.	2004
—— *iridifolia,* Wall.	xviii.	1780
—— *longibracteata,* Thw.	xviii.	1782
—— **Mannii,** *Hook. f.*	xxi.	2003
—— **Myosurus,** *Lindl.*	xviii.	1786
—— **obcordata,** *Lindl.*	xviii.	1783
—— obcordata, *Reichb. f.*	xviii.	1786
—— pyrulifera . .	xviii.	1780
—— **recurva,** *Lindl.* .	xviii.	1784
—— recurva, *Lindl.* .	xxi.	2003, 2005
—— **rosea,** *Hook. f.* .	xxi.	2005
—— **Scyllae,** *Lindl.* .	xviii.	1781
—— *setifera,* Lindl. .	xviii.	1784
—— *stachyoides,* A. Rich.	xviii.	1784
—— **tenuis,** *Lindl.* .	xviii.	1779
—— **Treutleri,** *Hook. f.*	xviii.	1786
—— **Wightiana,** *Lindl.*, var. . .	xviii.	1784
—— **zeylanica,** *Hook. f.*	xviii.	1782
Obesia, *Haw.* . .	xx.	Suppl.
—— *decora* (?), Haw. .	xx.	1924
Ochanostachys amentacea, *Mast.* .	xxvii.	2689
—— *bancana,* Valeton	xxvii.	2689
Ochlogramma, *Presl* .	x.	939–40
Ochna	viii.	709
	,,	712
	xi.	1096
Ochna pulchrum, *Hook.*	vi.	588
Ochthocharis, *Bl.* .	xxv.	2420
—— *parviflora,* Cogn. .	xxiv.	2311
Ochtocosmus africanus, *Hook. f.* . .	viii.	773
—— roraimae, *Benth.*	viii.	773
Ocimum	v.	459, 462
Ocimum bracteosum, *Benth.*	v.	455
—— *capitatum,* Roth	v.	456
—— *capitellatum,* Linn.	v.	456
—— *ternifolium,* Spr.	v.	460
—— **tomentosum,** *Oliv.*	xvi.	1529
Ocotea usambarensis, *Engl.*	xxx.	2934
—— *Zenkeri,* Engl. .	xxx.	2938
Octarrhena, Thw. .	xxi.	2084
Octomeria excavata, Wall.	xix.	1846
Odontochilus . .	xxii.	2160
Odontochilus brevistylis, *Hook. f.* . .	xxii.	2166
—— **calcaratus,** *Hook. f.*	xxii.	2162
Odontochilus Clarkei, *Hook. f.* . .	xxii.	2168
—— **crispus,** *Hook. f.* .	xxii.	2164
—— crispus, *Hook. f.*	xxii.	2166
—— **Elwesii,** *Clarke* .	xxii.	2167
—— **macranthus,** *Hook. f.*	xxii.	2161
—— **pectinatus,** *Hook.f.*	xxii.	2165
—— **pumilus,** *Hook. f.*	xxii.	2163
Odontospermum aquaticum, *Sch.-Bip.*	xxvi.	2583
—— **pygmaeum,** *O. Hoffm.*	xxvi.	2583
Oenothera alyssoides, *Hook. & Arn.* .	iv.	339
—— dentata, *Cav.* .	iv.	339
—— **graciliflora,** *Hook. & Arn.* . .	iv.	338
Oianthus Beddomei, *Hook. f.*	xv.	1466
—— **urceolatus,** *Benth.*	xii.	1191
Oldenburgia arbuscula, *DC.* . .	xviii.	1723
—— **papionum,** *DC.* .	xviii.	1723
Oldenlandia . .	xii.	1146
Olearia (?) grandiflora, *Hook.*	ix.	862
——*(?)**pannosa,** *Hook.*	ix.	862
Oligobotrya Henryi, *Baker*	xvi.	1537
Oligocarpus acanthospermus, *Bolus* .	xvi.	1535
Oligogyne Burchellii, *Hook.*	ii.	101
Olisbea rhizophoraefolia, *DC.* . .	vi.	515
Olivaea tricuspis, *Sch.-Bip.*	xii.	1103
Omphacomeria acerba, *A. DC.* . . .	xii.	1172
Omphalea diandra, *Linn.*	xxvi.	2537
—— **megacarpa,** *Hemsl.*	xxvi.	2537
Omphalodes . .	xxiii.	2256
—— trichocarpa, *Maxim.*	xxiii.	2255
Oncinotis gracilis, *Stapf*	xxiv.	2346
—— **hirta,** *Oliv.* .	xiii.	1232
—— hirta, *Oliv.* .	xxiv.	2346
Oncoba lasiocalyx, *Oliv.*	xv.	1485
—— stipulata, *Oliv.* .	xv.	1485
Ondetia linearis, *Benth.*	xii.	1112
Ononis Thomsoni, *Ball*	xix.	1829
Onoseris brevifolia, Don	vi.	501
Onosma burmanicum, *Coll. & Hemsl.*	xxvii.	2639
—— **exsertum,** *Hemsl.*	xxvii.	2639
—— paniculatum, *Bur. & Franch.* .	xxvii.	2639
Onychium melanolepis, *Dcne.*	x.	902
Ophiocaryon paradoxum, *Schomb.* .	xvi.	1594
Ophioglossum *acuminatum,* Houtt. .	iv.	395–6
—— **Bergianum,** *Schlecht.*	iii.	263
—— Bergianum, *Schlecht.*	x.	908
—— **intermedium,** *Hook.*	x.	995

	VOL.	PLATE
Ophioglossum palmatum, *Plum.*	i.	4
—— pendulum . .	x.	995
Ophiopogon clavatus, *Wright* . .	xxiv.	2382
—— dracaenoides, *Hook.f.*	xxiv.	2382
Ophiorhiza . .	xii.	1151
—— (?) *geminata,* Wall.	xi.	1049
Opisthocentra clidemioides, *Hook. f.*	xi.	1094
Oplotheca, *Nutt.* .	iii.	251
Oplotheca floridana, *Nutt.*	iii.	256
——***gracilis,** *Hook.* .	iii.	256
Orbea, Haw. . .	xx.	Suppl.
—— *anguinea,* Haw. .	xx.	1907
—— *bufonia,* Haw. .	xx.	1907
—— *Curtisii,* Haw. .	xx.	1907
—— *inodora,* Haw. .	xx.	1907
—— *picta,* Haw. .	xx.	1907
—— *variegata,* Haw. .	xx.	1907
—— *Woodfordiana* (?),Haw.	xx.	1907
Orchipeda . . .	xxviii.	2764
Orchis . . .	xxiv.	2321
Orchis Chusua, *Don* .	xxii.	2197
—— **spathulata,** *Reichb. f.* .	xxii.	2197
—— **Stracheyi,** *Hook. f.*	xxii.	2197
Oreacanthus Mannii, *Benth.*	xiii.	1211
Oreocharis . . .	xxiii.	2254
Oreocharis Benthami, *Clarke*	xx.	1944
—— **Henryana,** *Oliv.* .	xx.	1944
Oreodaphne (?) *crassiramea,* Meissn. . . .	xiii.	1259
Oreomyrrhis *gracilipes,* Hemsl. . .	xxv.	2424
—— **linearis,** *Hemsl.* .	xxvi.	2590
Oreosolen unguiculatus, *Hemsl.* . .	xxv.	2467
—— **Wattii,** *Hook. f.* .	xxiii.	2271
—— Wattii, *Hook. f.* .	xxv.	2467
Ormosia Fordiana, *Oliv.*	xxv.	2422
Ornithoglossum . .	xxx.	2931
Orobanche, *Thunb.* .	ii.	118
	vii.	626
—— *capensis,* Thunb..	iv.	400
—— squamosa, *Thunb.*	iv.	400
—— *squamosa,* Thunb.	v.	401
—— *uitenhagensis,*Eckl.	iv.	351
Orobanchea, Stocks .	ix.	836
Oroxylum indicum, *Vent.* . .	xxviii.	2728
Orthaea cordata, *Oliv.*.	xxv.	2412
Orthodon'ium lineare, *Schwaegr.* .	viii.	739
—— **sulcatum,** *Hook.& Wils.*	viii.	739
Orthosiphon linearis, *Benth.*	xiii.	1274
—— **rubicundus,** *Benth.*	v.	459
—— *spicatus,* Benth. .	xiii.	1215
Oryzopsis . . .	xx.	1991
Oryzopsis asperifolia, *Michx* . .	xxiv.	2393
—— **obtusa,** *Stapf* .	xxiv.	2393
Osbornia octodonta, *F. Muell.* . . .	xi.	1041
Osmites . . .	xxvi.	2558
Osmunda . . .	iv.	387–8
Osmunda javanica, *Bl.*	i.	15
—— *procera,* Forst. .	v.	427–8
—— *trifida,* Jacq. .	x.	905
—— **Vachellii,** *Hook.* .	i.	15
Osteomeles anthyllidifolia, *Lindl.* .	xxvii.	2644
—— ferruginea, *Humb.*	ix.	846
—— *glabrata,* H. B. K.	ix.	846
—— latifolia, *H. B. K.*	ix.	846
—— **subrotunda,** *C. Koch*	xxvii.	2644
Osteospermum tanacetifolium, *MacOwan* .	xix.	1839
Ostryoderris gabonica, *Dunn* . .	xxx.	2978
—— **leucobotrya,** *Dunn*	xxx.	2978
Osyridocarpus natalensis, *A. DC.* .	xv.	1443
—— **Schimperianus,** *A.DC.*	xv.	1443
Othonna . . .	xv.	1456
Othonna amplexicaulis, *Thunb.* . .	xv.	1483
—— **carnosa,** *Less.,* var. **discoidea,** *Oliv.*	xviii.	1713
Othonnopsis . .	xv.	1456
Otiophora cupheoides, *N. E. Br.* . .	xv.	1453
Otopappus verbesinoides, *Benth.* . . .	xii.	1153
Ourisia, *Comm.*. .	vi.	567
Ourisia integrifolia .	vi.	545–6
—— **macrophylla,** *Hook.*	vi.	545–6
—— nepalensis, *Benth.*	vi.	545–6
Oxalis . . .	xx.	Suppl.
Oxalis Barrellieri, *Jacq.*	iv.	361
—— **cataractae,** *A. Cunn*	v.	418
—— **cratensis,** *Hook.* .	iv.	361
—— **enneaphylla,** *Cav.*	v.	494
—— **enneaphylla,** var. ***pumila,** *Hook.*	v.	494
—— insipida, *St.-Hil.*.	xiii.	1226
—— **lotoides,** *H. B. K.*	vii.	661
—— **noronhae,** *Oliv.* .	xiii.	1226
—— *pumila,* Gaud. .	v.	494
Oxandra, *A. Rich.* .	viii.	767
Oxyanthera decurva, *Hook. f.* . .	xxii.	2157
—— **elata,** *Hook. f.* .	xxii.	2156
—— micrantha, *Brongn.*	xxii.	2157
Oxyanthus formosus, *Hook. f.* . .	viii.	785–6
Oxygonium . .	x.	937

	VOL.	PLATE
Oxygonium elegans, J. Sm.	x.	939–40
—— *ovatum*, Presl .	x.	936
Oxygonum alatum, *Burch.*	xiv.	1321
Oxylaena . . .	xii.	1109
Oxylobium batillum, *Hook.*	vii.	612
Oxymitra macrantha, *Hemsl.* . . .	xxiv.	2399, 2400
Oxyria elatior, *R. Br.* .	v.	483
—— reniformis, *Hook.*	v.	483
Oxystelma . .	ix.	838
	xxv.	2451
Pachira aquatica, *Aubl.*	xviii.	1720
Pachycarpus gomphocarpoides, E. Mey. .	xxviii.	2744
Pachycladon novaezelandiae, *Hook. f.* .	xi.	1009
Pachylobus edulis, *G. Don*	xxvi.	2566–7
—— *Saphu*, Engl. .	xxvi.	2566–7
Pachyphyllum distichum, *Humb. & Kunth*	ii.	117
—— **parvifolium**, *Lindl.*	ii.	117
Pachyptera dasyantha, DC. . .	xxviii.	2771–2
—— *umbelliformis*, DC.	xxviii.	2771–2
Pachyrrhizus angulatus, *Rich.* . .	xix.	1842
—— angulatus, *Rich.* .	xix.	1843
—— **tuberosus**, *Spr.* .	xix.	1843
Pachystigma pteleoides, *Hook.* . . .	vii.	698–9
Paederota axillaris, Sieb. & Zucc. . .	xxvii.	2669–70
Paepalanthus . .	vi.	528
Paepalanthus *albidus, *Gardn.* . .	vi.	525
—— **bahiensis**, *Kunth*	vi.	527
—— **compactus**, *Gardn.*	vi.	527
—— **distichophyllus**, *Mart.*	vi.	510
—— **flaccidus**, *Kunth* .	vi.	526
—— **laricifolius**, *Gardn.*	vi.	524
—— Maximiliana, *Kunth*	vi.	512
—— **rupestris**, *Gardn.*.	vi.	525
—— **speciosus**, *Gardn.*	vi.	512
—— **uncinatus**, *Gardn.*	vi.	523
Palafoxia texana, *Hook.*	ii.	148
Palmeria scandens, *F. Muell.* . . .	xiii.	1263
Panaetia, *Cass.* . .	ix.	856
Panax cissiflorus, *Baker*	xvi.	1574
—— *Gerrardi*, Harv. .	xv.	1454
Pandanophyllum .	xiii.	1206
Pandanus . .	v.	434
	xxvi.	2584
Pandanus Cominsii, *Hemsl.* . . .	xxvii.	2654
Panicum . . .	xxiv.	2374
	xxx.	2927
Panicum Crus-galli, *Linn.*	xxvii.	2698
—— **phyllopogon**, *Stapf*	xxvii.	2698
—— *pseudoneurachne*, F. Muell. .	xiii.	1243–4
Panisea . . .	xxii.	2110
Panus . . .	ix.	869
Papaver Rhoeas . .	xxviii.	2786
Pappea, *Sond. & Harv.*	xiii.	1231
Pappea capensis, *Eckl. & Zeyh.* . .	iv.	352
Pappophorum . .	xxx.	2949
Paradisea minor, C. H. Wright . . .	xxviii.	2734
Paradombeya burmanica, *Stapf* . .	xxviii.	2743
—— burmanica, *Stapf*	xxviii.	2743
—— **sinensis**, *Dunn* .	xxviii.	2743
Paragonia pyramidata, *Bur.* . . .	xxviii.	2771–2
—— **pyramidata**, var. ***tomentosa**, *Bur. & K. Schum.* .	xxviii.	2771–2
Parameria densiflora, *Oliv.*	xvi.	1520
—— glandulifera, *Benth. & Hook. f.* .	xx.	1950
Parapanax, *Miq.* .	xxix.	2821
Parapodium costatum, *E. Mey.* . .	xxviii.	2744
—— **crispum**, *N. E. Br.*	xxviii.	2744
Paratropia, *DC.* .	xxix.	2821
Parinarium capense, *Harv.* . .	xiii.	1233
Parivoa grandiflora, Aubl.	xx.	1955
Parmentiera, Benth. & Hook. f. . .	xxx.	2943
Parnassia Faberi, *Oliv.*	xviii.	1778
Paronychia argentea, *Lamk*	viii.	756
—— **illecebroides**, *Webb*	viii.	756
—— polygonifolia, *DC.*	viii.	756
Paropsia . . .	xiii.	1247
Parthenium argentatum, *A. Gray* . .	xxx.	2998
—— incanum, *H. B. K.*	xxx.	2998
Parvatia, *Dcne* .	xxix.	2846
Parvatia Brunoniana, *Dcne* . .	xxviii.	2712
—— *Brunoniana*, Dcne	xxix.	2843
—— *chinensis*, Franch.	xxix.	2842
—— **decora**, *Dunn* .	xxviii.	2712
Paspalum . . .	xxx.	2927
Paspalum Burchellii, *Munro*	xi.	1100
—— falciferum, *Trin.*	xi.	1100
—— Gardneriarum, *Nees*	xi.	1100
Passerina . . .	xiii.	1264
Passiflora . . .	xxiv.	2307
Passiflora cirriflora, *Juss.*	xxiii.	2270
—— **cupiformis**, *Mast.*	xviii.	1768
—— cupuliformis, *Mast.*	xxvii.	2623

	VOL.	PLATE
Passiflora *Franchetiana, *Hemsl.* . .	xxvii.	2623
—— **fuchsiiflora,** *Hemsl.*	xxvi.	2553
—— **Henryi,** *Hemsl.* .	xxvii.	2623
—— **Jenmani,** *Mast.* .	xxiii.	2270
—— **Leschenaultii,** *DC.* . . .	iv.	353
—— Leschenaultii, *DC.*	xviii.	1768
	xxvii.	2623
——***obscura,** *Griff.* .	xviii.	1768
—— pedata, *Linn.* .	xxiii.	2270
——***perpera,** *Mast.* .	xviii.	1768
—— septenata, *DC.* .	xxiii.	2270
—— spicata . .	xxvi.	2553
Passoura, *Aubl.* . . .	i.	63
Pauridiantha canthiifolia, *Hook. f.* . .	xxiii.	2273
Pavetta anthophylla, A. Rich. . . .	xxiii.	2272
Pectinaria, *Harv.* .	xx.	Suppl.
—— *mammillaris,* Sweet	xx.	1902
Pedicularis apodochila, *Maxim.* .	xxiii.	2209
—— *birostris,* Bur. & Franch. .	xxiii.	2208
—— **cranolopha,** *Maxim.,* var. **longicornuta**	xxiii.	2208
—— **cranolopha,** *Maxim.,* var. **typica** .	xxiii.	2208
—— cristata, *Maxim.*	xxiii.	2208
—— **Hemsleyana,** *Prain*	xxiii.	2210
—— leptorhiza, *Rupr.*	xxiii.	2208
—— oxycarpa, *Franch.*	xxiii.	2208
—— Regeliana, *Prain*	xxiii.	2208
—— **rhynchodonta,** *Bur. & Franch.*	xxiii.	2209
—— rubens, *Steph.* .	xxiii.	2209
—— torta, *Maxim.* .	xxiii.	2208
—— **vagans,** *Hemsl.* .	xx.	1978
Peglera capensis, *Bolus*	xxix.	2841
Pelargonium . .	xx.	Suppl.
Pellacalyx axillaris, *Korth.* . .	xvi.	1546
—— *cristatus, *Hemsl.*	xvi.	1546
—— **Saccardianus,** *Scort.*	xvi.	1546
Pellaea Breweri . .	xvii.	1638
—— *geraniifolia,* Fée .	x.	915
—— **Kitchingii,** *Baker*	xvii.	1639
—— **Pearcei,** *Baker* .	xvii.	1638
—— *pedata,* Fée .	x.	915
—— Seemanni . .	xvii.	1638
Peltanthera floribunda, *Benth.* . . .	xxiii.	2298
Peltodon . . .	v.	458
Penianthus longifolius, *Miers* . . .	xiv.	1330
Penicillanthemum latifolium, Vieill. .	xxix.	2822
Penicillanthemum neocaledonicum, Vieill.	xxix.	2822
—— *racemosum,* Vieill.	xxix.	2822
Pennantia, *Forst.* .	viii.	778
Pennisetum refractum, F. Muell. . .	xiii.	1242
Pentabothra nana, *Hook.f.*	xv.	1426
Pentachaeta *aurea, *Nutt.*	xii.	1101
—— **gracilis,** *Benth.* .	xii.	1101
Pentadesma butyracea, *Don*	xxv.	2465
Pentadiplandra, *Baill.*	xxiv.	2323
Pentaloncha humilis, *Hook. f.* . . .	xxiv.	2326
Pentanura . . .	xii.	1186
Pentapetes . .	xxviii.	2743
Pentaphragma albiflorum, *Pearson*	xxviii.	2706
—— aurantiacum, *Stapf*	xxviii.	2706
—— begoniaefolium, *Wall.*	xxviii.	2706
—— grandiflorum, *Kurz*	xxviii.	2706
—— macrophyllum, *Oliv.*	xxviii.	2706
Pentapogon . .	xxvii.	2605
Pentaraphia, *Lindl.* .	ix.	874
Pentatropis . .	xxiv.	2387
Pentzia . . .	xii.	1155
Pentzia *cotuloides,* DC.	xxvi.	2529
—— globosa . .	xxvi.	2529
—— **pinnatifida,** *Oliv.* .	xiv.	1340
—— **virgata,** *Less.* .	xxvi.	2529
Peperomia Galeottiana, *Hook.*	iv.	327
—— **lancifolia,** *Hook.* .	iv.	332
—— **margaritifera,** *Bert.*	i.	91
Peplonia amazonica, *Benth.*	xiii.	1234
Perdicium recurvatum, Vahl	v.	491
—— *suaveolens,* Gaud.	v.	496
Perebea guianensis, *Aubl.*	xxvii.	2651
—— Markhamiana, *Hemsl.* . .	xxvii.	2651
Perezia recurvata, Less.	v.	491
Pergularia glabra, Linn.	ii.	153
Periblema . . .	xxx.	2983
Perichlaena Richardi, *Baill.* . . .	xxviii.	2749
Peridiscus lucidus, *Benth.*	xxv.	2441
Periploca . . .	xvi.	1557
—— *ovata,* Poir. .	xxx.	2994
Peristylus fallax, Lindl.	xxii.	2198
Pernettia empetrifolia, *Gaud.*	i.	9
—— **pumila,** *Hook.* .	i.	9
Perotis . . .	xiii.	1241
Persea *indica,* Spr.	xxix.	2803
—— lanceolata, *Nees* .	xiv.	1316
—— **Nanmu,** *Oliv.* .	xiv.	1316
—— pallida, *Nees* .	xiv.	1316
PersooniaLaureola, *Lindl.*	v.	426
—— **quinquenervis,** *Hook.*	v.	425
—— salicina, *Pers. & Br.*	v.	426

	VOL.	PLATE
Pertya Aitchisoni .	xxiii.	2214
—— **sinensis,** *Oliv.* .	xxiii.	2214
Petalacte . . .	xxiv.	2352
Petalactella Woodii, *N. E. Br.* . . .	xxiv.	2352
Petalinia bancana, Becc.	xxvii.	2689
Petermannia cirrosa, *F. Muell.* . . .	xiv.	1391
Petiveria . . .	xi.	1077
Petraea . . .	xv.	1420
Petraeovitex Riedelii, *Oliv.* . . .	xv.	1420
Petrobium arboreum, *Br.*	xi.	1053
Petrocosmea grandiflora, *Hemsl.* . .	xxv.	2410
—— **iodioides,** *Hemsl.*	xxvi.	2599
—— iodioides, *Hemsl.* .	xxvi.	2600
—— minor, *Hemsl.* .	xxvi.	2599
—— **minor,** *Hemsl.* .	xxvi.	2600
—— **sinensis,** *Oliv.* .	xviii.	1716
—— sinensis, *Oliv.* .	xxv.	2410
Petroselinum *filiforme,* A. Rich. . .	ix.	819
—— **prostratum,** *DC.* .	iv.	305
—— **prostratum,** *DC.*, var. β	iv.	305
—— prostratum, *DC.*	ix.	819
Phaca *canescens,* Nutt.	iii.	282
—— **densifolia,** *Hook.*.	iii.	282
—— **Vogelii,** *Webb* .	viii.	763
Phacelia furcata, Dougl.	iii.	235
Phacellaria rigidula, *Benth.* . . .	xiv.	1324
Phaeanthus crassipetala, *Becc.* . .	xvi.	1561
—— **lucidus,** *Oliv.* .	xvi.	1561
Phaenosperma globosa, *Munro* . . .	xx.	1991
Phagnalon melanoleucum, *Webb* . . .	viii.	764
Phajus nanus, *Hook. f.*	xxi.	2088
Phalaridium peruvianum, Nees . . .	xiv.	1374
Pharnaceum acidum, *Hook. f.* . .	xi.	1035
—— **semiquinquefidum,** *Hook.*	i.	83
Phascum cristatum, *Hook. & Wils.* .	viii.	737
—— **exiguum,** *Hook. & Wils.* . .	viii.	737
—— flexuosum, *Schwaegr.*	iii.	231
	viii.	737
—— inhaerens . .	viii.	737
Phaseolus . . .	xii.	1163
Phebalium Billardieri, *A. Juss.*	i.	57
—— **grandiflorum,** *Hook.*	viii.	724
—— **montanum,** *Hook.*	i.	59
—— montanum, *Hook.*	vi.	568
—— **nudum,** *Hook.* .	vi.	568
Phebalium retusum, *Hook.*	i.	57
—— retusum, *Hook.* .	vi.	568
—— **squamuligerum,** *Hook.*	viii.	727
—— stelligerum(*sphalm.*)	viii.	727
Phelypaea *sanguinea,* Thunb. . .	iv.	336
—— subacaulis, *Benth.*	ix.	836
PherosphaeraFitzgeraldi, *F. Muell.* . .	xiv.	1383
Phialanthus myrtilloides, *Griseb.* .	xix.	1801
—— *spicatus,* Sauv. .	xii.	1125
Philagonia fraxinifolia, *Hook.* . . .	viii.	710
Phillipsia fruticulosa, *Rolfe*	xxv.	2445
Phinaea . . .	xii.	1199
Phitopsis multiflora, *Hook. f.*	xi.	1093
—— **multiflora,** var. * **angustifolia,** *Hook. f.*	xi.	1093
Phlebocarya ciliata, *R. Br.*	xii.	1175
—— ciliata, *R. Br.* .	xii.	1176
—— **filifolia,** *F. Muell.*	xii.	1176
Phoebe . . .	xiv.	1316
	xxx.	2984
Phoebe attenuata, *Nees*	xxix.	2803
—— **Hainesiana,** *Brandis*	xxix.	2803
—— indica, *Pax*	xxix.	2803
Phoenicospermum, *Miq.*	xxvii.	2628
Pholidota calceata, *Reichb. f.*	xix.	1876
—— carnea . .	xix.	1891
—— **Convallariae,** *Hook.f.*	xix.	1880
—— **Griffithii,** *Hook. f.*	xix.	1881
—— **parviflora,** *Hook. f.*	xix.	1891
—— **protracta,** *Hook. f.*	xix.	1877
—— **recurva,** *Lindl.* .	xix.	1878
—— recurva (?) . .	xix.	1881
—— **rubra,** *Lindl.* .	xix.	1879
—— *undulata,* Lindl. .	xix.	1879
Pholisma arenarium, *Nutt.*	vii.	626
Phoradendron serpyllifolium, *Griseb.* . .	xxiii.	2221
Phoxanthus, *Benth.* .	xvi.	1594
Phreatia . . .	xxii.	2155
Phreatia elegans . .	xxi.	2084
—— **nana,** *Hook. f.* .	xxi.	2084
Phtheirospermum chinense, *Bunge*	xxiii.	2211
—— **tenuisectum,** *Bur. & Franch.* .	xxiii.	2211
Phylica *elliptica,* Roxb.	xi.	1052
—— *mucronata,* E. Mey.	xxvi.	2526
—— **ramosissima,** *DC.*	xi.	1051
—— *rosmarinifolia,* Roxb.	xi.	1051
Phyllacanthus Grisebachianus, *Hook. f.* .	xi.	1095
Phyllagathis . .	xxv.	2419
Phyllagathis elliptica, *Stapf*	xxiii.	2279
—— tonkinensis, *Stapf*	xxiii.	2279

	VOL.	PLATE
Phyllagathis uniflora, *Stapf*	xxiii.	2280
—— uniflo.a, *Stapf* .	xxiii.	2279
Phyllanthera . .	xii.	1186
Phyllanthodendron . album, *Craib & Hutchinson* .	xxx.	935
—— **mirabilis,** *Hemsl.*	xxvi.	2563–4
—— mirabilis, *Hemsl.*	xxx.	2935
—— **roseum,** *Craib & Hutchinson* .	xxx.	2935
Phyllanthus . .	xxx.	2935
Phyllanthus *mirabilis,* Muell.-Arg. .	xxvi.	2563–4
—— **paniculatus,** *Oliv.*	xxiv.	2372
—— **tenellus,** *Roxb.* .	xvi.	1569
—— tenellus, *var.* Roxburghii, *Muell.-Arg.*	xvi.	1569
Phylloboea amplexicaulis, *Clarke* .	xviii.	1721
—— **sinensis,** *Oliv.* .	xviii.	1721
Phyllobotryum Soyauxianum, *Baill.*	xiv.	1353
—— **spathulatum,** *Muell.-Arg.* .	xiv.	1353
Phyllocladus . .	vi.	543
Phyllocladus asplenii-folia, *Hook. f.* (*sphalm.* asplenioides)	vi.	549–51
—— **hypophylla,** *Hook. f.*	ix.	889
—— *rhomboidalis,* A. Rich.	vi.	549–51
—— *sp.,* Don .	vi.	549–51
—— trichomanoides, *Don*	vi.	547
—— **trichomanoides,** *Don*	vi.	549–51
Phylloglossum Drummondi, *Kunze* . .	x.	908
Phyllopodium Krebsianum, *Benth.* . .	xi.	1079
Phyllostachys Henonis, *Mitford* . .	xxvii.	2614
—— **heteroclada,** *Oliv.*	xxiii.	2288
—— nidularia, *Munro*	xxiii.	2288
—— Stauntonii, *Munro*	xxvii.	2614
Phyllota Georgii, *Hemsl.*	xxviii.	2778
—— Luehmanni, *F. Muell.* . .	xxviii.	2778
Physacanthus . .	xxv.	2445
Physalis begonifolia, Roxb.	xi.	1021
Physiphora, *Soland.* .	i.	63
Physorhynchus brahuicus, *Hook.* .	ix.	821–2
Physosiphon emarginata	vi.	508
—— **Loddigesii,** *Lindl.*	vi.	508
—— spiralis, *Lindl.* .	vi.	508
Physotrichia Buchanani, *Benth.* . . .	xiv.	1358
Physurus vaginatus, *Hook.*	v.	449
Phytolacca abyssinica .	xv.	1463
—— stricta, *Hoffm.* .	xv.	1463
Piaranthus comptus, *N. E. Br.* .	xx.	1924
——***comptus,** *N. E. Br.*	xx.	Suppl.
——***decorus,** *N. E. Br.*	xx.	1924 Suppl.
—— geminatus, *N. E. Br.*	xx.	Suppl.
—— **grivanus,** *N. E. Br.*	xx.	1924
——***grivanus,** *N. E. Br.*	xx.	Suppl.
—— *mammillaris,* Don	xx.	1902
—— *pullus,* R. Br. .	xx.	1902
—— punctatus, *R. Br.*	xx.	Suppl.
—— *ramosus,* Sweet .	xx.	1904
—— serrulatus, *N. E. Br.*	xx.	Suppl.
Picralima Klaineana, *Pierre* . . .	xxviii.	2745–6
Picrorhiza . .	xxiii.	2271
Pilocarpus microphyllus, *Stapf* . . .	xxiv.	2331
Pilostyles, *Guill.* .	vii.	644
—— *Berterii,* Guill. .	vii.	655
Pimelea physodes, *Hook.*	ix.	865
Pimpinella . .	xxviii.	2737 2739
Pinelia hypolepta, *Lindl.*	xxv.	2461
Pinellia integrifolia, *N. E. Br.* . .	xix.	1875
Pinonia splendens, Gaud.	xvii.	1603
Pinus bahamensis, *Griseb.*	xix.	1807
—— brachyptera .	xi.	1037
—— cubensis, *Griscb.* .	xix.	1807
Piper . .	viii.	771
Piptocalyx . .	xxv.	2444
Piptocalyx Moorei, *Oliv.*	xxiv.	2367
Pisosperma, *Sond.* .	xv.	1421
Pistacia . . .	xx.	1928
Pithecolobium Balansae, *Oliv.* . .	xx.	1976
—— *calliandraefolium,* Griseb. . .	xii.	1168
—— **geminatum,** *Benth.*	xvi.	1510
—— **hystrix,** *Benth.* .	xii.	1168
Pithocarpa . .	xxviii.	2781
Pittosporopsis Kerrii, *Craib* . . .	xxx.	2977
Pittosporum . .	xi.	1082
Pittosporum pauciflorum, *Hook. & Arn.,* var. **brevicalyx,** *Oliv.* . .	xvi.	1579
—— **rhombifolium,** *A. Cunn*	vii.	621
—— **spathaceum,** *Burkill*	xxvi.	2561
—— undulatum .	xxvi.	2561
Pityranthe . .	xxx.	2976
Pladaroxylon, *Hook. f.*	xi.	1054
Pladaroxylon Leucadendron, *Hook. f.* .	xi.	1055
Plagiocarpus axillaris, *Benth.* . . .	xii.	1162

	VOL.	PLATE
Plagiosetum refractum, *Benth.*	xiii.	1242
Plagiospermum sinense, *Oliv.*	xvi.	1526
Plantago pusilla	x.	908
Platanocarpum africanum, Hook. f.	viii.	787
Platanus orientalis	xi.	1019
Platycalyx pumila, *N.E.Br.*	xxx.	2941
Platycerium Ellisii, *Baker*	xvii.	1695
—— madagascariense, *Baker*	xvii.	1695
Platyclinis gracilis, *Hook. f.*	xxi.	2016
—— **Kingii,** *Hook. f.*	xxi.	2015
Platykeleba insignis, *N. E. Br.*	xxv.	2451
Platystemon	iv.	360
Platystigma lineare, *Benth.*	i.	38
—— **myristiceum,** *R. Br.*	xviii.	1707
Platystylis	xix.	1887–8
—— *decurrens*, Reichb. f.	xix.	1889
Plecospermum	xxv.	2473
Plectandra ciliosa, Mart.	vi.	516
Plectranthus calcaratus, *Hemsl.*	xxvii.	2671
—— **esculentus,** *N. E. Br.*	xxv.	2488
—— esculentus, *N.E. Br.*	xxv.	2489
—— **floribundus,** *N. E. Br.*	xxv.	2489
—— *Patchouli*, Clarke	xix.	1872
—— *rubicunda*, Don	v.	459
—— **scrophularioides,** *Wall.*	v.	464
—— **ternifolius,** *Don*	v.	460
Pleea	ix.	858
Pleiocarpa	xxviii.	2762
Pleiocarpa mutica, *Benth.*	xii.	1181
—— **rostrata,** *Benth.*	xii.	1182
Pleocnemia	x.	920
Pleopeltis ensifolia, *Carmich.*	x.	987
—— nuda, *Hook.*	x.	987
—— *pinnatifida*, Gillies	x.	934
Plerandra	xxvii.	2672
—— *Vieillardi*, Baill.	xxiv.	2323
Plethiandra *cuneata, *Stapf*	xxv.	2418
—— **Hookeri,** *Stapf*	xxv.	2418
—— Motleyi, *Hook. f.*	xxv.	2418
——***rejangensis,** *Stapf*	xxv.	2418
——***sessilis,** *Stapf*	xxv.	2418
Pleurocarpaea denticulata, *Benth.*	xi.	1006
Pleurosorus cuneatus, Fée	x.	935
—— *rutaefolius*, Fée	x.	935
Pleurospermum Franchetianum, *Hemsl.*	xxiii.	2244
Pleurostylia capensis, *Oliv.*	xxiii.	2297
—— pachyphloea, *Tul.*	xxiii.	2297
Pleurothallis cauliflora, *Hook.*	i.	50
—— *emarginata*, Lindl.	vi.	508
Pleurothallis truncata, *Lindl.*	i.	55
Plocosperma buxifolium, *Benth.*	xii.	1195
Pluchea *basiflora*, F. Muell.	xii.	1143
——Dioscoridis	xxiv.	2363
—— frutescens, *Benth.*	xii.	1156
—— **frutescens,** *Benth.*	xii.	1157
—— **pinnatifida,** *Hook. f.*	xii.	1156
Poa	xiv.	1368–9
Poa abortiva, *R. Br.*	xiii.	1250
—— antarctica, *Stapf*	xxvii.	2607
—— callosa, *Stapf*	xxvii.	2607
—— epileuca, *Stapf*	xxvii.	2607–8
—— *glomerata*, Thunb.	xxvii.	2603
—— kerguelensis, *Hook. f.*	xxvii.	2607
—— minimiflora, *Stapf*	xxvii.	2607
—— **minimiflora,** *Stapf*	xxvii.	2608
—— **papuana,** *Stapf*	xxvii.	2607
Podadenia, *Thw.*	xxx.	2988
Podanthes, Haw.	xx.	Suppl.
—— *pulchra*, Haw. *var.* β	xx.	1923
—— *verrucosa*, Haw.	xx.	1923
Podocarpus (?) biformis, *Hook.*	vi.	544
—— (?) biformis, *Hook.*	vi.	547–8
—— coriacea	vii.	624
—— dacrydioides, *A. Rich.*	vi. / xiii.	547 / 1218
—— (?) **Dieffenbachii,** *Hook.*	vi.	547
—— **ferruginea,** *Don*	vi.	542
—— ferruginea, *Don*	vi.	543, 547
—— (?) **nivalis,** *Hook.*	vi.	582
—— **Purdieana,** *Hook.*	vii.	624
—— spicata, *R. Br.*	vi.	542, 547
—— **spicata,** *R. Br.*	vi.	543
—— *thujoides*, R. Br.	vi.	547
—— Totara, *Don*	vi.	543, 547
Podochilus acicularis, *Hook. f.*	xxii.	2147
—— distichus, *Benn.*	xxii.	2147
—— **khasianus,** *Hook. f.*	xxii.	2146
—— *microphyllus*, Lindl.	xxii.	2146
—— **unciferus,** *Hook. f.*	xxii.	2145
Podophyllum	ix.	809–10
Podophyllum pleianthum	xx.	1996
—— **versipelle,** *Hance*	xx.	1996
Podopterus, *Humb. & Bonpl.*	xxvii.	2699
Pogonarthria falcata, *Rendle*	xxvii.	2610
Pogonia cuprea, *Par.*	xxii.	2194
—— **juliana,** *Wall.*	xxii.	2194
—— **macroglossa,** *Hook. f.*	xxii.	2195
—— **maculata,** *Par. & Reichb. f.*	xxii.	2195

	VOL.	PLATE
Pogostemon formosanus, *Oliv.*	xxv.	2440
—— Heyneanus, *Benth.*	xxv.	2440
—— Patchouli, *Pell.*	xxv.	2440
—— **Rogersii,** *N. E. Br.*	xxx.	2996
Pohlia flexuosa, *Hook.*	i.	19/5
Polakia paradoxa, *Stapf*	xxvii.	2615
Poliothyrsis, *Oliv.*	xxvii.	2688
Poliothyrsis sinensis, *Oliv.*	xix.	1885
Pollichia	xxx.	2944
Pollinia eriopoda, Hance	xviii.	1773
Polyadoa Elliotii, *Stapf*	xxviii.	2762
—— **umbellata,** *Stapf*	xxviii.	2762
Polycardia Baroniana, *Oliv.*	xxiii.	2237
—— Hildebrandtii, *Baill.*	xxiii.	2237
—— *lateralis*, Hoffm.	xxiii.	2237
Polycarpon magellanicum, Linn.	i.	16
Polycline *gracilis, *Oliv.*	xxiii.	2293
—— **psyllioides**, *Oliv.*	xxiii.	2293
Polydragma mallotiforme, *Hook. f.*	xviii.	1701
Polygala Baikiesi, *Chodat*	xxiv.	2301
—— **butyracea,** *Heck.*	xxiv.	2301
—— multiflora, *Poir.*	xxiv.	2301
—— *oleifera*, Treub	xxiv.	2301
—— rarifolia, *DC.*	xxiv.	2301
—— tenuicaulis, *Hook. f.*	xxiv.	2301
—— tenuicaulis, *var.* longifolia, *Oliv.*	xxiv.	2301
Polygonatum	xvi.	1537
Polygonatum geminiflorum, *Dcne*	ix.	833
—— **graminifolium,** *Hook. f.*	ix.	833
—— **Hookeri,** *Baker*	xxiii.	2218
—— **Prattii,** *Baker*	xxiii.	2217
Polygonum acaule, *Hook. f.*	xv.	1490
—— **amplexicaule,** *Don,* var.	xviii.	1743
—— chinense, *Linn.*	xxv.	2471
—— **Gilesii,** *Hemsl.*	xviii.	1756
—— paniculatum, *Bl.*	xxv.	2471
—— **perpusillum,** *Hook.*	xv.	1490
—— sibiricum	xv.	1490
—— sphaerostachyum, *Wall.*	xv.	1490
—— **tibeticum,** *Hemsl.*	xxv.	2471
—— tortuosum, *Don*	xxv.	2471
Polyosma Hookeri, *Stapf*	xxiii.	2296
Polypodium	vii.	675–6
	x.	950
Polypodium achilleaefolium, *Kaulf.*	xvii.	1673
—— *alternans*, Wall.	vii.	622
—— **attenuatum,** *R. Br.*	v.	409
—— **biauriculatum,** *Hook.*	ii.	121
—— *Brownianum*, Spr.	v.	409
—— (?) *cantoniense*, Baker	xvii.	1685
Polypodium chrysolepis, *Hook.*	viii.	721
—— **contiguum,** *Wall.*	x.	987
—— cuspidiflorum, *Reinw.*	x.	954
—— dareaeforme	xvii.	1625
—— **discolor,** *Hook.*	iv.	386
—— **Eggersii,** *Baker*	xvii.	1671
—— **eriophorum,** *Hook.*	x.	991
—— **farinosum,** *Hook.*	x.	947
—— *faucium*, Liebm.	xvii.	1669
—— glaucophyllum, *Kunze*	x.	951
—— **Griffithianum,** *Hook.*	x.	951
—— **Griffithianum, var. *glaucum,** *Hook.*	x.	951
—— **Hartwegianum,** *Hook.*	iv.	390
—— incanum, *Sw.*	i.	86
	viii.	720
—— **khasyanum,** *Hook.*	x.	949
—— **Krameri,** *Franch. & Sav.*	xvii.	1668
—— **lachnopus,** *Wall.*	x.	952
—— **leucosorum,** *Boj.*	x.	942–3
—— **macrocarpum,** *Presl*	x.	934
—— **macrochasmum,** *Baker*	xvii.	1675
—— **Maximowiczii,** *Baker*	xvii.	1667
—— **murorum,** *Hook.*	i.	70
—— murorum, *Hook.*	viii.	749
—— *muscicola*, Cordemoy	xvii.	1673
—— **myriocarpum,** *Hook.*	i.	84
—— *myriocarpum*, Hook.	x.	944–5
—— myriophyllum, *Mett.*	xvii.	1672
—— **novae-zealandiae,** *Baker*	xvii.	1674
—— **obliteratum,** *Sw.*	xvii.	1669
—— **onustum,** *Hook.*	viii.	749
—— *oyamense*, Baker	xvii.	1668
—— **papillosum,** *Bl.*	x.	946
—— **papillosum, *var. β,** *Bl.*	x.	946
—— papillosum, *Bl.*	x.	949
—— **pellucidum,** *Kaulf.*	x.	944
—— **pellucidum, *var. β,** *Hook.*	x.	944
—— **pellucidum,** var. γ, *Hook.*	x.	944
—— **pellucidum,** var. δ, **bipinnatifidum,** *Hook.*	x.	944–5
—— pendulum	xvii.	1671
—— Phegopteris	xvii.	1668
—— Phymatodes	xvii.	1674
—— **piligerum,** *Hook.*	iv.	321
—— **pilipes,** *Hook.*	iii.	221
—— **pozuzoense,** *Baker*	xvii.	1672
—— **punctulatum,** *Hook.*	viii.	720
—— **rhynchophyllum,** *Hook.*	x.	954

	VOL.	PLATE
Polypodium rigescens, *Bory* .	viii.	719
	x.	942
—— **rostratum,** *Hook.*	x.	953
—— **semiadnatum,** *Hook.*	x.	948
—— **setigerum,** *Bl.* .	x.	941
—— **subcrenatum,** *Hook.*	viii.	719
—— **subpetiolatum,** *Hook.*	iv.	391–2
—— *subserratum*, Hook. & Baker . .	xvii.	1650
—— **surucuchense,** *Hook.*	i.	69
—— suspensum . .	xvii.	1671
—— **Tatei,** *Baker* .	xvii.	1670
—— tetragonum, *Sw.* .	xvii.	1669
—— **torulosum,** *Baker*	xvii.	1673
—— **Tweedieanum,** *Hook.*	i.	86
—— umbrosum, *Hort.*	x.	978
—— vulgare . .	x.	934
		946
Polyporus lucidus .	ix.	872
Polyscias cutispongia, Baker . . .	xxix.	2805
Polystichum aspidioideum, Klotzsch	x.	923
—— *Pearcei*, Phil. .	xvii.	1657
Polytoca barbata, .	xxiv.	2333
—— bracteata, *Benn.*	xxiv.	2333
—— **Cookei,** *Stapf* .	xxiv.	2333
Polytrichum dendroides, *Hedw.*	i.	25
—— **patulum,** *Harv.* .	i.	18/1
—— **semilamellatum,** *Hook.f.*	ii.	194
Polyura geminata, *Hook. f.*	xi.	1049
Polyxena haemanthoides, *Baker* .	xviii.	1727
Pomatostoma *angustifolium, *Stapf* .	xxv.	2420
——***inaequale,** *Stapf*	xxv.	2421
—— **phyllagathoides,** *Stapf*	xxv.	2421
—— **sertuliferum,** *Stapf*	xxv.	2420
Pongamia glabra .	xxviii.	2735
Populus lasiocarpa, *Oliv.*	xx.	1943
—— **trichocarpa,** *Torr. & Gray* . .	ix.	878
Poranthera alpina, *Cheesem.*	xiv.	1366
Porteria bractescens, *Hook.*	ix.	864
Posoqueria . .	xxiii.	2212
Potentilla . . .	iv.	349
Potentilla Mooniana, *Wight* . .	xxiii.	2294
—— **parvula,** *Hook. f.* .	xxiii.	2294
Pothos remotiflorus, *Hook.*	ii.	133
—— **scandens,** *Linn.* .	ii.	175
—— tenera, *Wall.* .	ii.	133
Poupartia Fordii, *Hemsl.*	xxvi.	2557
Pouteria Gardneriana, *Radlk.* . .	xxix.	2829
—— neriifolia, *Radlk.*	xxix.	2829
—— **suavis,** *Hemsl.* .	xxix.	2829
Pozoa . . .	ix.	859
Pozopsis cordifolia, *Hook.*	ix.	859
Pratia begoniaefolia .	xxviii.	2768
—— **borneensis,** *Hemsl.*	xvi.	1532
—— montana, *Hassk.*	xvi.	1532
—— physaloides, *Hemsl.*	xvi.	1532
Premna somaliensis, *Baker* . .	xxviii.	2705
Prepusa connata, *Gardn.*	iii.	225–6
—— montana . .	iii.	225–6
Preslea, Mart. . .	vii.	651
Prevostea africana, *Benth.*	xxiii.	2276
Primula . . .	xxviii.	2726
		2775
Primula Faberi, *Oliv.* .	xviii.	1789
Prionotes americana, *Hook.*	i.	30
—— cyathodes . .	i.	30
Prismatocarpus tenellus, *Oliv.* . . .	xv.	1460
Prockia completa, *Hook.*	i.	94
—— Crucis, *Linn.* .	i.	94
Procris laevigata, *Bl.* .	xiii.	1295
Prostanthera . .	xxviii.	2783
Protarum sechellarum, *Engl.* . . .	xxviii.	2750
Proteopsis . . .	xxiii	2281
Protium guianense, *March.*, var. . .	xvi.	1571
Protomegabaria, *Hutchinson* . . .	xxx.	2986
Protomegabaria *macrophylla, *Hutchinson*	xxx.	2929
—— **Stapfiana,** *Hutchinson*	xxx.	2929
Prunella indica, Burm.	v.	456
Prunus carolinianaus .	iv.	371
—— **samydoides,** *Cham. & Schlecht.* .	iv.	371
Pseudocarapa Championii, *Hemsl.* .	xv.	1458
Pseudocentrum macrostachyum, *Lindl.*	xiv.	1382
—— **minus,** *Benth.* .	xiv.	1382
Psiadia . . .	xi.	1057
Psidium . . .	xviii.	1793
Psilanthus Mannii, *Hook. f.*	xii.	1129
Psilocarya corymbiformis, *Benth.* .	xv.	1431
—— texensis . .	xv.	1431
Psilotrichum africanum, *Oliv.* . . .	xvi.	1542
Psorospermum senegalensis, *Spach* .	viii.	771
—— **tenuifolium,** *Hook.f.*	viii.	771
Psychotria sp., Wall .	xi	1948
Psyllothamnus, *Oliv.* .	xxiv.	2359
Psyllothamnus Beevori, *Oliv.*	xv.	1499
Ptelea parvifolia, *A. Gray*	xiv.	1385
Pterigeron . . .	xii.	1136
Pteriglyphis, *Fée* .	x.	939–40

	VOL.	PLATE
Pteris . . .	x.	901
Pteris *australis*, Hook.& Grev.	x.	976
—— **decomposita,** *Baker*	xvii.	1641
—— **dominicensis,** *Baker*	xvii.	1642
—— **Endlicheriana,** *Ag.*	x.	973
—— **flexuosa,** *Hook.* .	ii.	119
—— **geraniifolia,** *Raddi*	x.	915
—— longifolia . .	xvii.	1642
—— **mysurensis,** *Heyne*	x.	915
—— *nitidula*, Wall. .	x.	912
—— pedata, *Linn.* .	x.	915
—— *pedata*, Kunze .	x.	915
—— *pedatoides*, Desv.	x.	915
—— **phanerophlebia,** *Baker*	xvii.	1640
—— *Pohliana*, Presl .	x.	915
—— **rotundifolia,** *Forst.*	v.	422
—— sagittifolia, *Raddi*	xvii.	1640
—— **seticaulis,** *Hook.* .	iii.	207
Pterocarpus Soyauxii, *Taub.*	xxiv.	2369
—— tinctorius, *Welw.*	xxiv.	2369
Pterogonium microcarpum, *Harv.* . .	i.	24/12
Pteroscleria capitata, *Benth.*	xiv.	1347
—— guianensis, *Nees* .	xiv.	1347
—— **longifolia,** *Griseb.*	xiv.	1347
Pterospermum Heyneanum, *Wall.* .	ii.	125
—— **reticulatum,** *Wight*	ii.	125
—— suberifolium, *Lamk*	ii.	125
Pterygiella nigrescens, *Oliv.*	xxv.	2463
Pterygodium . .	xix.	1840
Ptilopteris Maximowiczii, Hance . . .	xvii.	1667
Ptychopetalum anceps, *Oliv.* . .	xxiv.	2329
—— petiolatum, *Oliv.* .	xxiv.	2329
—— **petiolatum,** *Oliv.* .	xxiv.	2330
Ptychopyxis costata, *Miq.*	xviii.	1703
Pueraria . . .	xxx.	2979
Pulicaria . . .	xii.	1111
Pultenaea	xxviii.	2778
Puneeria coagulans, *Stocks*	ix.	801
Punica Granatum .	viii.	793–4
Pycnobotrya nitida, *Benth.*	xii.	1183
Pycnolachne ledifolia, Turcz. . . .	xxviii.	2732
Pycnostachys . .	v.	460
Pygeum . . .	xxvii.	2653
Pygmaea ciliolata, *Hook. f.*	xi.	1047
—— **pulvinaris,** *Hook. f.*	xi.	1047
Pyrethrum . .	xxiv.	2306
Pyrrheima Loddigesii, Hassk. . . .	xxvi.	2522
Pyrus cathayensis, Hemsl.	xxvii.	2657–8

	VOL.	PLATE
Quercus acutifolia .	v.	402
—— **agrifolia,** *Neé* .	iv.	372
—— *australis*, Link .	vi.	562
—— **Beccariana,** *Benth.*	xiv.	1315
—— **Blakei,** *Skan* .	xxvii.	2667
—— *canariensis*, Willd.	vi.	562
—— **Carlesii,** *Hemsl.* .	xxvi.	2591
—— cornea, *Lour.* .	xxvii.	2664
—— **cornea,** *Lour.* .	xxvii.	2665
—— **corrugata,** *Hook.* .	v.	403–4
—— costata, *Bl.* .	xiv.	1314
—— cuspidata, *Thunb.*	xxvi.	2591
—— **densiflora,** *Hook. & Arn.*	iv.	380
—— **Douglasii,** *Hook & Arn.*	iv.	382–3
—— **Edithae,** *Skan* .	xxvii.	2661
—— Edithae, *Skan* .	xxvii.	2662
—— *faginea*, Lamk .	vi.	562
—— **Fordiana,** *Hemsl.* .	xxvii.	2664
—— *hemisphaerica*, Drake . .	xxvii.	2665
—— *hybrida*, Brot. . .	vi.	562
—— *infectoria*, Olivier	vi.	562
—— **Jenkinsii,** *Benth.* .	xiv.	1312–3
—— lamellosa, *Sm.* .	xxvii.	2663
—— **lusitanica,** *Lamk* .	vi.	562
—— **Mackiana,** *Hook.* .	iii.	224
—— **Maingayi,** *Benth.* .	xiv.	1314
—— Maingayi, *Benth.* .	xiv.	1315
—— **Rex,** *Hemsl.* .	xxvii.	2663
—— semiserrata, *Roxb.*	xxvii.	2661
—— **Skinneri,** *Benth.* .	v.	402
—— Skinneri, *Benth.* .	v.	403–4
—— *Turneri*, Willd. .	vi.	562
—— *valentina*, Cav. .	vi.	562
—— velutina, *Lindl.* .	xxvii.	2663
—— virginiana . .	xxviii.	2786
—— xalapensis . .	v.	402
Quiina jamaicensis, *Griseb.*	xx.	1998
Quintinia serrata, *A. Cunn.*	vi.	558
Radamaea montana, *Benth.*	xv.	1406
Radermachera pentandra, *Hemsl.* .	xxviii.	2728
—— sinica, *Hemsl.* .	xxviii.	2728
Rajania hastata, *Linn.*	xiv.	1392
Ramisia brasiliensis, *Oliv.*	xxv.	2404
Ranalisma rostrata, *Stapf*	xxvii.	2652
Randia . . .	viii.	782–3
	xi.	1088
	,,	1090
	,,	1092
	xxx.	2991
Randia Buchananii, *Oliv.*	xiv.	1356
—— **speciosa,** *Hook.* .	ix.	824
Ranunculus . .	vii.	641
	viii.	725
	xxvii.	2652
Quaqua hottentotarum, N. E. Br. .	xx.	1903 Suppl.

	VOL.	PLATE
Ranunculus acaulis, *Banks & Soland.*	vii.	677
—— Baurii, *MacOwan*	xvi.	1502
—— **Baurii,** *MacOwan*	xvi.	1503
—— **biternatus,** *Sm.* .	v.	497
—— biternatus, *Sm.* .	vii.	677
—— **calandrinioides,** *Oliv.*	xix.	1828
—— **Cooperi,** *Oliv.* .	xvi.	1502
—— cortusaefolius .	vi.	571–2
—— creticus . .	vi.	571–2
—— hydrophilus, *Gaud.*	xi.	1081
—— *involucratus,* Hemsl.	xxvi.	2586
—— **involucratus,** *Maxim.*	xxvi.	2586
—— lappaceus, *Sm.* .	iii.	260
—— **limoselloides,** *F. Muell.*	xi.	1081
—— lobatus, *Jacq.* .	xxvi.	2586
—— **Lowii,** *Stapf* .	xxiii.	2261
—— **macropetalus,** *DC.*	xix.	1821
—— **macropus,** *Hook. f.*	vii.	634
—— **nivicola,** *Hook.* .	vi.	571–2
—— parnassifolius, *Linn.*	xix.	1828
—— **peruvianus,** *Pers.*	viii.	745
—— **pilulifer,** *Hook.* .	vi.	600
——***pimpinellifolius,** *Hook.*	iii.	260
—— **pimpinellifolius,** var. **vestitus,** *Hook.* .	iii.	260
—— pyrenaeus, *Linn.*, *var.* plantagineus	xix.	1828
—— Raimondii, *Wedd.*	xix.	1821
—— **sagittaefolius,** *Hook.*	ii.	173
—— **similis,** *Hemsl.* .	xxvi.	2586
—— **stenopetalus,** *Hook.*	vii.	677
Raoulia . . .	xi.	1003
Raphanocarpus Kirkii, *Hook. f.* . .	xi.	1084
—— Welwitschii, *Hook. f.*	xi.	1084
Rapolocarpus lucidus, Boj.	xxviii.	2774
Raspalia passerinoides, *Presl*	xvi.	1524
Rauwolfia heterophylla, *Willd.* . . .	iv.	366
Rawsonia . . .	xxiii.	2265
Rehmannia glutinosa, *Lib.*, **var. angulata**	xvi.	1589
—— (*?*) *Oldhamii,* Hemsl.	xxx.	2936
—— Piasezkii, *Maxim.*	xvi.	1589
Reichenbachia, *Spr.* .	xxv.	2404
Reichenbachia hirsuta, *Spr*	xiii.	1290
Reinwardtia sinensis, *Hemsl.* . . .	xxvi.	2594
Relhania . . .	xxiv.	2324
Renanthera angustifolia, *Hook. f.* . .	xxii.	2128
—— elongata, *Lindl.* .	xxii.	2128
Renealmia africana, *Benth.*	xv.	1430
——***Mannii,** *Hook. f.*	xv.	1430
Rhabdia lycioides .	ix.	823
—— **viminea,** *Dalz.* .	ix.	823
Rhabdostigma . .	xxiii.	2274
Rhabdostigma Kirkii, *Hook. f.* . .	xxiii.	2275
Rhabdothamnopsis sinensis, *Hemsl.* .	xxviii.	2788
Rhabdothamnus Solandri . .	xxviii.	2788
Rhabdotheca picridioides, *Webb* . .	viii.	766
Rhamnus . . .	iii.	287
Rhamnus heterophyllus, *Oliv.* . . .	xviii.	1759
(*?*) *Rhamphidia elongata,* Thw. . . .	xxii.	2190
Rhanterium epapposum, *Oliv.* . .	xiv.	1367
—— suaveolens, *Desf.*	xiv.	1367
Rhaphispermum gerardioides, *Benth.* . .	xv.	1402
Rhaptopetalum coriaceum	xv.	1405
—— **Soyauxii,** *Oliv.* .	xv.	1405
Rhigiophyllum squarrosum, *Hochst.* . .	xxvi.	2555
Rhigozum *obovatum, *Burch.* . . .	xxviii.	2799
—— **trichotomum,** *Burch.*	xxviii.	2799
Rhipogonum Elseyanum, *F. Muell.*	xiv.	1396
—— **scandens,** *Forst.* .	xiv.	1395
Rhizophora *Candel,* Linn.	iv.	362
—— *cylindrica,* Linn. .	iv.	398
—— *gymnorrhiza,* Linn.	iv.	397
—— Palun, *DC.* .	iv.	397
Rhodiola asiatica, Don	vii.	604
—— *rosea,* Hook. .	vii.	604
Rhodocodon madagascariensis, *Baker*	xxv.	2492
—— **urgineoides,** *Baker*	xxv.	2492
Rhododendron acuminatum, *Hook. f.* .	ix.	886
—— Brookeanum, *Low*	ix.	883
—— **buxifolium,** *Low* .	ix.	890
—— buxifolium, *Low* .	ix.	884
—— cinnabarinum .	ix.	890
—— Edgeworthii .	ix.	885
—— **ericoides,** *Low* .	ix.	887
—— Falconeri . .	xiv.	1338
—— **Hancockii,** *Hemsl.*	xxiv.	2381
—— intermedium, *Low*	ix.	884
—— **Lowii,** *Hook. f.* .	ix.	883
—— pittosporifolium, *Hemsl.* . .	xxiv.	2381
—— retusum, *Br. & Benn.*	ix.	884
—— **rugosum,** *Low* .	ix.	885
—— rugosum, *Low* .	ix.	886
—— stamineum, *Franch.*	xxiv.	2381
—— **verticillatum,** *Low*	ix.	884
—— verticillatum, *Low*	ix.	890

	VOL.	PLATE
Rhodomyrtus macrocarpa, *Benth.*	xi.	1043
Rhodoplexia Preissii, *Harv.*	vii.	613
Rhombodia longifolia, Lindl.	xxii.	2180
Rhombonema lurida, Schlecht.	xxviii.	2744
Rhopalocarpus *longipetiolatus, *Hemsl.*	xxviii.	2774
—— **lucidus**, *Bojer*	xxviii.	2774
——***similis**, *Hemsl.*	xxviii.	2774
—— Thouarsianus, *Baill.*	xxviii.	2774
—— triplinervius, *Baill.*	xxviii.	2774
Rhus caustica, *Hook. & Arn.*	vi.	595
—— Cotinus	xvi.	1578
—— *fraxinifolium*(*?*), Don	viii.	710
—— *monophylla*, E. Mey.	viii.	775
—— *sp.*, Hemsl.	xxvi.	2557
—— **Thunbergii**, *Hook.*	vi.	595
Rhynchelytrum grandiflorum, *Hochst.*	xxiv.	2374
Rhynchocalyx, *Oliv.*	xxiv.	2375
Rhynchocalyx lawsonioides, *Oliv.*	xxiv.	2348
Rhynchosia rufescens, *DC.*	ii.	189
Rhynchospora ruppioides, *Benth.*	xiv.	1344
Rhynchostigma *brevipes, *Benth.*	xii.	1189
——***parviflorum**, *Benth.*	xii.	1189
—— **racemosum**, *Benth.*	xii.	1189
Riana guianensis, *Aubl.*	i.	63
Ribes frigidum	viii.	713
—— **pachysandroides**, *Oliv.*	xviii.	1767
Riccia velutina, *W. Wils.*	iii.	249
Richea scoparia, *Hook.f.*	ix.	850
—— squamosa, *Hook. f.*	ix.	845
Richella	xxiv.	2399, 2400
Ricinodendron africanus, *Muell.-Arg.*	xiii.	1300
Riedelia curviflora, *Oliv.*	xv.	1419
Rigiolepis borneensis, *Hook. f.*	xii.	1160
Rindera	xx.	1942
Rinorea guianensis, Aubl.	i.	63
Ritchiea erecta, *Hook. f.*	viii.	769–70
—— fragrans	viii.	769–70
Rivina inaequalis, *Hook.*	ii.	130
Robinia cyanescens, Schum. & Thonn.	xviii.	1791
—— *sennoides*, Roxb.	ii.	120
—— *suberosa*, Roxb.	ii.	120
Robinsonia	xi.	1002
Roemeria argentea, Thunb.	vi.	595
Roeperocharis Bennettiana, *Reichb. f.*	xv.	1500
Rolfea elata, *Zahlbr.*	xxx.	2989
Rondeletia	xii.	1147–8
—— *loniceroides*, Don	viii.	795
—— (*?*) *verbenacea*, Griseb.	xii.	1125
Ropalocarpus	xxviii.	2774
Rosa Ecae, *Aitch.*	xiv.	1329
Rosea, *Mart.*	ii. / iii.	102 / 251
Rosenia	xxiv.	2324
Rosenia glandulosa, *Thunb.*	xxiii.	2228
—— spinescens, *DC.*	xxiii.	2228
Rothmannia, Thunb.	xxx.	2991
Rottlera, *Vahl*	xxiv.	2379
Roussea	vi.	577–8
Roxburghia, *Banks*	xviii.	1776
Rubus alpestris, *Bl.*	xxiii.	2289
—— arcticus	iii.	291
——***bambusarum**, *Focke*	xx.	1952
—— Chamaemorus	iii.	291
—— ***chiliadenus**, *Focke*	xx.	1952
—— **chroosepalus**, *Focke*	xx.	1952
—— Clarkei, *Hook. f.*	xx.	1948
—— *Commersonii*, Poir.	iv.	349
—— coreanus	xx.	1952
—— elongatus, *Sm.*	viii.	741–2
——***flosculosus**, *Focke*	xx.	1952
—— Fockeanus, *Kurz*	xx	1952
—— **geoides**, *Sm.*	v.	495
—— **Gunnianus**, *Hook.*	iii.	291
—— **Henryi**, *Hemsl. & Kuntze*	xviii.	1705
—— Henryi, *Hemsl. & Kuntze*	xx.	1952
—— **hupehensis**, *Oliv.*	xix.	1816
—— hypargyrus, *Edgew.*	xx.	1951
—— Idaeus	iii.	299
—— innominatus, *S. Moore*	xx.	1952
—— **lasiostylus**, *Focke*	xx.	1951
—— **lasiostylus**, *Focke*, forma ***glabrata**	xx.	1951
—— **lasiostylus**, *Focke*, forma ***glandulosa**	xx.	1951
—— **lasiostylus**, *Focke*, forma ***tomentosa**	xx.	1951
—— **Lobbianus**, *Hook.*	viii.	741–2
—— **Lowii**, *Stapf*	xxiii.	2289
—— **malifolius**, *Focke*	xx.	1947
—— moluccanus, *Linn.*	viii.	741–2
—— nutans, *Wall.*	xxiii.	2289
—— opulifolius, *Bertol.*	xx.	1951
—— peltatus, *Maxim.*	xx.	1952
——***pileatus**, *Focke*	xx.	1952
—— pirifolius, *Sm.*	xx.	1947
—— **pulcherrimus**, *Hook.*	viii.	729–30
—— pungens, *Cambess.*	xx.	1952
—— **rosaeflorus**, *Hook.*	i.	46
—— **rosaefolius**, *Sm.*	iv.	349

	VOL.	PLATE
Rubus rosaefolius, var. ***coronarius,** *Sims*	iv.	349
—— saxatilis, *Linn.* .	iii.	291
	xx.	1948
—— **simplex,** *Focke* .	xx.	1948
—— *sinensis,* Hort. .	iv.	349
—— ***sozostylus,** *Focke*	xx.	1952
—— tephrodes, *Hance*	xx.	1952
Ruellia amabilis, *S. Moore*	xvi.	1511
—— **discifolia,** *Oliv.* .	xvi.	1511
—— *paradoxa,* Lindau	xxx.	2982
Rumex neglectus, *Kirk*	xiii.	1245
Rungia . . .	xxv.	2431
Ruprechtia. . .	xiv.	1320
Ruta	xii.	1134
Rytidotus sandvicensis, *Hook. f.* . . .	xi.	1071
Sabazia . . .	xii.	1118
Sabia gracilis, *Hemsl.* .	xxix.	2831
—— Swinhoei, *Hemsl.*	xxix.	2831
Sabicea cana, *Hook.* .	iii.	247
Saccolabium acuminatum, *Hook. f.* .	xxii.	2131
—— **acuminatum,** *Hook. f.*	xxii.	2135
—— *bipunctatum,* Par. & Reichb. f. .	xxii.	2141
—— **flavum,** *Hook. f.* .	xxii.	2131
—— flavum, *Hook. f.* .	xxii.	2134
—— **Helferi,** *Hook. f.* .	xxii.	2130
—— **minimiflorum,** *Hook. f.* . .	xxii.	2133
—— obtusifolium, *Hook. f.* . .	xxii.	2131, 2135
—— **obtusifolium,** *Hook. f.*	xxii.	2134
—— **penangianum,** *Hook. f.*	xxii.	2129
—— **perpusillum,** *Hook. f.*	xxii.	2129
—— *ramosum,* Lindl. .	xxiv.	2335
—— **rostellatum,** *Hook. f.*	xxii.	2132
Sacoglottis amazonica, *Mart.* . .	xxvi.	2521
—— gabonensis . .	xxvi.	2521
Sageretia ferruginea, *Oliv.*	xviii.	1710
Sagittaria . . .	xxvii.	2652
Sakersia africana, *Hook. f.*	xi.	1086
Saldanhaea bracteata, *Bur. & K. Schum.*	xxviii.	2770
—— confertiflora, *Bur.*	xxviii.	2770
—— heterocalyx, *Bur. & K. Schum.* .	xxviii.	2770
—— lateriflora, *Bur.* .	xxviii.	2770
—— *myriantha,* Bur. .	xxviii.	2770
—— *pratensis,* Bur. & K. Schum .	xxviii.	2770
—— Seemanniana, *Kuntze*	xxviii.	2770
Salmea . . .	xii.	1152
Salmea petrobioides, *Griseb.*	xix.	1805
Salmeopsis Claussenii, *Benth.*	xii.	1152
Salvia anisodonta, Hausskn. & Briq.	xxvii.	2615
—— *aristata,* Auch. .	xxvii.	2615
—— *Owerini,* Trautv..	xxvii.	2615
Salzmannia . . .	xii.	1145
Samadera Baileyana, *Oliv.*	xxv.	2450
—— **Bidwillii,** *Oliv.* .	xxv.	2449
—— Bidwillii, *Oliv.* .	xxv.	2450
—— **indica,** *Gaertn.* .	i.	7
Samandura, Herm. .	i.	7
Sambucus Gaudichaudiana	iii.	259
Sansevieria *Ehrenbergiana,* Schwf. .	xxiii.	2269
—— **Ehrenbergii,** *Schwf.*	xxiii.	2269
—— gracilis, *N. E. Br.*	xxx.	3000
—— **Phillipsiae,** *N. E. Br.*	xxx.	3000
Santalum album, *Linn.*	vi.	563
	xxv.	2430
—— **fernandezianum,** *Phil.*	xxv.	2430
—— Freycinetianum, *Gaud. & Freyc.*	vi.	563
—— **Mida,** *Hook.* .	vi.	575
—— **Mida,** var. *β, Hook.*	vi.	563
—— **Mida,** *vars. *α, γ, Hook.*	vi.	563
Santiria (?) balsamifera, *Oliv.*	xvi.	1573
Santolina . . .	xxiii.	2232
Sanvitalia, *Lamk.* .	ii.	101
Sapium . . .	xxix.	2878–9
Sapium aereum . .	xxvii.	2678
	xxix.	2891
—— **aereum,** *Klotzsch.*	xxvii.	2682
—— *anadenum,* Pittier	xxix.	2889
—— *Aucuparium,* Bello	xxix.	2888
—— *Aucuparium,* Griseb.	xxix.	2888
—— **Aucuparium,** [*Hemsl. non*] *Jacq.* .	xxvii.	2650
—— Aucuparium, *Hemsl.*	xxix.	2895
—— Aucuparium, *Jacq.*	xxvii.	2677, 2680
	xxix.	2878–9, 2900
—— **Aucuparium,** *Jacq.*	xxix.	2895
—— Aucuparium, *Ruiz & Pav.* . .	xxix.	2896
—— *Aucuparium,* Willd.	xxix.	2890
—— *Aucuparium,* var. *Hippomane,* Griseb.	xxix.	2890
—— biglandulosum, *Muell.-Arg.*	xxvii.	2647, 2677
—— *biglandulosum,* var. *hamatum,* Muell.-Arg. . . .	xxvii.	2678
—— *biglandulosum,* var. *intercedens,* Chodat	xxix.	2882
—— *biglandulosum,* var. *Klotzschianum,* Donn. Sm. .	xxix.	2889

	VOL.	PLATE
Sapium *biglandulosum*, var. *Klotzschianum*, Muell.-Arg.	xxix.	2895
—— ***biglandulosum***, var. *Klotzschianum*, subvar. *minor*, Muell.-Arg. .	xxix.	2900
—— ***biglandulosum***, var. *Klotzschianum*, forma *oblongata*, Muell.-Arg. .	xxix.	2893
—— ***biglandulosum***, var. *lanceolatum*, Muell.-Arg. .	xxix.	2897
—— ***biglandulosum***, var. *lanceolatum*, forma *squarrosum*, Muell.-Arg. .	xxix.	2883
—— ***biglandulosum***, var. *longifolium*, Chodat . .	xxix.	2882
—— ***biglandulosum***, var. *longifolium*, Muell.-Arg. .	xxix.	2882
—— **biglandulosum**, *var.* longifolium, *forma* longissima, *Chodat* . .	xxix.	2881
—— ***biglandulosum***, var. *Meyerianum*, Muell.-Arg. .	xxix.	2890
—— ***biglandulosum***, var. *Moritzianum*, Herb. Mus. Brit.	xxviii.	2757
—— ***biglandulosum***, var. *Moritzianum*, Muell.-Arg. .	xxvii.	2647, 2677
—— ***biglandulosum***, var. *pallidum*, Muell.Arg.	xxix.	2880
—— ***biglandulosum***, var. *Pavonianum*, Muell.-Arg. .	xxix.	2896
—— ***biglandulosum***, var. *Sellowianum*, Chodat . .	xxix.	2882
—— ***biglandulosum***, var. *Sellowianum*, Muell.-Arg. .	xxix.	2885
—— ***biglandulosum***, var. *serratum*, Muell.-Arg. . .	xxix.	2887
—— **bogotense**, *Huber*.	xxix.	2891
—— bogotense, *Huber* .	xxix.	2892
—— *Brownei*, Banks .	xxix.	2889
—— **ciliatum**, *Hemsl.* .	xxvii.	2683
—— ciliatum, *Hemsl.* .	xxix.	2894
—— **cupuliferum**, *Hemsl.*	xxvii.	2679
—— cupuliferum, *Hemsl.*	xxix.	2878–9
Sapium decipiens, *Preuss*	xxviii.	2757
—— *decipiens*, Preuss .	xxix.	2896
—— eglandulosum, *Ule*	xxix.	2898, 2900
—— **eglandulosum**, *Ule*	xxix.	2899
—— ***Fendleri**, *Hemsl.*	xxix.	2888
—— **Gibertii**, *Hemsl.* .	xxix.	2886
—— *glandulosum*, Morong	xxix.	2882
—— haematospermum, *Muell.-Arg.* .	xxix.	2881, 2882
—— **haematospermum**, *Muell.-Arg.* .	xxix.	2883
—— *Hasslerianum*, Huber	xxix.	2878–9
—— [**Hemsleyanum**, *Huber*] . .	xxvii.	2650
—— *Hemsleyanum*, Huber	xxix.	2895
—— Hippomane, *G. F. W. Mey.* . .	xxvii.	2650
—— **Hippomane**, *G. F. W. Mey.* .	xxix.	2890
—— jamaicense, *Sw.* .	xxvii.	2650
—— **jamaicense**, *Sw.* .	xxix.	2889
—— **Jenmani**, *Hemsl.* .	xxvii.	2649
—— lanceolatum, *Huber*	xxix.	2884
—— **lanceolatum**, *Huber*	xxix.	2897
—— ***lateriflorum**, *Hemsl.*	xxvii.	2680
—— laurifolium, *Griseb.*	xxvii.	2681
—— *laurifolium*, Griseb.	xxix.	2889
—— Laurocerasus, *Desf.*	xxvii.	2650, 2681
	xxix.	2889
—— **Laurocerasus**, *Desf.*	xxix.	2888
—— *Laurocerasus*, var. *elliptica*, Muell.-Arg. . .	xxix.	2889
—— *Laurocerasus*, var. *genuina*, Muell.-Arg. . .	xxix.	2888
—— *Laurocerasus*, var. *laurifolia*, Muell.-Arg. . .	xxix.	2889
—— **linearifolium**, *Hemsl.*	xxix.	2881
—— longifolium, *Huber*	xxix.	2881, 2883
—— **longifolium**, *Huber*	xxix.	2882
—— macrocarpum, *Muell.-Arg.* .	xxix.	2878–9
—— marginatum, *Muell.-Arg.* .	xxvii.	2679, 2684
—— Martii, *Huber* .	xxix.	2878–9
—— **mexicanum**, *Hemsl.*	xxvii.	2680
—— mexicanum, *Hemsl.*	xxix.	2878–9
—— **montevidense**, *Klotzsch*	xxix.	2887
—— **Moritzianum**, *Klotzsch*	xxvii.	2677
—— **Muelleri**, *Hemsl.* .	xxix.	2884
—— **obovatum**, *Klotzsch*	xxix.	2878–9

	VOL.	PLATE
Sapium *obovatum*, var. *ellipticum*, Chodat	xxix.	2878-9
—— obtusilobum, *Mucll.-Arg.* .	xxvii.	2650
—— **pallidum,** *Klotzsch*	xxix.	2880
—— **(?)paucinervium,** *Hemsl.* . .	xxvii.	2648
—— *Pavonianum*, Huber	xxix.	2896
—— **pedicellatum,** *Huber*	xxix.	2893
—— Pittieri, *Huber* .	xxix.	2891
—— *pleiostachys*, Schum. & Pittier	xxix.	2889
—— **Poeppigii,** *Hemsl.*	xxvii.	2678
—— Poeppigii . .	xxvii.	2682
—— prunifolium, *Klotzsch*	xxix.	2897-8
—— **prunifolium,** *Klotzsch*	xxix.	2900
—— **Ruizii,** *Hemsl.* .	xxix.	2894
—— **Sellowianum,** *Klotzsch*	xxix.	2885
—— Sellowianum, *Klotzsch*	xxix.	2887
—— *serratum*, Klotzsch	xxix.	2887
——*simile, *Hemsl.* .	xxix.	2894
—— stylare, *Muell.-Arg.*	xxvii.	2647
	xxix.	2896
—— **stylare,** *Muell.-Arg.*	xxviii.	2757
—— **suberosum,** *Muell.-Arg.* . .	xxvii.	2681
—— *suberosum*, Muell.-Arg.	xxix.	2890
—— sublanceolatum, *Huber* . .	xxix.	2885
—— **subsessile,** *Hemsl.*	xxvii.	2684
—— sulciferum, *Pittier*	xxix.	2891
—— **sulciferum,** *Pittier*	xxix.	2892
—— **Taburu,** *Ule* .	xxix.	2898
—— Taburu, *Ule* .	xxix.	2899
		2900
—— Thomsoni . .	xxvii.	2647
—— Tolimensi . .	xxvii.	2647
—— utile, *Preuss* .	xxviii.	2757
—— **utile,** *Preuss* .	xxix.	2896
—— **verum,** *Hemsl.* .	xxvii.	2647
—— verum, *Hemsl.* .	xxviii.	2757
—— *zelayense*, H. B. K.	xxvii.	2680
Sapota marginata, *Dcne*	viii.	761
Sararanga sinuosa, *Hemsl.*	xxvi.	2584
—— sinuosa, *Hemsl.* .	xxvii.	2672
Sarcanthus appendiculatus, *Hook. f.* .	xxii.	2136
—— **Gilberti,** *Hook. f.* .	xxiv.	2334
—— **insectifer,** *Reichb. f.*	xxii.	2137
—— **lorifolius,** *Parish* .	xxii.	2139
—— Parishii, *Hook.* .	xxii.	2131
		2134
	xxiv.	2334
—— **Scortechinii,** *Hook. f.*	xxii.	2138
—— *teretifolius*, Reichb.f.	xxii.	2136
Sarcochilus filiformis, *Hook. f.* . .	xxii.	2124
—— **hirtulus,** *Hook. f.* .	xxii.	2121
Sarcochilus Hystrix, *Reichb.* f.	xxii.	2123
—— **merguensis,** *Hook.f.*	xxii.	2125
—— **notabilis,** *Hook. f.*	xxii.	2126
—— **pugionifolius,** *Hook. f.*	xxii.	2125
—— **recurvus,** *Hook. f.*	xxii.	2122
—— **trichoglottis,** *Hook. f.*	xxii.	2123
Sarcodon, N. E. Br. .	xx.	Suppl.
Sarcosperma arboreum, *Hook. f.* . .	xxvii.	2690
—— **paniculatum,** *Stapf & King* . .	xxvii.	2690
Sarcostemma . .	ix.	838
	xiv.	1311
Sarcostemma brachystigma, *Wight* .	ix.	861
—— **Daltoni,** *Dcne* .	viii.	768
—— *nudum*, C. Sm. .	viii.	768
—— *viminale*, Wall. .	ix.	861
Saruma Henryi, *Oliv.* .	xix.	1895
Sassafras officinalis, *Nees*	xxix.	2833
—— **Tzumu,** *Hemsl.* .	xxix.	2833
Satanocrater . .	xxv.	2445
Satanocrater paradoxa, *Lindau* . .	xxx.	2982
—— somalensis, *Lindau*	xxx.	2982
Satyrium carneum .	xviii.	1729
—— gigas . . .	xviii.	1729
—— membranaceum .	xviii.	1729
—— odorum . .	xviii.	1729
—— **princeps,** *Bolus* .	xviii.	1729
Saulcya hierochuntica, Michon . . .	xxvi.	2583
Saurauja barbigera, *Hook.*	iv.	331
—— barbigera, *Hook.* .	iv.	341-2
—— **pedunculata,** *Hook.*	iv.	341-2
Saussurea albescens .	xviii.	1735
—— **decurrens,** *Hemsl.*	xviii.	1735
—— **Gilesii,** *Hemsl.* .	xviii.	1736
—— glandulosa . .	xviii.	1736
—— **leptophylla,** *Hemsl.*	xviii.	1734
—— Thoroldi, *Hemsl.*.	xxvi.	2588
—— **Stella,** *Maxim.* .	xxvi.	2588
—— **Wellbyi,** *Hemsl.* .	xxvi.	2588
Sauvagesia deflexifolia, *Gardn.*	v.	484
Savia elegans, Muell.-Arg.	xxix.	2813
Saxifraga . . .	vii.	684
Saxifraga Cotyledon .	i.	13
—— **maderensis,** *Don* .	iii.	279
—— **Rossii,** *Oliv.* .	xiii.	1258
Scaevola . . .	xi.	1026
Scaevola *goodeniacea*, F. Muell. . .	xi.	1028
—— **hainanensis,** *Hance*	xx.	1979
—— spinescens, *R. Br.*	xx.	1979
Scalesia affinis, *Hook. f.*	xxviii.	2718
—— atractyloides .	xxviii.	2719
—— Baurii, *Robins. & Greenm.* . .	xxviii.	2716
		2719

	VOL.	PLATE
Scalesia Darwinii, *Hook.f.*	xxviii.	2719
—— gummifera . .	xxviii.	2718
—— **incisa,** *Hook. f.* .	xxviii.	2715
—— **incisa,** *Hook. f.* .	xxviii.	2716
—— **pedunculata,** *Hook.f.*	xxviii.	2717
—— **retroflexa,** *Hemsl.*	xxviii.	2715
—— retroflexa, *Hemsl.*	xxviii.	2716
Scaphyglottis . .	iv.	315
Scaphyglottis (?)fasciculata, *Hook.* .	iv.	317
—— **rosea,** *Hook.* .	iv.	313
—— violacea, *Lindl.* .	iv.	313
Schaffnera gracilis, *Benth.*	xiv.	1378
Schedonnardus . .	xiv.	1377
Schedonnardus texanus, *Steud.* . . .	xiv.	1360
Schefflera digitata, *Forst.*	xxix.	2821
Scheuchzeria . .	vii.	641
Schiedea ligustrina, *Cham.& Schlecht.*	vii.	649–50
——***Menziesii,** *Hook.* .	vii.	649–50
—— **Nuttallii,** *Hook.* .	vii.	649–50
Schima, *Reinw.* . .	xxviii.	2727
Schima brevifolia, *Stapf*	xxiii.	2264
Schismus . . .	xiv.	1374
Schistidium arcuatum, *Hook. & Wils.* .	viii.	738
—— **pulchellum,** *Hook. & Wils.* . .	viii.	738
Schizaea dichotoma .	xi.	1016
—— elegans . .	xi.	1016
—— **Sprucei,** *Hook. f.* .	xi.	1016
Schizandra propinqua, *Hook.f.& Thoms.,* var. **sinensis,** *Oliv.* . .	xviii.	1715
Schizocodon . .	xxvii.	2624
Schizodium . .	xxiii.	2260
Schizoglossum angustissimum, *Schum.*	xxv.	2452
—— **connatum,** *N.E.Br.*	xxv.	2452
—— interruptum, *Schlecht.*	xxv.	2452
Schizopepon dioicus, *Cogn.*	xxiii.	2224
Schizophragma hydrangeoides, *Sieb. & Zucc.* . .	xx.	1934
—— **integrifolia,** *Oliv.*	xx.	1934
Schizopteris Lidgatii, Hilleb.	xvii.	1635
Schizymenium bryoides, *Harv.*	iii.	202
Schleidenia, *Endl.* .	vii.	651
Schlotheimia tecta, *Hook. & Wils.* .	viii.	746
Schmidelia Meyeri, *Planch.*	viii.	775
—— **monophylla,** *Hook. f.*	viii.	775
Schnella . . .	v.	453–4
Schoenanthum amboinicum, Rumph. . .	xxix.	2826
Schotia, *Jacq.* . .	xxix.	2838–9
Schouwia arabica, *DC.*	iii.	223

	VOL.	PLATE
Schradera longifolia, *Spruce*	xi.	1068
—— *spicata,* Spruce .	xi.	1068
Schuermannia homoranthoides, F. Muell. .	xxiv.	2303
Schumacheria . .	xxvii.	2646
Schweinfurthia latifolia, *Baker* . .	xxiv.	2362
—— sphaerocarpa, *A. Br.*	xxiv.	2362
Sciadophyllum, *P. Browne*	xxix.	2821
Sciaphila Clemensae, *Hemsl.* . .	xxix.	2850
—— **major,** *Becc.* .	xxix.	2850
—— tenella, *Bl.* . .	xxix.	2850
Scirpus corymbiferus, Wright . . .	xv.	1431
Soleranthus . .	iii.	283
	xxx.	2944
Scleria capitata, Wild.	xiv.	1347
Sclerodontium secundum, *Harv.* . .	i.	21/1
—— **strictum,** *Harv.* .	i.	21/2
Sclerolaena paradoxa, *R. Br.*	xi.	1076
Scleronema Spruceana, *Benth.* . . .	xx.	1986
Scolopendrium . .	x.	929
	xvii.	1651
Scolopendrium Balansae, *Baker* . .	xvii.	1653
—— brasiliense, *Kunze*	xvii.	1653
—— Hemionitis, *Cav.*	iii.	213
—— *Hemionitis,* DC.	iii.	213
—— **Hemionitis,** *Willd.*	iii.	213
—— **Lindeni,** *Hook.* .	v.	488
—— longifolium, *Presl*	v.	488
	xvii.	1652
—— officinale . .	ix.	809
—— *pinnatum,* J. Sm. .	xvii.	1652
—— *repandum,* Raddi	ii.	183
—— **sagittatum,** *DC.* .	iii.	213
—— vulgare . .	iii.	213
Scortechinia Forbesii, *Hook. f.* . .	xviii.	1706
—— **Kingii,** *Hook. f.* .	xviii.	1706
—— nicobarica, *Hook. f.*	xviii.	1706
Scottellia leonensis, *Oliv.*	xxiii.	2265
Scouleria . . .	iii.	248
Scrofella chinensis, *Maxim.* . . .	xxvii.	2668
Scutellaria . . .	v.	461
	xiv.	1872
Scyphocoronis viscosa, *A. Gray* . . .	ix.	854
Scyphophora .	xi.	1072
Scyphosyce Manniana, *Baill.* . . .	xiv.	1327
Scytanthus Burkei .	vii.	625
	xx.	1905
—— **Currori,** *Hook.* .	vii.	605–6

	VOL.	PLATE
Scytanthus *Currori*, Hook.	xx.	1905
—— **Gordoni,** *Hook.* .	vii.	625
—— *Gordoni*, Hook. .	xx.	1905
—— **laurifolius,** *T. And.*	xiii.	1209
Sebaea . . .	xiii.	1229
Sebaea Evansii, *N. E. Br.*	xxiv.	2377
Secale africanum, *Stapf*	xxvii.	2601
—— cereale . .	xxvii.	2601
—— *cereale*, Thunb. .	xxvii.	2601
—— montanum . .	xxvii.	2601
Sechium (*sphalm.* Lechium)	ii.	138
Seddera	xxiii.	2276
Sedum *asiaticum*, Wall.	vii.	604
—— Rhodiola, *DC.* .	vii.	604
	xxv.	2469
—— **rotundatum,** *Hemsl.*	xxv.	2469
—— **Wallichianum,** *Hook.*	vii.	604
Selliguea Wallichiana, *Hook.*	iii.	204
Semonvillea fenestrata, *Fenzl*	vi.	587
—— pterocarpa, *Gay* .	vi.	587
Sempervivum . .	vii.	684
Senecio	xi.	1002
	,,	1030
	xii.	1139
	xvi.	1507
Senecio Baurii, *Oliv.* .	xvi.	1572
—— **Bolusii,** *Oliv.* .	xv.	1456
—— **Cheesemani,** *Hook. f.*	xiii.	1201
—— **Deasyi,** *Hemsl.* .	xxvi.	2587
—— Forsteri . .	xii.	1120
—— **littoralis,** var. **glabratus,** *Gaud.* .	v.	493
—— **littoralis,** var. ***lanatus,** *Gaud.* .	v.	493
—— othonnaeflorus, *DC.*	xv.	1456
—— oxyriaefolius, *DC.*	xi.	1011
—— paucifolius, *DC.* .	xi.	1011
—— perdicioides . .	xiii.	1201
—— **Prattii,** *Hemsl.* .	xxv.	2491
—— ***reniformis***, Wall. .	xii.	1141
—— **retortus,** *Benth.* .	xii.	1114
—— sciadophilus .	xiii.	1201
—— **segmentatus,** *Oliv.*	xv.	1483
—— **sneeuwbergensis,** *Bolus*	xi.	1067
—— **tropaeolifolius,** *MacOwan* . .	xi.	1011
—— vaginatus, *Hook. & Arn.*	v.	493
Sericocoma somalensis, S. Moore . . .	xxiii.	2226
Sericostoma pauciflorum, *Stocks* . .	ix.	804
Seringia . . .	v.	408
Seriola, Don . .	xix.	1815
Seris polymorpha, *Less.*	vi.	501
Sersalsia obovata, *R. Br.*	vi.	595
Sertifera, *Lindl.* . .	xxx.	2989
Sertularia Pluma. .	x.	997
Sesleria . . .	xiv.	1363

	VOL.	PLATE
Setaria refracta, F. Muell.	xiii.	1242
Setariopsis, *Scribn.* .	xxvii.	2640
Shorea leprosula, *Miq.*	xxv.	2402
—— **rigida,** *Brandis* .	xxv.	2402
—— sericea . .	xxv.	2402
—— siamensis . .	xxiii.	2202
Shortia sinensis, *Hemsl.*	xxvii.	2624
Shuteria glabrata, *Wight & Arn.* . .	ii.	144
—— **sinensis,** *Hemsl.* .	xxvii.	2626
—— suffulta, *Benth.* .	xxvii.	2626
Sibangea arborescens, *Oliv.*	xv.	1411
Sibthorpia pinnata, Benth.	xxvi.	2592
Sickingia Erythroxylon, *Willd.* . .	xv.	1497
—— **longifolia,** *Willd.*.	xv.	1498
Sida	v.	417
Sida *guianensis*, K. Sch.	xxiii.	2249
—— *Hoheri*, Hook. .	vi.	565–6
—— **parnassiaefolia,** *Hook.*	iv.	385
—— **quinquenervia,** *Duchass.* .	xxiii.	2249
Sidastrum quinquenervium, Baker f. .	xxiii.	2249
Sideroxylon . .	xv.	1473
—— *argenteum*, Thunb.	vi.	595
—— Boutonianum, *A. DC.* . .	xxvi.	2512
—— grandiflorum, *A. DC.* . .	xxvi.	2512
Siebera deflexa, *Benth.*	xxviii.	2740
Silvianthus bracteatus, *Hook. f.* . .	xi.	1048
Simaba obovata, *Spruce*	xiv.	1387
Simaruba monophylla, *Oliv.*	xiv.	1387
Simmondsia . .	xiv.	1400
Sinapidendron gracile, *Webb*	viii.	751
—— **Vogelii,** *Webb* .	viii.	752
Sinclairia discolor, *Hook. & Arn.* . . .	v.	451–2
Sindechites Henryi, *Oliv.*	xviii.	1772
Sindora siamensis .	xi.	1017–8
—— sumatrana, *Miq.* .	xi.	1017–8
—— **Wallichii,** *Benth.* .	xi.	1017–8
Sinofranchetia chinensis, *Hemsl.* . . .	xxix.	2842
Sinowilsonia Henryi, *Hemsl.* . . .	xxix.	2817
Sipania limnophila, Spruce	xi.	1050
—— *palustris*, Seem. .	xi.	1050
Siparuna . . .	xiv.	1301
Siphocampylus giganteus, *G. Don* . . .	viii.	716
Siphomeris foetens, *Hiern*	xiii.	1238
Siphonia apiculata, Spruce	xxvi.	2574
—— *brasiliensis*, H.B.K.	xxvi.	2573
—— *discolor*, Spruce .	xxvi.	2573
—— *elastica*, Pers. .	xxvi.	2573

	VOL.	PLATE
Siphonia guyanensis, Juss.	xxvi.	2573
—— *lutea*, Spruce .	xxvi.	2574
—— *pauciflora*, Spruce	xxvi.	2570, 2574
—— *rigidifolia*, Spruce	xxvi.	2573
—— *Spruceana*, Benth.	xxvi.	2570, 2573
Sipolisia lanuginosa, *Glaziou* . . .	xxiii.	2281
Sisymbrium . .	xix.	1818
Sisyrinchium . .	ix.	858
Sisyrinchium alatum, *Hook.*	iii.	219
—— alatum, *Hook.* .	vi.	513
—— **incurvatum,** *Gardn.*	vi.	513
—— **sulcatum,** *Gillies*	iii.	218
Sium . . .	xi.	1033
	xxviii.	2739
Sium Helenianum, *Hook. f.*	xi.	1032
—— Thunbergii, *DC.* .	xi.	1032
Sloanea dasycarpa, *Hemsl.*	xxvii.	2628
—— dentata . .	vii.	695–6
—— Hanceana, *Hemsl.*	xxvii.	2628
—— **hongkongensis,** *Hemsl.* . .	xxvii.	2628
—— **jamaicensis,** *Hook.*	vii.	693–6
—— jamaicensis . .	xxvii.	2628
—— Massoni, *Sw.* .	xxvii.	2628
—— sinensis, *Hemsl.* .	xxvii.	2628
Sloetia penangiana, *Oliv.*	xvi.	1531
—— Sideroxylon, *Teijs. & Binn.* . .	xvi.	1531
Smilacina . . .	xvi.	1537
Smilacina flexuosa, *Hook.*	vi.	529
—— purpurea, *Wall.* .	vi.	529
Smilax . . .	xiv.	1395–6
Smilax officinalis, *H. B. K.*	xxvi.	2589
—— ornata, *Lem.* .	xxvi.	2589
—— **utilis,** *Hemsl.* .	xxvi.	2589
Smythea calpicarpa, *Kurz*	xvi.	1558
—— **macrocarpa,** *Hemsl.*	xvi.	1558
—— pacifica, *Seem.* .	xvi.	1558
Solenandra ixoroides, *Hook. f.* . . .	xii.	1150
Solenanthus . .	xx.	1942
Solidago arborescens, *Forst.*	xi.	1056
—— conferta, *Burch.* .	xi.	1056
—— cuneifolia, *Roxb.* .	xi.	1056
—— *integrifolia*, Roxb.	xi.	1045
—— *Leucadendron*, Forst.	xi.	1055
—— *Leucadendron*, Willd.	xi.	1054
—— spuria, *Forst.* .	xi.	1056
Sollya . . .	i.	82
Somalia diffusa, *Oliv.* .	xvi.	1528
Sonchus Daltoni, *Webb*	viii.	765
Sonerila Bensoni, *Hook.f.*	xv.	1457
—— **Fordii,** *Oliv.* .	xv.	1457
—— heterostemon, *Naud.*	xv.	1457
—— **peperomiaefolia,** *Oliv.*	xix.	1814
Sophora flavescens, *Ait.*	xx.	1959
Sorghum *capillare*, Roem. & Sch. .	xxvii.	2604
—— fulvum . .	xiv.	1379
Soyauxia gabonensis, *Oliv.*	xiv.	1393
Sparganium . .	xv.	1407–8
Sparmannia . .	xxiv.	2307
Spathodea ilicifolia, Seem.	xxx.	2943
—— *lutea*, Benth. .	xxviii.	2800
—— *tomentosa*, Benth.	xxviii.	2800
Spathoglottis . .	xxi.	2085
Spathoglottis Bensoni, *Hook. f.* . .	xxi.	2087
—— **Wrayi,** *Hook. f.* .	xxi.	2086
Speranskia Henryi, *Oliv.*	xvi.	1577
—— tuberculata, *Baill.*	xvi.	1577
Spergula affinis, *Hook.* .	iii.	266
—— apetala, *Labill.* .	iii.	266
Spermacoce . .	xii.	1124
Sphacelaria hordeacea, *Harv.*	vii.	614
—— scoparia . .	vii.	614
Sphacophyllum Bojeri, *Benth.* . .	xii.	1135
—— Bojeri, *Benth.* .	xv.	1451
—— **Kirkii,** *Oliv.* .	xv.	1451
—— Kirkii, *Oliv.* .	xvi.	1506
—— *madagascariense*, Benth.	xii.	1135
Sphaeranthus gracilis, *Oliv.* . . .	xxiii.	2293
Sphaeria . . .	ix.	872
Sphaeria Robertsii, *Hook.*	i.	11
Sphaerocodon*natalense, *Benth.* . .	xii.	1190
—— **obtusifolium,** *Benth.*	xii.	1190
Sphaerocoma, *T. And.* .	xxiv.	2359
Sphaerosicyos, *Hook. f.*	xxv.	2490
Sphaerostylis, *Baill.* .	xvi.	1592
Sphaerothylax abyssinica, *Warming* . .	xxiv.	2356
Sphinctacanthus Griffithii, *Benth.* . . .	xiii.	1205
Sphinctolobium . .	viii.	788–9
Sphyranthera capitellata, *Hook. f.* . .	xviii.	1702
Sphyrospermum buxifolium, *Poepp. & Endl.*	ii.	112
—— longifolium, *Poepp. & Endl.* . .	ii.	112
—— **myrtifolium,** *Hook.*	ii.	112
Spilanthes tetrandra, Roxb.	xi.	1053
Spinifex paradoxus, *Benth.*	xiii.	1243–4
Spiradiclis . . .	xii.	1151
Spiranthera Fraseri, Hook.	i.	82
Spiranthes . . .	xxiv.	2322
Splachnum . . .	iii.	231
Spodiopogon angustifolius, Trin. .	xviii.	1773
—— *laniger*, Nees .	xviii.	1773

	VOL.	PLATE
Spondianthus Preussii, *Engl.*	xxx.	2986
—— *Preussii*, Engl., var. *glabra*, Engl.	xxx.	2986
—— *Preussii*, Engl., forma *oblongifolia*, Engl.	xxx.	2986
—— ugandensis, *Hutchinson*	xxx.	2986
Spondias	xxvi.	2557
—— (*?*) *lakonensis*, Pierre	xxvii.	2667
Sponia ilicifolia, Kurz	xii.	1174
Sporobolus indicus	xv.	1455
Staavia Dodii, *Bolus*	xxvi.	2558
—— glutinosa	xxvi.	2558
Stachyarrhena spicata, *Hook. f.*	xi.	1068
Stachycephalum mexicanum, *Sch.-Bip.*	xii.	1102
Stachys	xix.	1872
—— *patens*, Sw.	v.	458
Stackhousia	xiii.	1230
Stackhousia flava, *Hook.*	iii.	269
Stapelia affinis, *N. E. Br.*	xx.	1912 Suppl.
——***ambigua,** *Mass.*	xx.	1916 Suppl.
—— *anguinea*, Jacq.	xx.	1907
—— *aperta*, Mass.	xx.	1905 Suppl.
—— **Arnoti,** *N. E. Br.*	xx.	1915 Suppl.
—— Asterias	xx.	Suppl.
—— **Barklyi,** *N. E. Br.*	xx.	1909 Suppl.
—— bisulca, *Donn*	xx.	1907
—— *bufonia*, Jacq.	xx.	1907 Suppl.
—— Burkei	xx.	1905
—— *cactiformis*, Hook.	xx.	1905
—— caespitosa	xx.	Suppl.
—— clavigera	xx.	Suppl.
—— comata, *Jacq.*	xx.	1914 Suppl.
—— conspurcata	xx.	Suppl.
—— *Corderoyi*, Hook. f.	xx.	1925
—— *Curtisii*, Roem. & Sch.	xx.	1907
—— *decora* (*?*), Mass.	xx.	1924 Suppl.
—— deflexa	xx.	1917 Suppl.
—— *depressa*, Jacq.	xx.	1914
—— **Desmetiana,** *N. E. Br.*	xx.	1916 Suppl.
—— divaricata	xx.	Suppl.
—— *elegans*, Mass.	xx.	1925
—— **erectiflora,** *N. E. Br.*	xx.	1921 Suppl.
——***fissirostris,** *Jacq.*	xx.	1922 Suppl.
Stapelia fuscopurpurea, *N. E. Br.*	xx.	1913 Suppl.
—— *geminata*, Mass.	xx.	Suppl.
——***gemmiflora,** *Mass.*	xx.	1910 Suppl.
—— gigantea	xx.	Suppl.
—— **glabricaulis,** *N. E. Br.*	xx.	1917 Suppl.
—— *glandulifera*, Haw.	xx.	1921
——***glanduliflora,** *Mass.*	xx.	1921 Suppl.
—— glauca	xx.	Suppl.
—— *Gordoni*, Mass.	vii. / xx.	605–6, 625 / 1905
—— grandiflora, *Mass.*	xx	1909, 1913, 1915, Suppl.
—— **grandiflora,** *Mass.*, var. ***lineata,** *N. E. Br.*	xx.	1916 Suppl
——***hircosa,** *Jacq.*	xx.	1910 Suppl.
—— **hircosa,** var. ***densa,** *N. E. Br.*	xx.	1910
—— hirsuta, *Jacq.*	xx.	1912 Suppl.
—— *hirtella*, Jacq.	xx.	1925
—— hirtella	xx.	Suppl.
—— **horizontalis,** *N. E. Br.*	xx.	1907 Suppl.
—— *humilis*, Mass.	xx.	1905
—— **intermedia,** *N. E. Br.*	xx.	1910 Suppl.
—— *irrorata*, Lodd.	xx.	1923
—— juvencula	xx.	Suppl.
—— lepida	xx	Suppl.
—— **lucida,** *DC.*	xx.	1919 Suppl.
—— lutea	xx.	Suppl.
—— **Macowani,** *N. E. Br.*	xx.	1920 Suppl.
—— maculosa	xx.	Suppl.
—— *mammillaris*, Linn.	xx.	1902
—— marmorata	xx.	Suppl.
—— *moschata* (*?*), Donn	xx.	1910
—— namaquensis, *N. E. Br.*	xx.	1907
—— **namaquensis,** *N. E. Br.*	xx.	1908. Suppl.
—— **namaquensis,** var. **ciliolata,** *N. E. Br.*	xx.	1908 Suppl.
—— **namaquensis,** var. **minor,** *N. E. Br.*	xx.	1908
—— **namaquensis,** var. **tridentata,** *N. E. Br.*	xx.	1908 Suppl.
—— normalis	xx.	Suppl.
—— ocellata	xx.	Suppl.

	VOL.	PLATE
Stapelia olivacea, *N.E.Br.*	xx.	1901
——***olivacea,** *N. E. Br.*	xx.	1920 Suppl.
—— paniculata . .	xx.	Suppl.
—— **parvipuncta,***N.E.Br.*	xx.	1923 Suppl.
——***patula,** *Willd.* .	xx.	1914 Suppl.
—— **patula,** var.***depressa,** *N. E. Br.* .	xx.	1914
—— **patula,** var. **longirostris,** *N.E.Br.*	xx.	1914
—— pedunculata, *Mass.*	xx.	1905
——***pedunculata,** *Mass.*	xx.	1909 Suppl.
——***picta,** *Donn* .	xx.	1907 Suppl.
—— planiflora . .	xx.	Suppl.
—— pruinosa, *Mass.* .	xx.	1903
—— *pulla*, Ait. . .	xx.	1902
——***pulvinata,** *Mass.*	xx.	1911 Suppl.
—— *punctata*, Mass. .	xx.	Suppl.
—— radiata . .	xx.	Suppl.
—— *ramosa*, Mass. .	xx.	1904
—— *reclinata*, Bot. Mag.	xx.	1925
—— *reclinata*, Mass. .	xx.	1925
—— reclinata . .	xx.	Suppl.
—— replicata . .	xx.	Suppl.
—— *reticulata*, Mass. .	xx.	1906
—— reticulata . .	xx.	Suppl.
—— roriflora . .	xx.	Suppl.
—— **rufa,** *Mass.* .	xx.	1922 Suppl.
—— rufescens, *Salm Dyck*	xx.	1922
—— rugosa, *Jacq.* .	xx.	1907 Suppl.
—— *serrulata*, Jacq. .	xx.	Suppl.
—— *sororia*, Jacq. .	xx.	1914 Suppl.
—— tridens . .	xx.	1923
——***trisulca,** *Donn* .	xx.	1907 Suppl.
—— **tsomoensis,** *N.E.Br.*	xx.	1918 Suppl.
—— tubata . .	xx.	Suppl.
—— unguipetala, *N.E.Br.*	xx.	1914
——***variegata,** *Linn.* .	xx.	1907 Suppl.
—— *variegata*, Curtis .	xx.	1907
—— variegata, *Linn.* .	xx.	1909
—— variegata, *Thunb.*	xx.	1907
—— **variegata,** var.***bufonia,** *N. E. Br.*	xx.	1907 Suppl.
—— **variegata,** var. ***Curtisii,***N.E.Br.*	xx.	1907 Suppl.
—— **variegata,** var. ***pallida,** *N.E. Br.*	xx.	1907 Suppl.
Stapelia*verrucosa, *Mass.*	xx.	1923 Suppl.
—— vetula . .	xx.	Suppl.
—— **villosa,** *N. E. Br.*	xx.	1911 Suppl.
—— **virescens,** *N.E.Br.*	xx.	1910 Suppl.
STAPELIEAE BARKLYANAE	xx.	Suppl.
Statice arabica . .	ix.	837
—— cylindrifolia, *Forsk.*	xxiv.	2355
—— **Gilesii,** *Hemsl.* .	xviii.	1737
—— Griffithii, *Aitch. & Hemsl.* . .	xviii.	1737
—— **Stocksii,** *Boiss.* .	ix.	837
—— **teretifolia,** *Baker*	xxiv.	2355
Stauntonia . . .	xxix.	2842 2846
Stauntonia assamica,*Griff.*	xxix.	2845
——***brevipes,** *Hemsl.*	xxix.	2849
—— **Brunoniana,** *Wall.*	xxix.	2843
—— Brunoniana,*Wall*	xxix.	2844
—— *chinensis*, Benth.	xxix.	2846–7
—— chinensis, *DC.* .	xxix.	2843 2847
—— **chinensis,** *DC.* .	xxix.	2846
—— elliptica, *Hemsl.* .	xxix.	2843
—— **elliptica,** *Hemsl.* .	xxix.	2844
—— **filamentosa,** *Griff.*	xxix.	2845
—— hexaphylla, *Sieb. & Zucc.* . .	xxix.	2843 2846
—— **longipes,** *Hemsl.* .	xxix.	2848
—— obovata, *Hemsl.* .	xxix.	2846
—— **obovata,** *Hemsl.* .	xxix.	2847
—— **parviflora,** *Hemsl.*	xxix.	2849
—— *trifoliata*, Griff. .	xxix.	2843
Stauranthera chiritaeflora, *Oliv.* .	xxv.	2454
—— grandiflora . .	xxv.	2454
—— umbrosa . .	xxv.	2454
Staurochlamys Burchellii, *Baker* . .	xix.	1825
Stegania lanceolata,R Br.	v.	429
—— *procera*, R. Br. .	v.	427–8
Stegnogramme aspidioides, Bl. . .	x.	950
Steirodiscus . .	iv.	343
Stelis lamellata, *Lindl.*	i.	62
—— *tubata*, Lodd. .	vi.	508
Stellaria decipiens, *Hook. f.*	vii.	680
—— media, *With.* .	vii. viii.	680 771
—— uliginosa, *Murr.* .	vii.	680
Stellularia nigricans,*Benth.*	xiv.	1318
Stemmatodaphne perakensis, *Gamble* .	xxx.	2984
Stemodia ruderalis, Vahl	ix.	875
Stemona . . .	xviii.	1776
Stemona erecta, *Wright*	xxiv.	2389

	VOL.	PLATE
Stemona sessilifolia, *Miq.*	xxiv.	2389
Stemonurus (?) megacarpus, *Hemsl.* .	xxiv.	2398
—— scorpioides, *Becc.*	xxiv.	2398
Stenanthera ericoides, F. Muell. . . .	xi.	1038
Stenocarpus . .	xiii.	1275
Stenochloa californica, Nutt.	xiv.	1375
Stenoglossum subulatum, *Lindl.* . .	i.	51
Stenogyne rotundifolia, *A. Gray* . . .	xiii.	1248
Stenolirion Elliotii, *Baker*	xxv.	2493
Stenomeris borneensis, *Oliv.* . .	xxiv.	2328
—— Cumingiana, *Becc.*	xxiv.	2328
—— dioscoreaefolia, *Planch.* . .	xxiv.	2328
Stenopetalum draboides, *Hook.* . .	vii.	617
—— **incisifolium,** *Hook.f.*	iii.	276
—— incisifolium, *Hook.f.*	iii.	277
—— lineare, *R. Br.* .	iii.	276
—— **lineare,** *R. Br.* .	vii.	618
—— **(?) procumbens,** *Hook.*	vii.	610
—— procumbens, *Hook.*	vii.	617
—— **robustum,** *Endl.* .	vii.	620
Sterculia Alexandri, *Harv.*	xxiii.	2278
—— **Barteri,** *Mast.* .	xxiii.	2277
—— **colorata,** *Roxb.* .	ii.	143
—— **Murex,** *Hemsl.* .	xxiii.	2278
—— platanifolia .	xxvi.	2538
Stereospermum, *Cham.*	xxviii.	2728
—— chelonoides, *DC.*	xxviii.	2728
—— *sinicum,* Hance .	xxviii.	2728
Stereoxylon serratum, Poir.	vi.	540
Stevia collina . .	xxix.	2816
—— **Rebaudiana,** *Hemsl.*	xxix.	2816
Stichoneuron membranaceum, *Hook. f.* .	xviii.	1777
Stilbanthus scandens, *Hook. f.* . . .	xiii.	1286
Stilbe mucronata, *N. E. Br.* . .	xxvi.	2526
—— phylicoides .	xxvi.	2526
Stillingia . . .	xxvii.	2680
—— *arborea,* Pav. .	xxix.	2893
—— *biglandulosa,* Baill.	xxvii.	2647
—— *Hippomane,* Baill.	xxix.	2890
—— *Laurocerasus,* Baill.	xxix.	2888
—— *laurifolia,* A. Rich.	xxix.	2889
—— lineata, *Muell.-Arg.*	xxviii.	2741
—— *lineata,* var. *densiflora,* Baker .	xxviii.	2741
—— *obovata,* Baill. .	xxix.	2878–9
—— *salicifolia,* Klotzsch	xxix.	2883
—— Salpingadenia, *Huber* . .	xxix.	2878–9
Stillingia *sylvatica,* var. *paraguayensis,* Morong	xxix.	2883
Stilpnophyllum lineatum, *Hook. f.* . .	xii.	1147
Stilpnophytum axillare, Less. . . .	xxiii.	2231
Stocksia brahuica, *Benth.*	xviii.	1724
Stranvaesia Davidiana, *Dcne* . .	xxiii.	2295
—— glaucescens, *Lindl.*	xxiii.	2295
—— **integrifolia,** *Stapf*	xxiii.	2295
Streblus . . .	xxx.	2947
Streptanthus flavescens, *Hook.* . .	i.	44
—— **glandulosus,** *Hook.*	i.	40
—— glandulosus, *Hook.*	i.	44
Streptocarpus . .	xv.	1460
	xxviii.	2788
Streptopus paniculatus, *Baker* . . .	xx.	1932
Strobilanthes . .	ix.	836
Strobilomyces montosus, *Berk.* . . .	ix.	872
Strobopetalum Benti, *N. E. Br.* .	xxiv.	2387
—— **carnosum,** *N. E. Br.* . . .	xxiv.	2387
Stromatopteris moniliformis, Mett. . .	xvii.	1601
Strombosia . .	xi.	1005
Strombosia grandifolia, *Hook. f.* . .	xxiii.	2299
—— **pustulata,** *Oliv.* .	xxiii.	2299
Strophanthus hispidus, *DC.* . .	xi.	1098
—— **Jackianus,** *Wall.* .	xvi.	1521
—— **Kombe,** *Oliv.* .	xi.	1098
Struthiola ovata .	xv.	1493
—— **Thomsoni,** *Oliv.* .	xv.	1493
Strychnos Barteri, *Solereder* . .	xxiii.	2284
—— densiflora, *Baill.*	xxiii.	2284
—— Icaja, *Baill.* .	xxiii.	2284
—— **Ignatii,** *Berg.* .	xxiii.	2212
—— Ignatii, *Berg.* .	xxiii.	2213
—— multiflora, *Benth.*	xxiii.	2212
—— **multiflora,** *Benth.*	xxiii.	2213
—— philippensis .	xxiii.	2212
—— **toxifera,** *Schomb.*	iv.	364–5
Stuartia, *Linn.* . .	xxviii.	2727
Styloceras . . .	xiv.	1400
Stylocoryne macrophylla, *Roxb.* . .	xi.	1089
Stylodiscus trifoliatus, Benn. . . .	ix.	844
Stylophorum diphyllum, *Nutt.* . . .	xviii.	1739
Stylopus vernus, *Raf.*	iii.	286

	VOL.	PLATE
Styphelia lobopogona, F. Muell.	xi.	1038
Styrax benzoides, *Craib*	xxx.	2999
—— Benzoin, *Dryand.*	xxx.	2999
—— *Benzoin*, Craib	xxx.	2999
—— suberifolia, *Hook. & Arn.*	xxx.	2999
Subularia purpurea, Forsk.	iii.	223
Swartzia	viii.	784
Swartzia alterna, *Benth.*	xi.	1064
—— **Matthewsii**, *Benth.*	xi.	1064
Swertia Kingii, *Hook. f.*	xv.	1442
—— petiolata	xv.	1442
Swietenia macrophylla, *King*	xvi.	1550
—— **Mahagoni**, *Jacq.*, var. **praecociflora**, *Hemsl.*	xxviii.	2786
—— Mahagoni, *Linn.*.	xvi.	1550
Sycopsis, *Oliv.*	xxix.	2817, 2835
Sycopsis Dunnii, *Hemsl.*	xxix.	2836
—— Griffithiana, *Oliv.*	xx.	1931
	xxix.	2836
—— ***laurifolia**, *Hemsl.*	xxix.	2836
—— ***philippinensis**, *Hemsl.*	xxix.	2836
—— **sinensis**, *Oliv.*	xx.	1931
	xxix.	2834
—— sinensis, *Oliv.*	xxix.	2836
—— **Tutcheri**, *Hemsl.*	xxix.	2834
—— Tutcheri, *Hemsl.*	xxix.	2836
Sylitra	xii.	1163
Sylvianthus	xii.	1134
Sympetalandra borneensis, *Stapf*	xxviii.	2721
Symphysodaphne cubensis, *A. Rich.*	xiii.	1259
Sympieza Kunthii, Klotzsch	xxx.	2942
—— *Kunthii*, var. *brachyphylla*, Benth.	xxx.	2942
—— *Kunthii*, var. *hispida*, Benth.	xxx.	2942
Symplocos Curtisii, *Oliv.*	xviii.	1757
Synadenium	xxvii.	2666
Synaedrys	xxvii.	2665
Synantherea mexicana, Auct.	xxx.	2998
Synaptantha tillaeacea, *Hook. f.*	xii.	1146
Synaptolepis alternifolia, *Oliv.*	xii.	1194
—— **Kirkii**, *Oliv.*	xi.	1074
Syncolostemon	xiii.	1274
Syncolostemon densiflorus, *Benth.*	xiii.	1257
Syndiclis	xvi.	1547
Syndiclis paradoxa, *Hook. f.*	xvi.	1515
Syrrhopodon repens, *Harv.*	i.	22/4
Tabebuia *dentata*, Miers	xxx.	2943
—— *dracocephaloides*, Miers	xxx.	2943
—— **longipes**, *Baker*	xviii.	1738
—— *pyramidata*, DC.	xxviii.	2771–2
Tabernaemontana	xxiv.	2337, 2350
Tabernaemontana anguinea, *Hemsl.*	xxiv.	2397
—— *nitida*, Stapf	xxviii.	2745–6
—— *utilis*, Arn.	xxvii.	2637
Tabernanthe	xxiv.	2350
Tabernanthe Iboga, *Baill.*	xxiv.	2337
Tacca pinnatifida, *Forst.*	xxvi.	2515–6
—— **viridis**, *Hemsl.*	xxvi.	2515–6
Tachiadenus elatus, *Hemsl.*	xxvi.	2554
Taeniochlaena Griffithii, *Hook. f.*	xxiv.	2392
Taenitis blechnitis	x.	994
—— *niphoboloides*, Luerssen	xvii.	1686
—— **obtusa**, *Hook.*	x.	994
Tainia bicornis	xxi.	2090
—— cordifolia, *Hook. f.*	xix.	1860
—— **cordifolia**, *Hook. f.*	xix.	1861
—— **hastata**, *Hook. f.*	xxi.	2092
—— **khasiana**, *Hook. f.*	xxi.	2090
—— latifolia	xxi.	2092
—— **latilingua**, *Hook. f.*	xxi.	2093
—— **macrantha**, *Hook. f.*	xix.	1860
—— *maculata*, *Hook. f.*	xxi.	2064
—— **Maingayi**, *Hook. f.*	xxi.	2094
—— **minor**, *Hook. f.*	xxi.	2091
—— penangiana, *Hook. f.*	xix.	1883
—— **penangiana**, *Hook. f.*	xxi.	2089
—— **promensis**, *Hook. f.*	xix.	1883
—— speciosa, *Bl.*	xxi.	2094
Talauma fragrantissima, *Hook.*	iii.	208–12
—— ovata, *St.-Hil.*	iii.	211–2
—— Plumieri	iii.	211–2
—— **Sellowiana**, *St.-Hil.*	iii.	211–2
Talisia megaphylla, *Sagot*	xviii.	1769
—— **princeps**, *Oliv.*	xviii.	1769
—— stricta, *Tr. & Pl.*	xviii.	1769
Tamatavea Melleri, *Hook. f.*	xi.	1090
Tanacetum *axillare*, Thunb.	xxiii.	2231
—— longifolium, *Wall.*	xxiv.	2306
—— millefoliatum, *Fisch. & Mey.*	xxiv.	2306
—— setaceum, *Roem. & Sch.*	xxiv.	2306

	VOL.	PLATE
Tanacetum tripinnatifidum, *Oliv.*	xxiv.	2306
Tapina villosa, *Gardn.*	v.	469
Tapiscia sinensis, *Oliv.*	xx.	1928
Tapura ciliata, *Gardn.*	v.	466
Taraxacum	xix.	1815
Tasmannia	ix.	896
Taxodium	vii.	668
Taxodium sempervirens, *Lamb.*(?)	iv.	379
Taxotrophis rectinervis, F. Muell.	xii.	1174
Taxus baccata	xvi.	1523
—— *montana,* Nutt.	iii.	232–3
Tecoma capensis	xiv.	1351
—— *myriantha,* DC.	xxviii.	2770
—— **nyassae,** *Oliv.*	xiv.	1351
—— *pratensis,* Bur. & K. Schum.	xxviii.	2770
Tectona Hamiltoniana	xxiii.	2202
Telfairia	viii.	799–800
Temnocydia elliptica, Mart.	xxviii.	2771–2
—— *lenta,* Mart.	xxviii.	2771–2
Temnopteryx sericea, *Hook. f.*	xxiv.	2327
Teonongia tonkinensis, *Stapf*	xxx.	2947
Tepesia dubia, *Gaertn.*	xi.	1069
Tephrosia	viii.	788–9
	xi.	1065
Tephrosia Clementi, *Skan*	xxviii.	2729
—— lupinifolia, *DC.*	xxviii.	2729
—— **plicata,** *Oliv.*	xv.	1445
—— *sericea,* DC.	ii.	120
—— **suberosa,** *DC.*	ii.	120
Terminalia Oliveri, *Brandis*	xxiii.	2202
—— parviflora	xxiii.	2202
—— polyantha	xxiii.	2202
—— tomentosa	xxiii.	2202
Ternstroemia peduncularis	vii.	695–6
Tetracarpaea tasmannica, *Hook.*	iii.	264
Tetracentron, *Oliv.*	xxiv.	2365
Tetracentron sinense, *Oliv.*	xix.	1892
Tetrachne Dregei, *Nees*	xxvii.	2603
Tetrachondra Hamiltonii, *Petrie*	xxiii.	2250
Tetractomia majus	xvi.	1512
—— **Roxburghii,** *Hook. f.*	xvi.	1512
Tetradenia fruticosa, *Benth.*	xiii.	1282
Tetradium (?) *fraxinifolium,* Wall.	viii.	710
Tetralopha Motleyi, *Hook. f.*	xi.	1072
Tetramerista paniculata, Kurz	xvi.	1512
Tetramiera	xxv.	2461
Tetraplasandra, *A. Gray*	xxiv.	2323
	xxvii.	2672
Tetratheca ciliata, *Lindl.*	iii.	268
Tetrathyrium subcordatum, Benth.	xv.	1417
Tetroncium magellanicum, *Willd.*	vi.	534
Thalictrum Dalzellii, *Hook.*	ix.	868
—— **ichangense,** *Lecoyer*	xviii.	1765
—— **microgynum,** *Lecoyer*	xviii.	1766
—— peltatum, *DC.*	xviii.	1765
—— Przewalskii, *Maxim.*	xviii.	1765
—— punduanum, *Wall.*	ix.	868
—— rotundifolium	ix.	868
—— rupestre, *Madden*	ix.	868
—— *saniculaeforme,* DC.	ix.	868
—— virgatum, *Hook. f. & Thoms.*	xviii.	1766
Thamnea depressa, *Oliv.*	xi.	1012
—— **diosmoides,** *Oliv.*	xxiv.	2314
—— *hirtella,* Oliv.	xi.	1013
—— uniflora, *Soland.*	xi.	1013
	xxiv.	2314
—— **uniflora,** *Soland.,* var. **hirtella,** *Oliv.*	xi.	1013
Thamnocarpus Gunnianus, *Harv.*	vii.	662
Thamnopteris, *Presl*	x.	925
		928
Thapsia	xi.	1032
Thaumasia (?) Cunninghami, *Hook.*	vi.	517–8
Thecacoris	xiii.	1296
	xxx.	2929
Thecostele alata, *Par. & Reichb. f.*	xxii.	2118
—— **Maingayi,** *Hook. f.*	xxii.	2118
—— quinquefida, *Hook. f.*	xxii.	2118
—— **quinquefida,** *Hook. f.*	xxii.	2119
—— Zollingeri	xxii.	2118
Thelasis	xxi.	2084
Thelasis bifolia, *Hook. f.*	xxii.	2153
—— *decurva,* Hook. f.	xxii.	2157
—— *elata,* Hook. f.	xxii.	2156
—— **khasiana,** *Hook. f.*	xxii.	2154
—— khasiana, *Hook. f.*	xxii.	2155
—— **longifolia,** *Hook. f.*	xxii.	2155
Theophrasta	ii.	140
—— *pinnata,* Jacq.	xviii.	1769
Thesium, Linn.	vi.	563
Thespesia Danis, *Oliv.*	xiv.	1336
Thespidium basiflorum, *F. Muell.*	xii.	1143
Thevetia Gaumeri, *Hemsl.*	xvi.	1517

	VOL.	PLATE
Thibaudia . . .	ii.	109
	iii.	243
	xxv.	2412
Thibaudia acuminata, *Hook.*	ii.	111
—— **angustifolia**, *Hook.*	ii.	110
—— caulialata, *Ruiz & Pav.*	ii.	110
—— **elliptica**, *Ruiz & Pav.*	ii.	108
—— Quereme, *Humb.* .	ii.	108
Thiseltonia Dyeri, *Hemsl.*	xxviii.	2781
Thladiantha glabra, *Cogn.*	xxiii.	2223
—— (?) **Henryi**, *Hemsl.*	xxiii.	2223
—— **longifolia**, *Cogn.* .	xxiii.	2222
—— longifolia, *Cogn.* .	xxiii.	2223
—— maculata, *Cogn.* .	xxiii.	2223
—— Oliveri, *Cogn.* .	xxiii.	2223
—— verrucosa . .	xxiii.	2223
Thladianthopsis, *Cogn.*	xxiii.	2223
Thlaspi arabicum, Vahl	iii.	223
Thomasia . . .	v.	408
Thomassetia seychellana, *Hemsl.* . .	xxviii.	2736
Thuja Doniana, *Hook.*	vi.	547
Thunbergia . . .	xxv.	2426
		2439
Thurnia Jenmani, *Hook. f.*	xv.	1408
—— **sphaerocephala**, *Hook. f.* . .	xv.	1407
Thymelaea . .	i.	5
Thyrocarpus . .	xxiii.	2256
Thysanocarpus elegans, *Fisch. & Mey.*, *var. α . .	i.	39
—— **elegans**, *Fisch. & Mey.*, var. β .	i.	39
—— **pusillus**, *Hook.* .	i.	42
Thysanomitrion uncinatum, *Harv.* . .	i.	22/5
Thysantha subulata, *Hook.*	vi.	590
Tiarella polyphylla, *Don*	xvi.	1584
Tilia alba . . .	xx.	1952
—— **Henryana**, *Szyszyl.*	xx.	1927
——**mandshurica**, *Rupr. & Maxim.*	xx.	1927
——**Miqueliana**, *Maxim.*, var. **chinensis**, *Szyszyl.*	xx.	1927
——**Oliveri**, *Szyszyl.* .	xx.	1927
—— **Tuan**, *Szyszyl.* .	xx.	1926
Tillaea *Hamiltonii*, T. Kirk . .	xxiii.	2250
—— **macrantha**, *Hook. f.*	iv.	310
—— **moschata**, *DC.* .	vi.	535
—— *pedunculata*, Sieb.	iii.	295
—— **verticillaris**, *DC.* .	iii.	295
—— verticillaris .	iii.	296
Tillandsia . . .	vi.	505–6
Timonius Rumphii, *DC.*	xxvii.	2630
Tinnea arabica, Baker .	xxvii.	2685
Tinnea erianthera, Vatke	xxvii.	2685
—— *sp.*, Oliv. . .	xxvii.	2685
Titanotrichum Oldhamii, *Solereder* .	xxx.	2936
Tittmannia, *Brongn.* .	xxiv.	2314
Tocoyena . . .	v.	476
Todea Fraseri, *Hook. & Grev.* . .	x.	910
—— *hymenophylloides*, Less.	i.	8
—— **Moorei**, *Baker* .	xvii.	1697
—— **pellucida**, *Carmich.*	i.	8
—— pellucida . .	x.	910
—— *superba*, Colenso .	x.	910
Tofieldia frigida . .	vii.	691
—— **sessiliflora**, *Hook.*	vii.	691
Torenia Schweinfurthii, *Oliv.* . . .	xiii.	1251
Toricellia angulata, *Oliv.*	xix.	1893
Torreya taxifolia, *Arn.*	iii.	232–3
Touroulia guyanensis, *Aubl.* . .	xx.	1998
—— **Jenmani**, *Oliv.* .	xx.	1998
Tovaria pendula, *Ruiz & Pav.* . . .	vii.	664
Toxanthera natalensis, *Hook. f.* . .	xv.	1421
Toxicodendron acutifolium, Benth. . .	xxv.	2444
Toxocarpus Schimperianus, *Hemsl.* .	xxix.	2807
Trachelospermum .	xviii.	1772
Trachymene celebica, *Hemsl.* . .	xxv.	2487
—— *deflexa*, Turcz. .	xxviii.	2740
—— humilis, *Benth.* .	xxiv.	2308
—— **saniculaefolia**, *Stapf*	xxiv.	2308
—— saniculaefolia, *Stapf*	xxv.	2487
Tradescantia fuscata, *Lodd.*	xxvi.	2522
—— **gracilis**, *H. B. K.* .	vii.	654
—— **hirsuta**, *H. B. K.* .	vii.	665
—— **orchidophylla**, *Rose & Hemsl.* .	xxvi.	2522
Trapella sinensis, *Oliv.*	xvi.	1595
Traversia baccharoides, *Hook. f.* . . .	xi.	1002
Treculia Affona, *N. E. Br.*	xxiv.	2353
—— africana . .	xxiv.	2353
Tretocarya, *Maxim.* .	xxiii.	2257
Tretocarya *pratensis*, Maxim. . .	xxvi.	2562
—— **sikkimensis**, *Oliv.*	xxiii.	2255
—— *sikkimensis*, Oliv.	xxvi.	2562
Treutlera insignis, *Hook. f.*	xv.	1425
Trianoptiles capensis, *Fenzl*	xiv.	1348
Triaspis hypericoides, *Burch.* . .	xv.	1418
—— **Nelsoni**, *Oliv.* .	xv.	1418
Tricalysia, *Rich.* . .	xi.	1091

	VOL.	PLATE
Trichantha major, *Hook.*	vii.	667
—— **minor,** *Hook.* .	vii.	666
Trichilia spectabilis, Forst.	vii.	615–6
Trichinium latifolium, *E. Mey.*	vi.	596
—— Manglesii, *Lindl.*	xvi.	1541
—— **remotiflorum,** *Hook.* . .	vi.	596
Trichlora peruviana, *Baker*	xiii.	1237
Trichocaulon *cactiformis, *N. E. Br.*	xx.	1905 Suppl.
——***flavum,** *N. E. Br.*	xx.	1905 Suppl.
—— piliferum .	xx.	Suppl.
Trichocladus grandiflorus, *Oliv.* . . .	xv.	1480
Trichodesma . .	vi.	597
Trichodesma cardiosepalum, *Oliv.* .	xxv.	2436
Tricholaena . .	xxx.	2927
Tricholaena Monachyron, *Oliv.* .	xxiv.	2374
—— Wightii . .	xxiv.	2374
Tricholepis spartioides, *Clarke* . .	xviii.	1732
—— **spartioides,** *Clarke*	xviii.	1733
—— **tibetica,** *Hook. f. & Thoms.* . .	xviii.	1732
—— tibetica, *Hook. f. & Thoms.* .	xviii.	1733
Trichomanes, Banks .	x.	910
Trichomanes . .	i.	8
	x.	918
	x.	956
Trichomanes alatum, *Sw.*	x.	982
—— *angustatum,* J. Sm.	viii.	704
—— apiifolium . .	xvii.	1611
—— apodum . .	x.	986
—— *Armstrongii,* Baker	xvii.	1614
—— **bicorne,** *Hook.* .	x.	982
—— *bilabiatum,* Nees .	viii.	705
—— *bilingue,* J. Sm. .	viii.	705
—— **brachyblastos,** *Mett.*	xvii.	1618
—— **Colensoi,** *Hook. f.*	x.	979
—— digitatum . .	xii.	1132
	xvii.	1615
—— **elongatum,** *A. Cunn.*	viii.	701
—— erosum . .	x.	986
—— Filicula, *Bory* .	viii.	705
—— flabellatum . .	xvii.	1615
—— *fucoides,* Hedw. .	x.	963
—— **giganteum,** *Bory & Willd.* . .	viii.	702
—— henzaianum, *Hook.*	xxiii.	2229
—— heterophyllum, *H.B.K.*	x.	981
—— **hispidulum,** *Mett.*	xvii.	1619
—— **Kalbreyeri,** *Baker*	xvii.	1617
—— Kaulfussii . .	xvii.	1617
—— **Lyallii,** *Hook. & Baker*	xvii.	1616
Trichomanes macilentum	xvii.	1617
—— *mauritianum,* Fluegge	viii.	702
—— maximum . .	xvii.	1618–9
—— **melanorhizon,** *Hook.*	viii.	705
—— **montanum,** *Hook.*	ii.	187
—— muscoides . .	x.	986
—— **Petersii,** *A. Gray*	x.	986
—— **Pluma,** *Hook.* .	x.	997
—— **polyanthos,** *Hook.*	viii.	703
—— **Powellii,** *Baker* .	xvii.	1615
—— pusillum . .	x.	986
—— reptans . .	x.	986
—— rigidum, *Sw.* .	viii.	701
—— **Sayeri,** *F. Muell. & Baker* . .	xxiii.	2229
—— **Smithii,** *Hook.* .	viii.	704
—— **Spruceanum,** *Hook.*	x.	981
—— strictum, *Menzies*	viii.	702
Trichopteryx elegantula, *Stapf* . . .	xxiv.	2394
Trichostomum subsecundum, *Hook. & Grev.*	i.	17/5
Tridentea, Haw. . .	xx.	Suppl.
—— *moschata,* Haw. .	xx.	1910
Tridontium tasmanicum, *Hook. f.* . . .	iii.	248
Trifolium macrocalyx, *Hook.*	iii.	285
—— **obtusiflorum,** *Hook. & Arn.* .	iii.	281
Triglochin (?) calcaratum, *Hook.* . .	v.	416
—— **calcitrapa,** *Hook.*	viii.	731
—— **centrocarpum,** *Hook.*	viii.	728
—— **filifolium,** *Hook.* .	vi.	579
—— *reflexum,* Vahl .	vi.	534
Trigonanthus pendulus, Korth. . . .	xxi.	2100
Trigonopleura malayana, *Hook. f.* . .	xviii.	1753
Trigonostemon . .	xviii.	1753
Trilepsis pilosa, Boeck.	xiv.	1342
Trimenia, *Seem.* . .	xxiv.	2367
	xxv.	2444
Trimorphopetalum dorstenioides, Baker .	xxix.	2828
Triodia . . .	xiii.	1243–4
	xxv.	2448
—— *antarctica,* Hook. f.	xxvii.	2607
—— *exigua,* Kirk .	xxvii.	2606
—— *mollis,* Durand & Schinz . .	xxvii.	2609
Triomma malaccensis, *Hook. f.* . . .	xxix.	2824–5
Triosteum perfoliatum, *Linn.*	xvi.	1586
—— **sinuatum,** *Maxim.*	xvi.	1586
Triphlebia alopecuroides, *Stapf* . .	xxvii.	2612
—— **pinnata,** *Baker* .	xvii.	1652

	VOL.	PLATE
Triplasandra, *Seem.* .	xxiv.	2323
Triplochiton Johnsoni, *C. H. Wright* .	xxviii.	2758
—— scleroxylon, *K. Schum.* . .	xxviii.	2758
Tripogon capillatus, *Jaub. & Spach*	xxv.	2442
—— **pauperulus,** *Stapf*	xxv.	2442
Tripolium angustum, Lindl.	xii.	1106
Triraphis . . .	xxvii.	2609
Tristellateia . .	xvi.	1566
Tristiropsis acutangula, *Radlk.* . .	xxix.	2811
—— **canarioides,** *Boerl.*	xxix.	2811
—— canarioides, *Boerl.*	xxix.	2812
—— obtusangula, *Radlk.*	xxix.	2811
—— Ridleyi, *Hemsl.* .	xxix.	2811
—— **Ridleyi,** *Hemsl.* .	xxix.	2812
—— subangula, *K. Schum.*	xxix.	2811
Triticum repens, Thw. .	xxv.	2448
Trixis . . .	vi.	519-20
Trochodendron . .	xix.	1892
	xxiv.	2361
Trochopteris, *Gardn.* .	ix.	875
Tromotriche, Haw. .	xx.	Suppl.
Tropaeolum cirrhipes, *Hook*	v.	411
—— **tuberosum,** *Ruiz & Pav.*	vii.	653
Tropidocarpum gracile, *Hook.*	i.	43
—— scabriusculum, *Hook.*	i.	43
—— **scabriusculum,** *Hook.*	i.	52
Tropidolepis diffusa, Tausch.	v.	485
Troximon . . .	xix.	1815
Tryphostemma Hanningtonianum, *Mast.* .	xv.	1484
—— Hanningtoniana, *Mast.*	xix.	1838
—— **triloba,** *Bolus* .	xix.	1838
—— zanzibaricum, *Mast.*	xv.	1484
Tuckermania Conradi, Klotzsch . . .	vi.	531
Tupidanthus, *Hook. f.*	xxiv.	2323
	xxix.	2805
Tupidanthus calyptratus, *Hook. f. & Thoms.* .	xxvii.	2672
Tupistra chinensis, *Baker*	xix.	1867
Turnera dichotoma, *Gardn.*	vi.	522
——***procumbens,** *Gardn.*	vi.	522
Turraea Vogelii, *Hook. f.*	xv.	1489
—— **Wakefieldii,** *Oliv.*	xv.	1489
Tylophora, *R. Br.* .	xxx.	2995
Tylophora *heterophylla*, A. Rich. . .	xxiv.	2373
—— **microstachys,** *Hook. f.*	xv.	1450
Tylophoropsis heterophylla, *N. E. Br.* .	xxiv.	2373
Tylostemon ugandensis, *Stapf* . . .	xxx.	2948
Tynnanthus . .	xxviii.	2749
Tysonia africana, *Bolus*	xx.	1942

	VOL.	PLATE
Uapaca guineensis, *Muell.-Arg.* . .	xiii.	1287
Uebelinia rotundifolia, *Oliv.*	xv.	1492
Uncaria africana, *Don* .	viii.	781
—— rhynchophylla, *Miq.*	xx.	1956
Uncifera acuminata, Lindl.	xxii.	2135
—— *obtusifolia*, Lindl.	xxii.	2134
Uncinia breviseta, Gray	v.	448
Ungnadia, *Endl.* .	xxviii.	2708
Uniola . . .	xiv.	1371
—— *mucronata*, Linn.	xxv.	2448
Unona Wrayi, *Hemsl.* .	xvi.	1553
Uralepis arenaria, *Steud.*	xxvii.	2609
Urera tenax, *N. E. Br.* .	xviii.	1748
Urnularia Beccariana, *Stapf* . .	xxviii.	2711
—— **flavescens,** *Stapf* .	xxviii.	2711
—— javanica, *Stapf* .	xxviii.	2711
——***oblongifolia,** *Stapf*	xxviii.	2711
——***ovatifolia,** *Stapf* .	xxviii.	2711
Urochlaena pusilla, *Nees*	xiv.	1363
Uroskinnera . .	xii.	1197
Urostigma Kunthii, Miq.	xxvi.	2578
Usteria guineensis, *Willd.*	viii.	795
Utleria salicifolia, *Bedd.*	xv.	1432
Utricularia *brachyceras*, Schlecht. .	xxviii.	2793
—— *capensis*, Spr. .	xxviii.	2793
—— capensis, *Spr.* .	xxviii.	2793-4
—— **capensis,** *Spr.* .	xxviii.	2794
—— capensis, *var.* brevicalcarata, *Oliv.*	xxviii.	2793-4
—— *delicata*, Kam. .	xxviii.	2793
—— **Ecklonii,** *Spr.* .	xxviii.	2793
—— **Ecklonii,** *Spr.* forma **Brachyceras** .	xxviii.	2793
—— **Ecklonii,** *Spr.* forma **delicatula** .	xxviii.	2793
—— Ecklonii, *Spr.* .	xxviii.	2794
—— *elevata*, Kam. .	xxviii.	2795
—— *Engleri*, Kam. .	xxviii.	2796
—— *exilis*, Kam. .	xxviii.	2793
		2795
—— **exilis,** *Oliv.* .	xxviii.	2797
—— exilis, *var.* bryoides, *Hiern*	xxviii.	2797
—— *exilis*, var. *Ecklonii*, Kam. .	xxviii.	2795
—— *exilis*, var. *hirsuta*, Kam. . .	xxviii.	2795
—— exilis, *var.* nematoscapa, *Hiern* .	xxviii.	2797
—— **firmula,** *Welw.* .	xxviii.	2797
—— firmula, *Welw.* .	xxviii.	2797
—— *hians*, A. DC. .	xxviii.	2798
—— **Kirkii,** *Stapf* .	xxviii.	2795
—— Kirkii, *Stapf* .	xxviii.	2797
—— *Lehmannii*, Benj.	xxviii.	2793

	VOL.	PLATE
Utricularia linarioides	xxviii.	2797
—— *lingulata*, Baker .	xxviii.	2798
—— livida, *E. Mey.* .	xxviii.	2795
—— **livida**, *E. Mey.* .	xxviii.	2796
—— **livida**, var. ***Engleri**, *Stapf* . .	xxviii.	2796
—— livida, *var.* micrantha, *Kam.* .	xxviii.	2796
—— livida, *var.* pauciflora, *Kam.* .	xxviii.	2796
—— *longecalcarata*, Benj.	xxviii.	2796
—— *madagascariensis*, A. DC. . .	xxviii.	2798
—— **nelumbifolia**, *Gardn.*	vi.	505–6
—— orbiculata . .	xxv.	2442
—— **prehensilis**, *E. Mey.*	xxviii.	2798
—— **prehensilis**, var. **huillensis**, *Welw.*	xxviii.	2798
—— *Rehmannii*, Kam.	xxviii.	2794
—— **Sandersonii**, *Oliv.*	xxviii.	2794
—— *sanguinea*, Moore	xxviii.	2796
—— **sanguinea**, *Oliv.* .	xxviii.	2795
—— sanguinea, *Oliv.* .	xxviii.	2796
—— *Schinzii*, Kam. .	xxviii.	2794
—— *Sprengelii*, Kam.	xxviii.	2794
—— **transrugosa**, *Stapf*	xxviii.	2796
—— *Treubii*, Kam. .	xxviii.	2794
—— **tribracteata**, *Hochst.*	xxviii.	2795
—— tribracteata, *Hochst.*	xxviii.	2795
—— Welwitschii .	xxviii.	2797
Uvaria (?) Vogelii, *Hook. f.*	viii.	767
Vaccinium, *Linn.* .	vii.	673
Vaccinium buxifolium, *Hook. f.* . .	ix.	829
—— buxifolium, *Hook. f.*	ix.	891
—— **cereum**, *Forst.*, var. α	i.	87
—— **cereum**, *Forst.*, *vars. β, γ, δ . .	i.	87
—— **coriaceum**, *Hook. f.*	ix.	892
—— *dentatum*, Sm. .	i.	87
—— **emirnense**, *Hook.*	ii.	131
—— emirnense, *Hook.*	ii.	134
—— **exul**, *Bolus* .	xx.	1941
—— **Forbesii**, *Hook.* .	iv.	345
—— **Imrayi**, *Hook.* .	iii.	292
—— **javanicum**, *Hook.*.	viii.	740
—— javanicum, *Hook.*	xx.	1941
—— **muscicola**, *Hook.*	viii.	717
—— Myrtillus . .	ii. / ix.	112 / 825
—— *reticulatum*, Sm. .	i.	87
—— **secundiflorum**, *Hook.* . .	ii.	134
Vahea elastica, Klotzsch .	xxviii.	2755
—— *Kirkii*, Sadeb. .	xxviii.	2755
Vallaris Pergularia, *R. Br.* . . .	ii.	153
Vanda bicaudata, Thw.	xxii.	2120
Vandellia plantaginea, F. Muell. . .	xi.	1059
Vangueria nigrescens, *Scott Elliot* .	xxiii.	2283
—— pauciflora, *Schwf.*	xxiii.	2283
—— velutina, *Hiern* .	xxiii.	2283
Vanilla palmarum, *Lindl.*	xxx.	2989
Vateria ceylanica .	xxviii.	2759–60
—— **seychellarum**, *Dyer*	xxviii.	2759–60
Vateriopsis seychellarum, Heim . .	xxviii.	2759–60
Vatica Ridleyana, *Brandis* . .	xxv.	2401
—— Scortechini . .	xxv.	2401
Vavaea megaphylla, *Wright* . . .	xxv.	2438
Vellosiella dracocephaloides, *Baill.* .	xxx.	2943
Vellozia . . .	vi.	502
Vellozia arabica, *Baker*	xxiv.	2364
—— humilis, *Baker* .	xxiv.	2364
Veratrum . . .	xxx.	2931
Verbesina brasiliana, Pers. . . .	iii.	238
Vernicia montana, Lour.	xxix.	2801–2
Vernonia . . .	xi.	1006
Vernonia cephalophora, *Oliv.* . .	xxiii.	2239
—— mecistophylla, *Baker* . .	xxiii.	2239
—— **nyassae**, *Oliv.* .	xiv.	1349
—— solidaginifolia, *Boj.*	xii.	1140
—— **stenocephala**, *Oliv.*	xiv.	1349
Veronica . . .	xi. / xx. Suppl.	1047
Veronica Bidwilli, *Hook.*	ix.	814
—— canescens, *T. Kirk*	xiv.	1366
—— **Cheesemani**, *Benth.*	xiv.	1366
—— **diffusa**, *Hook. f.* .	vii.	645
—— glandulosa, *Hochst.*	xvi.	1509
—— **myrsinoides**, *Oliv.*	xvi.	1509
—— **nivea**, *Hook. f.* .	vii.	640
—— nivea, *Hook. f.* .	ix.	814
—— prostrata . .	vii.	645
—— **tetragona**, *Hook.*	vi.	580
Verreauxia Dyeri, *E. Pritzel* . .	xxviii.	2782
—— Reinwardtii, *Benth.*	xxviii.	2782
Verticordia insignis, *Endl.*	xxviii.	2779
—— **Roei**, *Endl.* .	xxviii.	2779
Vesicaria . . .	iv. / ix.	339 / 805
Viburnum . . .	xviii.	1740
Vigna hirta, *Hook.* .	vii.	637
Viguiera . . .	xii.	1152

	VOL.	PLATE
Villarsia . . .	xii.	1161
Villarsia involucrata, *Hook.* . . .	viii.	725
Viminaria . . .	xxviii.	2777
Vincetoxicum heterophyllum, Vatke .	xxiv.	2373
Viola Asterias, *Hook. & Arn.*	i.	13
—— **balsaminoides,** *Gardn.*	iii.	217
—— **chrysantha,** *Hook.*	i.	49
—— congesta, *Gillies* .	i.	13
—— **Cotyledon,** *Gingins*	i.	13
—— **glandulifera,** *Hook.*	i.	67
—— *lutea*, **var.,** Feuill.	v.	499
—— **maculata,** *Cav.* .	v.	499
—— **magellanica,** *Forst.*	v.	499
—— pusilla, *Hook. & Arn.*	i.	13
—— *pyrolaefolia*, Poir.	v.	499
—— volcanica, *Gillies* .	i.	13
Viscum . . .	vii.	700
	xiv.	1324
Viscum falcatum, *Cham. & Schlecht.* .	iv.	368
—— **incanum,** *Hook.* .	i.	73
Visnea Mocanera, *Linn.*	iii.	253
Vitex	xv.	1420
Vitex congesta, *Oliv.* .	xxiii.	2240
—— **littoralis,** *A. Cunn.*	v.	419–20
—— **mooiensis,** *Pearson*	xxviii.	2705
—— **mooiensis,** var. ***Rudolphi,** *Pearson*	xxviii.	2705
—— trichantha, *Baker*	xxiii.	2240
Vitis humilis, *N. E. Br.*	xvi.	1565
—— **sarcocephala,** *Schweinf.*. .	xiii.	1253
Vittmannia elliptica, Vahl	i.	7
Voacanga . . .	xxviii.	2764
Voitia	iii.	231
Volutarella . . .	xx.	1965

Wahlenbergia acaulis, *E. Mey.* . .	xvi.	1543
—— **albomarginata,** *Hook.*	ix.	818
—— **brevipes,** *Hemsl.* .	xxviii.	2768
—— hederacea, *Reichb.*	xxviii.	2768
Walcottia eriobotrya, *F. Muell.* . . .	xxviii.	2732
Walkera, *Schreb.* (*sphalm.* Walpera, *Gaertn.*) .	viii.	712
Wardia . . .	iii.	248
Warpuria clandestina, *Stapf* . . .	xxx.	2983
Webera . . .	xi.	1089
Weihea, *Spr.* . .	xxix.	2841
Weinmannia biglandulosa, *A. Cunn.* .	iv.	301
Weissia campylocarpa, *Hook. & Arn.* . .	ii.	136
Weissia campylocarpa. *Hook. & Arn.* .	iii.	202
—— **flaccida,** *Harv.* .	i.	18/3
—— **pallens,** *Hook. & Wils.*	viii.	739
Wendlandia Henryi, *Oliv.*	xviii.	1712
—— Kotschyi, *Boiss. & Hohen.* . .	xviii.	1712
Wielandia elegans, *Baill.*	xxix.	2813
Wightia borneensis, *Hook. f.*	xv.	1444
Wilberforcia, Hook. f. .	viii.	796
Willughbeia firma, *Bl.* .	xxiv.	2344
—— *flavescens*, Dyer .	xxviii.	2711
—— *javanica*, Bl. .	xxviii.	2711
—— *jaxanica*, Hallier f.	xxviii.	2711
—— oblonga, *Dyer* .	xxviii.	2711
—— *Petersiana*, Klotzsch . .	xxviii.	2756
—— *senensis*, Klotzsch	xxviii.	2756
—— *sp.*, Benth. & Hook. f.	xxviii.	2711
Wilsonia humilis, *R. Br.*	iii.	265
	v.	410
—— **rotundifolia,** *Hook.*	v.	410
Wimmeria concolor, *Cham. & Schlecht.* .	iv.	356
Wintera axillaris, Forst.	vi.	576
Withania . . .	xi.	1021
Woodrowia diandra, *Stapf*	xxv.	2447
Woodsia . . .	vii.	675–6
—— hyperborea .	xvii.	1680
—— ilvensis . .	xvii.	1680
—— *lanosa*, Hook. & Baker	xvii.	1680
Wrightia parviflora, *Stapf*	xxiv.	2345
—— tinctoria . .	xxiv.	2345
Wulfenia . . .	xv.	1438
Wunderlichia mirabilis, *Riedel* . . .	xv.	1496

Xanthosia, DC. . .	i.	45
Xanthosia ciliata, *Hook.*	viii.	726
—— **dissecta,** *Hook. f.* .	iv.	302
—— dissecta, *Hook. f.* .	viii.	726
Xanthostemon chrysanthus, *F. Muell.* .	xi.	1040
Xenismia acanthosperma, DC. . .	xvi.	1535
Xeractis . . .	xxiv.	2359
Xerochlamys pilosa, *Baker*	xv.	1413
Xerotia arabica, *Oliv.* .	xxiv.	2359
Ximenia americana .	iv.	350
—— **parviflora,** *Benth.*.	iv.	350
Xylia dolabriformis, *Benth.* . .	xxx.	2912
		2932
—— **Kerrii,** *Craib & Hutchinson* .	xxx.	2932
Xylocarpus. . .	xv.	1458
Xylomelon occidentale, *R. Br.* . . .	v.	446

	VOL.	PLATE
Xylomelon pyriforme, *R. Br.*	v.	446
Xylopia oxyantha, *Hook. f. & Thoms.* .	xvi.	1563
—— **stenopetala,** *Oliv.*.	xvi.	1563
Xylophragma * myrianthum, *Sprague*	xxviii.	2770
—— **pratense,** *Sprague*	xxviii.	2770
Xylosma (?) monospora, **Harv.** . . .	xxv.	2444
Xylosteum . . .	ix.	806
Xymalos monospora, *Baill.*	xxv.	2444
Xysmalobium orbiculare, *Dietr.* . .	xxviii.	2744
Yoania japonica, *Maxim.*	xiv.	1364
Zaluzania . . .	xii.	1118
Zanonia . . .	xix.	1822
Zanthoxylum multifoliolatum, *Hemsl.* . .	xxvi.	2595
Zataria multiflora, *Boiss.*	xv.	1428
—— multiflora, *var.* bracteata, *Boiss.*	xv.	1428
Zeuxine . . .	xxii.	2168
Zeuxine abbreviata, *Hook. f.*	xxii.	2178
Zeuxine abbreviata, *Hook. f.*	xxii.	2179
—— **affinis,** *Benth.* .	xxii.	2177
—— **flava,** *Benth.* .	xxii.	2176
—— **flava,** *Benth.* .	xxii.	2177
—— **goodyeroides,** *Lindl.*	xxii.	2172
—— **longifolia,** *Hook. f.*	xxii.	2180
—— **moulmeinensis,** *Hook. f.* . .	xxii.	2179
—— **nervosa,** *Benth.* .	xxii.	2175
—— **regia,** *Benth.* .	xxii.	2174
—— **reniformis,** *Hook. f.*	xxii.	2173
—— **reniformis,** *Hook. f.*	xxii.	2175
Zeyheria (?) surinamensis, Miq. . . .	xxviii.	2771–2
Zizyphus affinis, *Hemsl.*	xvi.	1544
—— calophylla, *Wall.*	xvi. 1544; xix.	1862
—— **Choroxylon,** *Oliv.*	xix.	1862
—— ornata, *Miq.* .	xvi.	1544
Zollernia . . .	viii.	784
Zschokkea monosperma	xxvii.	2637
—— **utilis,** *Hemsl.* .	xxvii.	2637
Zygodia axillaris, *Benth.*	xii.	1184
——***myrtifolia,** *Benth.*	xii.	1184
——***subsessilis,** *Benth.*	xii.	1184
Zygoon graveolens, *Hiern*	xxiii.	2274
Zygophyllum album, *Linn.*	xxiv.	2358
—— **amblyocarpum,** *Baker*	xxiv.	2358

AT THE BALLANTYNE PRESS
PRINTED BY SPOTTISWOODE, BALLANTYNE AND CO. LTD.
COLCHESTER, LONDON AND ETON, ENGLAND

The impression of the 'Icones' is limited to 250 copies, and the work will not be reprinted.

A small number of copies of the Third Series, comprising 1,000 plates, is offered for sale at £5 each.

Application should be made to Messrs. DULAU & CO. LTD., *37 Soho Square.*